
Pyro Documentation

Uber AI Labs

Dec 14, 2021

PYRO CORE:

1	Getting Started	1
2	Primitives	3
3	Inference	9
3.1	SVI	9
3.2	ELBO	10
3.3	Importance	17
3.4	Reweighted Wake-Sleep	18
3.5	Sequential Monte Carlo	20
3.6	Stein Methods	21
3.7	Likelihood free methods	23
3.8	Discrete Inference	24
3.9	Prediction utilities	25
3.10	MCMC	28
3.11	Automatic Guide Generation	37
3.12	Reparameterizers	55
3.13	Inference utilities	64
4	Distributions	67
4.1	PyTorch Distributions	67
4.2	Pyro Distributions	72
4.3	Transforms	117
4.4	TransformModules	123
4.5	Transform Factories	150
4.6	Constraints	159
5	Parameters	165
5.1	ParamStore	165
6	Neural Networks	169
6.1	Pyro Modules	169
6.2	AutoRegressiveNN	174
6.3	DenseNN	175
6.4	ConditionalAutoRegressiveNN	175
6.5	ConditionalDenseNN	176
7	Optimization	179
7.1	Pyro Optimizers	179
7.2	PyTorch Optimizers	182
7.3	Higher-Order Optimizers	183

8 Poutine (Effect handlers)	185
8.1 Handlers	185
8.2 Trace	193
8.3 Runtime	196
8.4 Utilities	197
8.5 Messengers	198
9 Miscellaneous Ops	211
9.1 Utilities for HMC	211
9.2 Newton Optimizers	213
9.3 Special Functions	215
9.4 Tensor Utilities	216
9.5 Tensor Indexing	219
9.6 Tensor Contraction	221
9.7 Gaussian Contraction	223
9.8 Statistical Utilities	226
9.9 Streaming Statistics	228
9.10 State Space Model and GP Utilities	231
10 Testing Utilities	233
10.1 Goodness of Fit Testing	233
11 Automatic Name Generation	237
11.1 Named Data Structures	240
11.2 Scoping	242
12 Bayesian Neural Networks	245
12.1 HiddenLayer	245
13 Causal Effect VAE	247
13.1 CEVAE Class	247
13.2 CEVAE Components	249
13.3 Utilities	251
14 Easy Custom Guides	255
14.1 EasyGuide	255
14.2 easy_guide	256
14.3 Group	256
15 Epidemiology	259
15.1 Base Compartmental Model	259
15.2 Example Models	264
15.3 Distributions	271
16 Pyro Examples	275
16.1 Datasets	275
16.2 Utilities	276
17 Forecasting	277
17.1 Forecaster Interface	277
17.2 Evaluation	281
18 Funсор-based Pyro	283
18.1 Primitives	283
18.2 Effect handlers	289
18.3 Inference algorithms	294

19 Gaussian Processes	297
19.1 Models	298
19.2 Kernels	309
19.3 Likelihoods	317
19.4 Parameterized	320
19.5 Util	321
20 Minipyro	323
20.1 Mini Pyro	323
21 Biological Sequence Models with MuE	325
21.1 Example MuE Models	325
21.2 State Arrangers for Parameterizing MuEs	328
21.3 Missing or Variable Length Data HMM	329
21.4 Biosequence Dataset Loading	330
22 Optimal Experiment Design	333
22.1 Expected Information Gain	334
22.2 Generalised Linear Mixed Models	340
23 Random Variables	341
23.1 Random Variable	341
24 Time Series	343
24.1 Abstract Models	343
24.2 Gaussian Processes	344
24.3 Linear Gaussian State Space Models	347
25 Tracking	351
25.1 Data Association	351
25.2 Distributions	353
25.3 Dynamic Models	354
25.4 Extended Kalman Filter	358
25.5 Hashing	360
25.6 Measurements	361
26 Indices and tables	363
Python Module Index	365
Index	367

**CHAPTER
ONE**

GETTING STARTED

- Install Pyro.
- Learn the basic concepts of Pyro: [models](#) and [inference](#)
- Dive in to other [tutorials](#) and [examples](#).

PRIMITIVES

`get_param_store()`

Returns the global `ParamStoreDict`.

`clear_param_store()`

Clears the global `ParamStoreDict`.

This is especially useful if you're working in a REPL. We recommend calling this before each training loop (to avoid leaking parameters from past models), and before each unit test (to avoid leaking parameters across tests).

`param(name, init_tensor=None, constraint=Real(), event_dim=None)`

Saves the variable as a parameter in the param store. To interact with the param store or write to disk, see [Parameters](#).

Parameters

- `name` (`str`) – name of parameter
- `init_tensor` (`torch.Tensor` or `callable`) – initial tensor or lazy callable that returns a tensor. For large tensors, it may be cheaper to write e.g. `lambda: torch.randn(100000)`, which will only be evaluated on the initial statement.
- `constraint` (`torch.distributions.constraints.Constraint`) – torch constraint, defaults to `constraints.real`.
- `event_dim` (`int`) – (optional) number of rightmost dimensions unrelated to batching. Dimension to the left of this will be considered batch dimensions; if the param statement is inside a subsampled plate, then corresponding batch dimensions of the parameter will be correspondingly subsampled. If unspecified, all dimensions will be considered event dims and no subsampling will be performed.

Returns A constrained parameter. The underlying unconstrained parameter is accessible via `pyro.param(...).unconstrained()`, where `.unconstrained` is a weakref attribute.

Return type `torch.Tensor`

`sample(name, fn, *args, **kwargs)`

Calls the stochastic function `fn` with additional side-effects depending on `name` and the enclosing context (e.g. an inference algorithm). See [Introduction to Pyro](#) for a discussion.

Parameters

- `name` – name of sample
- `fn` – distribution class or function
- `obs` – observed datum (optional; should only be used in context of inference) optionally specified in `kwargs`

- **obs_mask** (`bool` or `Tensor`) – Optional boolean tensor mask of shape broadcastable with `fn.batch_shape`. If provided, events with mask=True will be conditioned on `obs` and remaining events will be imputed by sampling. This introduces a latent sample site named `name + "_unobserved"` which should be used by guides.
- **infer** (`dict`) – Optional dictionary of inference parameters specified in kwargs. See inference documentation for details.

Returns sample

factor(*name*, *log_factor*, *, *has_rsample=None*)

Factor statement to add arbitrary log probability factor to a probabilisitic model.

Warning: When using factor statements in guides, you'll need to specify whether the factor statement originated from fully reparametrized sampling (e.g. the Jacobian determinant of a transformation of a reparametrized variable) or from nonreparameterized sampling (e.g. discrete samples). For the fully reparametrized case, set `has_rsample=True`; for the nonreparametrized case, set `has_rsample=False`. This is needed only in guides, not in models.

Parameters

- **name** (`str`) – Name of the trivial sample
- **log_factor** (`torch.Tensor`) – A possibly batched log probability factor.
- **has_rsample** (`bool`) – Whether the `log_factor` arose from a fully reparametrized distribution. Defaults to False when used in models, but must be specified for use in guides.

deterministic(*name*, *value*, *event_dim=None*)

Deterministic statement to add a `Delta` site with name *name* and value *value* to the trace. This is useful when we want to record values which are completely determined by their parents. For example:

```
x = pyro.sample("x", dist.Normal(0, 1))
x2 = pyro.deterministic("x2", x ** 2)
```

Note: The site does not affect the model density. This currently converts to a `sample()` statement, but may change in the future.

Parameters

- **name** (`str`) – Name of the site.
- **value** (`torch.Tensor`) – Value of the site.
- **event_dim** (`int`) – Optional event dimension, defaults to *value.ndim*.

subsample(*data*, *event_dim*)

Subsampling statement to subsample data tensors based on enclosing `plate`s.

This is typically called on arguments to `model()` when subsampling is performed automatically by `plate`s by passing either the `subsample` or `subsample_size` kwarg. For example the following are equivalent:

```
# Version 1. using indexing
def model(data):
    with pyro.plate("data", len(data), subsample_size=10, dim=-data.dim()) as ind:
```

(continues on next page)

(continued from previous page)

```

data = data[ind]
# ...

# Version 2. using pyro.subsample()
def model(data):
    with pyro.plate("data", len(data), subsample_size=10, dim=-data.dim()):
        data = pyro.subsample(data, event_dim=0)
    # ...

```

Parameters

- **data** (*Tensor*) – A tensor of batched data.
- **event_dim** (*int*) – The event dimension of the data tensor. Dimensions to the left are considered batch dimensions.

Returns A subsampled version of data**Return type** *Tensor*

class `plate`(*name*, *size=None*, *subsample_size=None*, *subsample=None*, *dim=None*, *use_cuda=None*, *device=None*)

Bases: `pyro.poutine.plate_messenger.PlateMessenger`

Construct for conditionally independent sequences of variables.

`plate` can be used either sequentially as a generator or in parallel as a context manager (formerly `irange` and `iarange`, respectively).

Sequential `plate` is similar to `range()` in that it generates a sequence of values.

Vectorized `plate` is similar to `torch.arange()` in that it yields an array of indices by which other tensors can be indexed. `plate` differs from `torch.arange()` in that it also informs inference algorithms that the variables being indexed are conditionally independent. To do this, `plate` is provided as context manager rather than a function, and users must guarantee that all computation within an `plate` context is conditionally independent:

```

with pyro.plate("name", size) as ind:
    # ...do conditionally independent stuff with ind...

```

Additionally, `plate` can take advantage of the conditional independence assumptions by subsampling the indices and informing inference algorithms to scale various computed values. This is typically used to subsample minibatches of data:

```

with pyro.plate("data", len(data), subsample_size=100) as ind:
    batch = data[ind]
    assert len(batch) == 100

```

By default `subsample_size=False` and this simply yields a `torch.arange(0, size)`. If $0 < \text{subsample_size} \leq \text{size}$ this yields a single random batch of indices of size `subsample_size` and scales all log likelihood terms by `size/batch_size`, within this context.

Warning: This is only correct if all computation is conditionally independent within the context.

Parameters

- **name** (*str*) – A unique name to help inference algorithms match `plate` sites between models and guides.
- **size** (*int*) – Optional size of the collection being subsampled (like *stop* in builtin *range*).
- **subsample_size** (*int*) – Size of minibatches used in subsampling. Defaults to *size*.
- **subsample** (Anything supporting *len()*) – Optional custom subsample for user-defined subsampling schemes. If specified, then *subsample_size* will be set to *len(subsample)*.
- **dim** (*int*) – An optional dimension to use for this independence index. If specified, *dim* should be negative, i.e. should index from the right. If not specified, *dim* is set to the right-most dim that is left of all enclosing `plate` contexts.
- **use_cuda** (*bool*) – DEPRECATED, use the *device* arg instead. Optional bool specifying whether to use cuda tensors for *subsample* and *log_prob*. Defaults to `torch.Tensor.is_cuda`.
- **device** (*str*) – Optional keyword specifying which device to place the results of *subsample* and *log_prob* on. By default, results are placed on the same device as the default tensor.

Returns A reusable context manager yielding a single 1-dimensional `torch.Tensor` of indices.

Examples:

```
>>> # This version declares sequential independence and subsamples data:
>>> for i in pyro.plate('data', 100, subsample_size=10):
...     if z[i]: # Control flow in this example prevents vectorization.
...         obs = pyro.sample(f'obs_{i}', dist.Normal(loc, scale),
...                           obs=data[i])
```

```
>>> # This version declares vectorized independence:
>>> with pyro.plate('data'):
...     obs = pyro.sample('obs', dist.Normal(loc, scale), obs=data)
```

```
>>> # This version subsamples data in vectorized way:
>>> with pyro.plate('data', 100, subsample_size=10) as ind:
...     obs = pyro.sample('obs', dist.Normal(loc, scale), obs=data[ind])
```

```
>>> # This wraps a user-defined subsampling method for use in pyro:
>>> ind = torch.randint(0, 100, (10,)).long() # custom subsample
>>> with pyro.plate('data', 100, subsample=ind):
...     obs = pyro.sample('obs', dist.Normal(loc, scale), obs=data[ind])
```

```
>>> # This reuses two different independence contexts.
>>> x_axis = pyro.plate('outer', 320, dim=-1)
>>> y_axis = pyro.plate('inner', 200, dim=-2)
>>> with x_axis:
...     x_noise = pyro.sample("x_noise", dist.Normal(loc, scale))
...     assert x_noise.shape == (320,)
>>> with y_axis:
...     y_noise = pyro.sample("y_noise", dist.Normal(loc, scale))
...     assert y_noise.shape == (200, 1)
>>> with x_axis, y_axis:
...     xy_noise = pyro.sample("xy_noise", dist.Normal(loc, scale))
...     assert xy_noise.shape == (200, 320)
```

See [SVI Part II](#) for an extended discussion.

`plate_stack(prefix, sizes, rightmost_dim=-1)`

Create a contiguous stack of `plate`s with dimensions:

```
rightmost_dim = len(sizes), ..., rightmost_dim
```

Parameters

- `prefix (str)` – Name prefix for plates.
- `sizes (iterable)` – An iterable of plate sizes.
- `rightmost_dim (int)` – The rightmost dim, counting from the right.

`module(name, nn_module, update_module_params=False)`

Registers all parameters of a `torch.nn.Module` with Pyro's `param_store`. In conjunction with the `ParamStoreDict save()` and `load()` functionality, this allows the user to save and load modules.

Note: Consider instead using [`PyroModule`](#), a newer alternative to `pyro.module()` that has better support for: jitting, serving in C++, and converting parameters to random variables. For details see the [Modules Tutorial](#).

Parameters

- `name (str)` – name of module
- `nn_module (torch.nn.Module)` – the module to be registered with Pyro
- `update_module_params` – determines whether Parameters in the PyTorch module get overwritten with the values found in the ParamStore (if any). Defaults to `False`

Returns `torch.nn.Module`

`random_module(name, nn_module, prior, *args, **kwargs)`

Warning: The `random_module` primitive is deprecated, and will be removed in a future release. Use [`PyroModule`](#) instead to create Bayesian modules from `torch.nn.Module` instances. See the [Bayesian Regression tutorial](#) for an example.

DEPRECATED Places a prior over the parameters of the module `nn_module`. Returns a distribution (callable) over `nn.Modules`, which upon calling returns a sampled `nn.Module`.

Parameters

- `name (str)` – name of pyro module
- `nn_module (torch.nn.Module)` – the module to be registered with pyro
- `prior` – pyro distribution, stochastic function, or python dict with parameter names as keys and respective distributions/stochastic functions as values.

Returns a callable which returns a sampled module

`barrier(data)`

EXPERIMENTAL Ensures all values in `data` are ground, rather than lazy funsor values. This is useful in combination with `pyro.poutine.collapse()`.

`enable_validation(is_validate=True)`

Enable or disable validation checks in Pyro. Validation checks provide useful warnings and errors, e.g. NaN checks, validating distribution arguments and support values, detecting incorrect use of ELBO and MCMC. Since some of these checks may be expensive, you may want to disable validation of mature models to speed up inference.

The default behavior mimics Python's `assert` statement: validation is on by default, but is disabled if Python is run in optimized mode (via `python -O`). Equivalently, the default behavior depends on Python's global `__debug__` value via `pyro.enable_validation(__debug__)`.

Validation is temporarily disabled during jit compilation, for all inference algorithms that support the PyTorch jit. We recommend developing models with non-jitted inference algorithms to ease debugging, then optionally moving to jitted inference once a model is correct.

Parameters `is_validate (bool)` – (optional; defaults to True) whether to enable validation checks.

`validation_enabled(is_validate=True)`

Context manager that is useful when temporarily enabling/disabling validation checks.

Parameters `is_validate (bool)` – (optional; defaults to True) temporary validation check override.

`trace(fn=None, ignore_warnings=False, jit_options=None)`

Lazy replacement for `torch.jit.trace()` that works with Pyro functions that call `pyro.param()`.

The actual compilation artifact is stored in the `compiled` attribute of the output. Call diagnostic methods on this attribute.

Example:

```
def model(x):
    scale = pyro.param("scale", torch.tensor(0.5), constraint=constraints.positive)
    return pyro.sample("y", dist.Normal(x, scale))

@pyro.ops.jit.trace
def model_log_prob_fn(x, y):
    cond_model = pyro.condition(model, data={"y": y})
    tr = pyro.poutine.trace(cond_model).get_trace(x)
    return tr.log_prob_sum()
```

Parameters

- `fn (callable)` – The function to be traced.
- `ignore_warnings (bool)` – Whether to ignore jit warnings.
- `jit_options (dict)` – Optional dict of options to pass to `torch.jit.trace()` , e.g. {"optimize": False}.

INFERENCE

In the context of probabilistic modeling, learning is usually called inference. In the particular case of Bayesian inference, this often involves computing (approximate) posterior distributions. In the case of parameterized models, this usually involves some sort of optimization. Pyro supports multiple inference algorithms, with support for stochastic variational inference (SVI) being the most extensive. Look here for more inference algorithms in future versions of Pyro.

See the [Introductory tutorial](#) for a discussion of inference in Pyro.

3.1 SVI

```
class SVI(model, guide, optim, loss, loss_and_grads=None, num_samples=0, num_steps=0, **kwargs)
Bases: pyro.infer.abstract_infer.TracePosterior
```

Parameters

- **model** – the model (callable containing Pyro primitives)
- **guide** – the guide (callable containing Pyro primitives)
- **optim** ([PyroOptim](#)) – a wrapper a for a PyTorch optimizer
- **loss** ([pyro.infer.elbo.ELBO](#)) – an instance of a subclass of [ELBO](#). Pyro provides three built-in losses: [Trace_ELBO](#), [TraceGraph_ELBO](#), and [TraceEnum_ELBO](#). See the [ELBO](#) docs to learn how to implement a custom loss.
- **num_samples** – (DEPRECATED) the number of samples for Monte Carlo posterior approximation
- **num_steps** – (DEPRECATED) the number of optimization steps to take in `run()`

A unified interface for stochastic variational inference in Pyro. The most commonly used loss is `loss=Trace_ELBO()`. See the tutorial [SVI Part I](#) for a discussion.

evaluate_loss(*args, **kwargs)

Returns estimate of the loss

Return type `float`

Evaluate the loss function. Any args or kwargs are passed to the model and guide.

run(*args, **kwargs)

Warning: This method is deprecated, and will be removed in a future release. For inference, use `step()` directly, and for predictions, use the `Predictive` class.

`step(*args, **kwargs)`

Returns estimate of the loss

Return type float

Take a gradient step on the loss function (and any auxiliary loss functions generated under the hood by `loss_and_grads`). Any args or kwargs are passed to the model and guide

3.2 ELBO

```
class ELBO(num_particles=1, max_plate_nesting=inf, max_iarange_nesting=None, vectorize_particles=False,
          strict_enumeration_warning=True, ignore_jit_warnings=False, jit_options=None,
          retain_graph=None, tail_adaptive_beta=-1.0)
```

Bases: object

`ELBO` is the top-level interface for stochastic variational inference via optimization of the evidence lower bound.

Most users will not interact with this base class `ELBO` directly; instead they will create instances of derived classes: `Trace_ELBO`, `TraceGraph_ELBO`, or `TraceEnum_ELBO`.

Parameters

- **num_particles** – The number of particles/samples used to form the ELBO (gradient) estimators.
- **max_plate_nesting** (int) – Optional bound on max number of nested `pyro.plate()` contexts. This is only required when enumerating over sample sites in parallel, e.g. if a site sets `infer={"enumerate": "parallel"}`. If omitted, ELBO may guess a valid value by running the (model,guide) pair once, however this guess may be incorrect if model or guide structure is dynamic.
- **vectorize_particles** (bool) – Whether to vectorize the ELBO computation over `num_particles`. Defaults to False. This requires static structure in model and guide.
- **strict_enumeration_warning** (bool) – Whether to warn about possible misuse of enumeration, i.e. that `pyro.infer.traceenum_elbo.TraceEnum_ELBO` is used iff there are enumerated sample sites.
- **ignore_jit_warnings** (bool) – Flag to ignore warnings from the JIT tracer. When this is True, all `torch.jit.TracerWarning` will be ignored. Defaults to False.
- **jit_options** (bool) – Optional dict of options to pass to `torch.jit.trace()`, e.g. `{"check_trace": True}`.
- **retain_graph** (bool) – Whether to retain autograd graph during an SVI step. Defaults to None (False).
- **tail_adaptive_beta** (float) – Exponent beta with $-1.0 \leq \text{beta} < 0.0$ for use with `TraceTailAdaptive_ELBO`.

References

[1] *Automated Variational Inference in Probabilistic Programming* David Wingate, Theo Weber

[2] *Black Box Variational Inference*, Rajesh Ranganath, Sean Gerrish, David M. Blei

```
class Trace_ELBO(num_particles=1, max_plate_nesting=inf, max_iarange_nesting=None,
                 vectorize_particles=False, strict_enumeration_warning=True, ignore_jit_warnings=False,
                 jit_options=None, retain_graph=None, tail_adaptive_beta=-1.0)
Bases: pyro.infer.elbo.ELBO
```

A trace implementation of ELBO-based SVI. The estimator is constructed along the lines of references [1] and [2]. There are no restrictions on the dependency structure of the model or the guide. The gradient estimator includes partial Rao-Blackwellization for reducing the variance of the estimator when non-reparameterizable random variables are present. The Rao-Blackwellization is partial in that it only uses conditional independence information that is marked by plate contexts. For more fine-grained Rao-Blackwellization, see [TraceGraph_ELBO](#).

References

[1] **Automated Variational Inference in Probabilistic Programming**, David Wingate, Theo Weber

[2] **Black Box Variational Inference**, Rajesh Ranganath, Sean Gerrish, David M. Blei

loss(model, guide, *args, **kwargs)

Returns returns an estimate of the ELBO

Return type float

Evaluates the ELBO with an estimator that uses num_particles many samples/particles.

differentiable_loss(model, guide, *args, **kwargs)

Computes the surrogate loss that can be differentiated with autograd to produce gradient estimates for the model and guide parameters

loss_and_grads(model, guide, *args, **kwargs)

Returns returns an estimate of the ELBO

Return type float

Computes the ELBO as well as the surrogate ELBO that is used to form the gradient estimator. Performs backward on the latter. Num_particle many samples are used to form the estimators.

```
class JitTrace_ELBO(num_particles=1, max_plate_nesting=inf, max_iarange_nesting=None,
                     vectorize_particles=False, strict_enumeration_warning=True, ignore_jit_warnings=False,
                     jit_options=None, retain_graph=None, tail_adaptive_beta=-1.0)
Bases: pyro.infer.trace_elbo.Trace_ELBO
```

Like [Trace_ELBO](#) but uses `pyro.ops.jit.compile()` to compile `loss_and_grads()`.

This works only for a limited set of models:

- Models must have static structure.
- Models must not depend on any global data (except the param store).
- All model inputs that are tensors must be passed in via *args.
- All model inputs that are *not* tensors must be passed in via **kwargs, and compilation will be triggered once per unique **kwargs.

loss_and_surrogate_loss(model, guide, *args, **kwargs)

differentiable_loss(model, guide, *args, **kwargs)

loss_and_grads(model, guide, *args, **kwargs)

```
class TraceGraph_ELBO(num_particles=1, max_plate_nesting=inf, max_iarange_nesting=None,
                      vectorize_particles=False, strict_enumeration_warning=True,
                      ignore_jit_warnings=False, jit_options=None, retain_graph=None,
                      tail_adaptive_beta=-1.0)
```

Bases: `pyro.infer.elbo.ELBO`

A TraceGraph implementation of ELBO-based SVI. The gradient estimator is constructed along the lines of reference [1] specialized to the case of the ELBO. It supports arbitrary dependency structure for the model and guide as well as baselines for non-reparameterizable random variables. Where possible, conditional dependency information as recorded in the Trace is used to reduce the variance of the gradient estimator. In particular two kinds of conditional dependency information are used to reduce variance:

- the sequential order of samples (z is sampled after y => y does not depend on z)
- plate generators

References

[1] *Gradient Estimation Using Stochastic Computation Graphs*, John Schulman, Nicolas Heess, Theophane Weber, Pieter Abbeel

[2] *Neural Variational Inference and Learning in Belief Networks* Andriy Mnih, Karol Gregor

`loss(model, guide, *args, **kwargs)`

Returns returns an estimate of the ELBO

Return type `float`

Evaluates the ELBO with an estimator that uses num_particles many samples/particles.

`loss_and_grads(model, guide, *args, **kwargs)`

Returns returns an estimate of the ELBO

Return type `float`

Computes the ELBO as well as the surrogate ELBO that is used to form the gradient estimator. Performs backward on the latter. Num_particle many samples are used to form the estimators. If baselines are present, a baseline loss is also constructed and differentiated.

```
class JitTraceGraph_ELBO(num_particles=1, max_plate_nesting=inf, max_iarange_nesting=None,
                         vectorize_particles=False, strict_enumeration_warning=True,
                         ignore_jit_warnings=False, jit_options=None, retain_graph=None,
                         tail_adaptive_beta=-1.0)
```

Bases: `pyro.infer.tracegraph_elbo.TraceGraph_ELBO`

Like `TraceGraph_ELBO` but uses `torch.jit.trace()` to compile `loss_and_grads()`.

This works only for a limited set of models:

- Models must have static structure.
- Models must not depend on any global data (except the param store).
- All model inputs that are tensors must be passed in via `*args`.
- All model inputs that are *not* tensors must be passed in via `**kwargs`, and compilation will be triggered once per unique `**kwargs`.

`loss_and_grads(model, guide, *args, **kwargs)`

```
class BackwardSampleMessenger(enum_trace, guide_trace)
```

Bases: `pyro.poutine.messenger.Messenger`

Implements forward filtering / backward sampling for sampling from the joint posterior distribution

```
class TraceEnum_ELBO(num_particles=1, max_plate_nesting=inf, max_iarange_nesting=None,  
    vectorize_particles=False, strict_enumeration_warning=True,  
    ignore_jit_warnings=False, jit_options=None, retain_graph=None, tail_adaptive_beta=-1.0)
```

Bases: `pyro.infer.elbo.ELBO`

A trace implementation of ELBO-based SVI that supports - exhaustive enumeration over discrete sample sites, and - local parallel sampling over any sample site in the guide.

To enumerate over a sample site in the guide, mark the site with either `infer={'enumerate': 'sequential'}` or `infer={'enumerate': 'parallel'}`. To configure all guide sites at once, use `config_enumerate()`. To enumerate over a sample site in the model, mark the site `infer={'enumerate': 'parallel'}` and ensure the site does not appear in the guide.

This assumes restricted dependency structure on the model and guide: variables outside of an `plate` can never depend on variables inside that `plate`.

```
loss(model, guide, *args, **kwargs)
```

Returns an estimate of the ELBO

Return type float

Estimates the ELBO using `num_particles` many samples (particles).

```
differentiable_loss(model, guide, *args, **kwargs)
```

Returns a differentiable estimate of the ELBO

Return type torch.Tensor

Raises `ValueError` – if the ELBO is not differentiable (e.g. is identically zero)

Estimates a differentiable ELBO using `num_particles` many samples (particles). The result should be infinitely differentiable (as long as underlying derivatives have been implemented).

```
loss_and_grads(model, guide, *args, **kwargs)
```

Returns an estimate of the ELBO

Return type float

Estimates the ELBO using `num_particles` many samples (particles). Performs backward on the ELBO of each particle.

```
compute_marginals(model, guide, *args, **kwargs)
```

Computes marginal distributions at each model-enumerated sample site.

Returns a dict mapping site name to marginal Distribution object

Return type OrderedDict

```
sample_posterior(model, guide, *args, **kwargs)
```

Sample from the joint posterior distribution of all model-enumerated sites given all observations

```
class JitTraceEnum_ELBO(num_particles=1, max_plate_nesting=inf, max_iarange_nesting=None,
                        vectorize_particles=False, strict_enumeration_warning=True,
                        ignore_jit_warnings=False, jit_options=None, retain_graph=None,
                        tail_adaptive_beta=-1.0)
```

Bases: `pyro.infer.traceenum_elbo.TraceEnum_ELBO`

Like `TraceEnum_ELBO` but uses `pyro.ops.jit.compile()` to compile `loss_and_grads()`.

This works only for a limited set of models:

- Models must have static structure.
- Models must not depend on any global data (except the param store).
- All model inputs that are tensors must be passed in via `*args`.
- All model inputs that are *not* tensors must be passed in via `**kwargs`, and compilation will be triggered once per unique `**kwargs`.

`differentiable_loss(model, guide, *args, **kwargs)`

`loss_and_grads(model, guide, *args, **kwargs)`

```
class TraceMeanField_ELBO(num_particles=1, max_plate_nesting=inf, max_iarange_nesting=None,
                           vectorize_particles=False, strict_enumeration_warning=True,
                           ignore_jit_warnings=False, jit_options=None, retain_graph=None,
                           tail_adaptive_beta=-1.0)
```

Bases: `pyro.infer.trace_elbo.Trace_ELBO`

A trace implementation of ELBO-based SVI. This is currently the only ELBO estimator in Pyro that uses analytic KL divergences when those are available.

In contrast to, e.g., `TraceGraph_ELBO` and `Trace_ELBO` this estimator places restrictions on the dependency structure of the model and guide. In particular it assumes that the guide has a mean-field structure, i.e. that it factorizes across the different latent variables present in the guide. It also assumes that all of the latent variables in the guide are reparameterized. This latter condition is satisfied for, e.g., the Normal distribution but is not satisfied for, e.g., the Categorical distribution.

Warning: This estimator may give incorrect results if the mean-field condition is not satisfied.

Note for advanced users:

The mean field condition is a sufficient but not necessary condition for this estimator to be correct. The precise condition is that for every latent variable z in the guide, its parents in the model must not include any latent variables that are descendants of z in the guide. Here ‘parents in the model’ and ‘descendants in the guide’ is with respect to the corresponding (statistical) dependency structure. For example, this condition is always satisfied if the model and guide have identical dependency structures.

`loss(model, guide, *args, **kwargs)`

Returns returns an estimate of the ELBO

Return type float

Evaluates the ELBO with an estimator that uses `num_particles` many samples/particles.

```
class JitTraceMeanField_ELBO(num_particles=1, max_plate_nesting=inf, max_iarange_nesting=None,
                             vectorize_particles=False, strict_enumeration_warning=True,
                             ignore_jit_warnings=False, jit_options=None, retain_graph=None,
                             tail_adaptive_beta=-1.0)
```

Bases: `pyro.infer.trace_mean_field_elbo.TraceMeanField_ELBO`

Like `TraceMeanField_ELBO` but uses `pyro.ops.jit.trace()` to compile `loss_and_grads()`.

This works only for a limited set of models:

- Models must have static structure.
- Models must not depend on any global data (except the param store).
- All model inputs that are tensors must be passed in via `*args`.
- All model inputs that are *not* tensors must be passed in via `**kwargs`, and compilation will be triggered once per unique `**kwargs`.

`differentiable_loss(model, guide, *args, **kwargs)`

`loss_and_grads(model, guide, *args, **kwargs)`

```
class TraceTailAdaptive_ELBO(num_particles=1, max_plate_nesting=inf, max_iarange_nesting=None,
                             vectorize_particles=False, strict_enumeration_warning=True,
                             ignore_jit_warnings=False, jit_options=None, retain_graph=None,
                             tail_adaptive_beta=-1.0)
```

Bases: `pyro.infer.trace_elbo.Trace_ELBO`

Interface for Stochastic Variational Inference with an adaptive f-divergence as described in ref. [1]. Users should specify `num_particles > 1` and `vectorize_particles==True`. The argument `tail_adaptive_beta` can be specified to modify how the adaptive f-divergence is constructed. See reference for details.

Note that this interface does not support computing the variational objective itself; rather it only supports computing gradients of the variational objective. Consequently, one might want to use another SVI interface (e.g. `RenyiELBO`) in order to monitor convergence.

Note that this interface only supports models in which all the latent variables are fully reparameterized. It also does not support data subsampling.

References [1] “Variational Inference with Tail-adaptive f-Divergence”, Dilin Wang, Hao Liu, Qiang Liu, NeurIPS 2018 <https://papers.nips.cc/paper/7816-variational-inference-with-tail-adaptive-f-divergence>

`loss(model, guide, *args, **kwargs)`

It is not necessary to estimate the tail-adaptive f-divergence itself in order to compute the corresponding gradients. Consequently the loss method is left unimplemented.

```
class RenyiELBO(alpha=0, num_particles=2, max_plate_nesting=inf, max_iarange_nesting=None,
                 vectorize_particles=False, strict_enumeration_warning=True)
```

Bases: `pyro.infer.elbo.ELBO`

An implementation of Renyi’s α -divergence variational inference following reference [1].

In order for the objective to be a strict lower bound, we require $\alpha \geq 0$. Note, however, that according to reference [1], depending on the dataset $\alpha < 0$ might give better results. In the special case $\alpha = 0$, the objective function is that of the important weighted autoencoder derived in reference [2].

Note: Setting $\alpha < 1$ gives a better bound than the usual ELBO. For $\alpha = 1$, it is better to use `Trace_ELBO` class because it helps reduce variances of gradient estimations.

Parameters

- **alpha** (`float`) – The order of α -divergence. Here $\alpha \neq 1$. Default is 0.
- **num_particles** – The number of particles/samples used to form the objective (gradient) estimator. Default is 2.
- **max_plate_nesting** (`int`) – Bound on max number of nested `pyro.plate()` contexts. Default is infinity.
- **strict_enumeration_warning** (`bool`) – Whether to warn about possible misuse of enumeration, i.e. that `TraceEnum_ELBO` is used iff there are enumerated sample sites.

References:

[1] *Renyi Divergence Variational Inference*, Yingzhen Li, Richard E. Turner

[2] *Importance Weighted Autoencoders*, Yuri Burda, Roger Grosse, Ruslan Salakhutdinov

`loss(model, guide, *args, **kwargs)`

Returns returns an estimate of the ELBO

Return type `float`

Evaluates the ELBO with an estimator that uses num_particles many samples/particles.

`loss_and_grads(model, guide, *args, **kwargs)`

Returns returns an estimate of the ELBO

Return type `float`

Computes the ELBO as well as the surrogate ELBO that is used to form the gradient estimator. Performs backward on the latter. Num_particle many samples are used to form the estimators.

```
class TraceTMC_ELBO(num_particles=1, max_plate_nesting=inf, max_iarange_nesting=None,
                     vectorize_particles=False, strict_enumeration_warning=True, ignore_jit_warnings=False,
                     jit_options=None, retain_graph=None, tail_adaptive_beta=-1.0)
```

Bases: `pyro.infer.elbo.ELBO`

A trace-based implementation of Tensor Monte Carlo [1] by way of Tensor Variable Elimination [2] that supports:
- local parallel sampling over any sample site in the model or guide - exhaustive enumeration over any sample site in the model or guide

To take multiple samples, mark the site with `infer={'enumerate': 'parallel', 'num_samples': N}`. To configure all sites in a model or guide at once, use `config_enumerate()`. To enumerate or sample a sample site in the model, mark the site and ensure the site does not appear in the guide.

This assumes restricted dependency structure on the model and guide: variables outside of an `plate` can never depend on variables inside that `plate`.

References

[1] *Tensor Monte Carlo: Particle Methods for the GPU Era*, Laurence Aitchison (2018)

[2] *Tensor Variable Elimination for Plated Factor Graphs*, Fritz Obermeyer, Eli Bingham, Martin Jankowiak, Justin Chiu, Neeraj Pradhan, Alexander Rush, Noah Goodman (2019)

`differentiable_loss(model, guide, *args, **kwargs)`

Returns a differentiable estimate of the marginal log-likelihood

Return type `torch.Tensor`

Raises `ValueError` – if the ELBO is not differentiable (e.g. is identically zero)

Computes a differentiable TMC estimate using `num_particles` many samples (particles). The result should be infinitely differentiable (as long as underlying derivatives have been implemented).

```
loss(model, guide, *args, **kwargs)
loss_and_grads(model, guide, *args, **kwargs)
```

3.3 Importance

```
class Importance(model, guide=None, num_samples=None)
Bases: pyro.infer.abstract\_infer.TracePosterior
```

Parameters

- **model** – probabilistic model defined as a function
- **guide** – guide used for sampling defined as a function
- **num_samples** – number of samples to draw from the guide (default 10)

This method performs posterior inference by importance sampling using the guide as the proposal distribution. If no guide is provided, it defaults to proposing from the model’s prior.

get_ESS()

Compute (Importance Sampling) Effective Sample Size (ESS).

get_log_normalizer()

Estimator of the normalizing constant of the target distribution. (mean of the unnormalized weights)

get_normalized_weights(log_scale=False)

Compute the normalized importance weights.

psis_diagnostic(model, guide, *args, **kwargs)

Computes the Pareto tail index k for a model/guide pair using the technique described in [1], which builds on previous work in [2]. If $0 < k < 0.5$ the guide is a good approximation to the model posterior, in the sense described in [1]. If $0.5 \leq k \leq 0.7$, the guide provides a suboptimal approximation to the posterior, but may still be useful in practice. If $k > 0.7$ the guide program provides a poor approximation to the full posterior, and caution should be used when using the guide. Note, however, that a guide may be a poor fit to the full posterior while still yielding reasonable model predictions. If $k < 0.0$ the importance weights corresponding to the model and guide appear to be bounded from above; this would be a bizarre outcome for a guide trained via ELBO maximization. Please see [1] for a more complete discussion of how the tail index k should be interpreted.

Please be advised that a large number of samples may be required for an accurate estimate of k.

Note that we assume that the model and guide are both vectorized and have static structure. As is canonical in Pyro, the args and kwargs are passed to the model and guide.

References [1] ‘Yes, but Did It Work?: Evaluating Variational Inference.’ Yuling Yao, Aki Vehtari, Daniel Simpson, Andrew Gelman [2] ‘Pareto Smoothed Importance Sampling.’ Aki Vehtari, Andrew Gelman, Jonah Gabry

Parameters

- **model** (`callable`) – the model program.
- **guide** (`callable`) – the guide program.
- **num_particles** (`int`) – the total number of times we run the model and guide in order to compute the diagnostic. defaults to 1000.

- **max_simultaneous_particles** – the maximum number of simultaneous samples drawn from the model and guide. defaults to `num_particles`. `num_particles` must be divisible by `max_simultaneous_particles`. compute the diagnostic. defaults to 1000.
- **max_plate_nesting** (`int`) – optional bound on max number of nested `pyro.plate()` contexts in the model/guide. defaults to 7.

Returns `float` the PSIS diagnostic k

`vectorized_importance_weights(model, guide, *args, **kwargs)`

Parameters

- **model** – probabilistic model defined as a function
- **guide** – guide used for sampling defined as a function
- **num_samples** – number of samples to draw from the guide (default 1)
- **max_plate_nesting** (`int`) – Bound on max number of nested `pyro.plate()` contexts.
- **normalized** (`bool`) – set to True to return self-normalized importance weights

Returns returns a `(num_samples,)`-shaped tensor of importance weights and the model and guide traces that produced them

Vectorized computation of importance weights for models with static structure:

```
log_weights, model_trace, guide_trace = \
    vectorized_importance_weights(model, guide, *args,
                                   num_samples=1000,
                                   max_plate_nesting=4,
                                   normalized=False)
```

3.4 Reweighted Wake-Sleep

```
class ReweightedWakeSleep(num_particles=2, insomnia=1.0, model_has_params=True,
                           num_sleep_particles=None, vectorize_particles=True, max_plate_nesting=inf,
                           strict_enumeration_warning=True)
```

Bases: `pyro.infer.elbo.ELBO`

An implementation of Reweighted Wake Sleep following reference [1].

Note: Sampling and `log_prob` evaluation asymptotic complexity:

- 1) **Using wake-theta and/or wake-phi** $O(\text{num_particles})$ samples from guide, $O(\text{num_particles}) \log_{\text{prob}}$ evaluations of model and guide
 - 2) **Using sleep-phi** $O(\text{num_sleep_particles})$ samples from model, $O(\text{num_sleep_particles}) \log_{\text{prob}}$ evaluations of guide
- if 1) and 2) are combined,** $O(\text{num_particles})$ samples from the guide, $O(\text{num_sleep_particles})$ from the model, $O(\text{num_particles} + \text{num_sleep_particles}) \log_{\text{prob}}$ evaluations of the guide, and $O(\text{num_particles})$ evaluations of the model

Note: This is particularly useful for models with stochastic branching, as described in [2].

Note: This returns `_two_` losses, one each for (a) the model parameters (`theta`), computed using the `iwae` objective, and (b) the guide parameters (`phi`), computed using (a combination of) the `csis` objective and a self-normalized importance-sampled version of the `csis` objective.

Note: In order to enable computing the sleep-phi terms, the guide program must have its observations explicitly passed in through the keyworded argument `observations`. Where the value of the observations is unknown during definition, such as for amortized variational inference, it may be given a default argument as `observations=None`, and the correct value supplied during learning through `svi.step(observations=...)`.

Warning: Mini-batch training is not supported yet.

Parameters

- `num_particles` (`int`) – The number of particles/samples used to form the objective (gradient) estimator. Default is 2.
- `insomnia` – The scaling between the wake-phi and sleep-phi terms. Default is 1.0 [wake-phi]
- `model_has_params` (`bool`) – Indicate if model has learnable params. Useful in avoiding extra computation when running in pure sleep mode [csis]. Default is True.
- `num_sleep_particles` (`int`) – The number of particles used to form the sleep-phi estimator. Matches `num_particles` by default.
- `vectorize_particles` (`bool`) – Whether the traces should be vectorised across `num_particles`. Default is True.
- `max_plate_nesting` (`int`) – Bound on max number of nested `pyro.plate()` contexts. Default is infinity.
- `strict_enumeration_warning` (`bool`) – Whether to warn about possible misuse of enumeration, i.e. that `TraceEnum_ELBO` is used iff there are enumerated sample sites.

References:

[1] **Reweighted Wake-Sleep**, Jörg Bornschein, Yoshua Bengio

[2] **Revisiting Reweighted Wake-Sleep for Models with Stochastic Control Flow**, Tuan Anh Le, Adam R. Kosiorek, N. Siddharth, Yee Whye Teh, Frank Wood

`loss(model, guide, *args, **kwargs)`

Returns returns model loss and guide loss

Return type `float, float`

Computes the re-weighted wake-sleep estimators for the model (wake-theta) and the guide (insomnia * wake-phi + (1 - insomnia) * sleep-phi).

loss_and_grads(model, guide, *args, **kwargs)

Returns returns model loss and guide loss

Return type float

Computes the RWS estimators for the model (wake-theta) and the guide (wake-phi). Performs backward as appropriate on both, using num_particle many samples/particles.

3.5 Sequential Monte Carlo

exception SMCFailed

Bases: ValueError

Exception raised when `SMCFilter` fails to find any hypothesis with nonzero probability.

class `SMCFilter`(model, guide, num_particles, max_plate_nesting, *, ess_threshold=0.5)

Bases: object

`SMCFilter` is the top-level interface for filtering via sequential monte carlo.

The model and guide should be objects with two methods: `.init(state, ...)` and `.step(state, ...)`, intended to be called first with `init()`, then with `step()` repeatedly. These two methods should have the same signature as `SMCFilter`'s `init()` and `step()` of this class, but with an extra first argument `state` that should be used to store all tensors that depend on sampled variables. The `state` will be a dict-like object, `SMCState`, with arbitrary keys and `torch.Tensor` values. Models can read and write `state` but guides can only read from it.

Inference complexity is $O(\text{len(state)} * \text{num_time_steps})$, so to avoid quadratic complexity in Markov models, ensure that `state` has fixed size.

Parameters

- **model** (object) – probabilistic model with `init` and `step` methods
- **guide** (object) – guide used for sampling, with `init` and `step` methods
- **num_particles** (int) – The number of particles used to form the distribution.
- **max_plate_nesting** (int) – Bound on max number of nested `pyro.plate()` contexts.
- **ess_threshold** (float) – Effective sample size threshold for deciding when to importance resample: resampling occurs when `ess < ess_threshold * num_particles`.

`get_empirical()`

Returns a marginal distribution over all state tensors.

Return type a dictionary with keys which are latent variables and values which are `Empirical` objects.

`init(*args, **kwargs)`

Perform any initialization for sequential importance resampling. Any args or kwargs are passed to the model and guide

`step(*args, **kwargs)`

Take a filtering step using sequential importance resampling updating the particle weights and values while resampling if desired. Any args or kwargs are passed to the model and guide

```
class SMCState(num_particles)
```

Bases: `dict`

Dictionary-like object to hold a vectorized collection of tensors to represent all state during inference with `SMCFilter`. During inference, the `SMCFilter` resample these tensors.

Keys may have arbitrary hashable type. Values must be `torch.Tensor`s.

Parameters `num_particles` (`int`) –

3.6 Stein Methods

```
class IMQSteinKernel(alpha=0.5, beta=-0.5, bandwidth_factor=None)
```

Bases: `pyro.infer.svgd.SteinKernel`

An IMQ (inverse multi-quadratic) kernel for use in the SVGD inference algorithm [1]. The bandwidth of the kernel is chosen from the particles using a simple heuristic as in reference [2]. The kernel takes the form

$$K(x, y) = (\alpha + \|x - y\|^2/h)^\beta$$

where α and β are user-specified parameters and h is the bandwidth.

Parameters

- `alpha` (`float`) – Kernel hyperparameter, defaults to 0.5.
- `beta` (`float`) – Kernel hyperparameter, defaults to -0.5.
- `bandwidth_factor` (`float`) – Optional factor by which to scale the bandwidth, defaults to 1.0.

Variables `bandwidth_factor` (`float`) – Property that controls the factor by which to scale the bandwidth at each iteration.

References

[1] “Stein Points,” Wilson Ye Chen, Lester Mackey, Jackson Gorham, Francois-Xavier Briol, Chris. J. Oates.

[2] “Stein Variational Gradient Descent: A General Purpose Bayesian Inference Algorithm,” Qiang Liu, Dilin Wang

property bandwidth_factor

`log_kernel_and_grad`(*particles*)

See `pyro.infer.svgd.SteinKernel.log_kernel_and_grad()`

```
class RBFSteinKernel(bandwidth_factor=None)
```

Bases: `pyro.infer.svgd.SteinKernel`

A RBF kernel for use in the SVGD inference algorithm. The bandwidth of the kernel is chosen from the particles using a simple heuristic as in reference [1].

Parameters `bandwidth_factor` (`float`) – Optional factor by which to scale the bandwidth, defaults to 1.0.

Variables `bandwidth_factor` (`float`) – Property that controls the factor by which to scale the bandwidth at each iteration.

References

[1] “Stein Variational Gradient Descent: A General Purpose Bayesian Inference Algorithm,” Qiang Liu, Dilin Wang

property bandwidth_factor

```
log_kernel_and_grad(particles)
See pyro.infer.svgd.SteinKernel.log\_kernel\_and\_grad\(\)
```

```
class SVGD(model, kernel, optim, num_particles, max_plate_nesting, mode='univariate')
Bases: object
```

A basic implementation of Stein Variational Gradient Descent as described in reference [1].

Parameters

- **model** – The model (callable containing Pyro primitives). Model must be fully vectorized and may only contain continuous latent variables.
- **kernel** – a SVGD compatible kernel like [RBFSteinKernel](#).
- **optim** ([pyro.optim.PyroOptim](#)) – A wrapper for a PyTorch optimizer.
- **num_particles** ([int](#)) – The number of particles used in SVGD.
- **max_plate_nesting** ([int](#)) – The max number of nested `pyro.plate()` contexts in the model.
- **mode** ([str](#)) – Whether to use a Kernelized Stein Discrepancy that makes use of *multivariate* test functions (as in [1]) or *univariate* test functions (as in [2]). Defaults to *univariate*.

Example usage:

```
from pyro.infer import SVGD, RBFSteinKernel
from pyro.optim import Adam

kernel = RBFSteinKernel()
adam = Adam({"lr": 0.1})
svgd = SVGD(model, kernel, adam, num_particles=50, max_plate_nesting=0)

for step in range(500):
    svgd.step(model_arg1, model_arg2)

final_particles = svgd.get_named_particles()
```

References

[1] “Stein Variational Gradient Descent: A General Purpose Bayesian Inference Algorithm,” Qiang Liu, Dilin Wang

[2] “Kernelized Complete Conditional Stein Discrepancy,” Raghav Singhal, Saad Lahlou, Rajesh Ranaganath

`get_named_particles()`

Create a dictionary mapping name to vectorized value, of the form `{name: tensor}`. The leading dimension of each tensor corresponds to particles, i.e. this creates a struct of arrays.

`step(*args, **kwargs)`

Computes the SVGD gradient, passing args and kwargs to the model, and takes a gradient step.

Return dict A dictionary of the form `{name: float}`, where each float is a mean squared gradient.
This can be used to monitor the convergence of SVGD.

```
class SteinKernel
```

Bases: [object](#)

Abstract class for kernels used in the [SVGD](#) inference algorithm.

```
abstract log_kernel_and_grad(particles)
Compute the component kernels and their gradients.
```

Parameters `particles` – a tensor with shape (N, D)

Returns A pair (`log_kernel`, `kernel_grad`) where `log_kernel` is a (N, N, D)-shaped tensor equal to the logarithm of the kernel and `kernel_grad` is a (N, N, D)-shaped tensor where the entry (n, m, d) represents the derivative of `log_kernel` w.r.t. $x_{\{m,d\}}$, where $x_{\{m,d\}}$ is the dth dimension of particle m.

```
vectorize(fn, num_particles, max_plate_nesting)
```

3.7 Likelihood free methods

```
class EnergyDistance(beta=1.0, prior_scale=0.0, num_particles=2, max_plate_nesting=inf)
Bases: object
```

Posterior predictive energy distance [1,2] with optional Bayesian regularization by the prior.

Let $p(x,z)=p(z)p(x|z)$ be the model, $q(z|x)$ be the guide. Then given data x and drawing an iid pair of samples (Z, X) and (Z', X') (where Z is latent and X is the posterior predictive),

$$\begin{aligned} Z &\sim q(z|x); \quad X \sim p(x|Z) \\ Z' &\sim q(z|x); \quad X' \sim p(x|Z') \\ loss &= \mathbb{E}_X \|X - x\|^\beta - \frac{1}{2}\mathbb{E}_{X,X'} \|X - X'\|^\beta - \lambda \mathbb{E}_Z \log p(Z) \end{aligned}$$

This is a likelihood-free inference algorithm, and can be used for likelihoods without tractable density functions. The β energy distance is a robust loss function, and is well defined for any distribution with finite fractional moment $\mathbb{E}[\|X\|^\beta]$.

This requires static model structure, a fully reparametrized guide, and reparametrized likelihood distributions in the model. Model latent distributions may be non-reparametrized.

References

- [1] Gabor J. Szekely, Maria L. Rizzo (2003) Energy Statistics: A Class of Statistics Based on Distances.
- [2] Tilmann Gneiting, Adrian E. Raftery (2007) Strictly Proper Scoring Rules, Prediction, and Estimation. <https://www.stat.washington.edu/raftery/Research/PDF/Gneiting2007jasa.pdf>

Parameters

- **beta** (`float`) – Exponent β from [1,2]. The loss function is strictly proper for distributions with finite beta-absolute moment $E[\|X\|^\beta]$. Thus for heavy tailed distributions `beta` should be small, e.g. for Cauchy distributions, $\beta < 1$ is strictly proper. Defaults to 1. Must be in the open interval (0,2).
- **prior_scale** (`float`) – Nonnegative scale for prior regularization. Model parameters are trained only if this is positive. If zero (default), then model log densities will not be computed (guide log densities are never computed).
- **num_particles** (`int`) – The number of particles/samples used to form the gradient estimators. Must be at least 2.
- **max_plate_nesting** (`int`) – Optional bound on max number of nested `pyro.plate()` contexts. If omitted, this will guess a valid value by running the (model,guide) pair once.

`__call__(model, guide, *args, **kwargs)`

Computes the surrogate loss that can be differentiated with autograd to produce gradient estimates for the model and guide parameters.

`loss(*args, **kwargs)`

Not implemented. Added for compatibility with unit tests only.

3.8 Discrete Inference

`infer_discrete(fn=None, first_available_dim=None, temperature=1, *, strict_enumeration_warning=True)`

A poutine that samples discrete sites marked with `site["infer"]["enumerate"] = "parallel"` from the posterior, conditioned on observations.

Example:

```
@infer_discrete(first_available_dim=-1, temperature=0)
@config_enumerate
def viterbi_decoder(data, hidden_dim=10):
    transition = 0.3 / hidden_dim + 0.7 * torch.eye(hidden_dim)
    means = torch.arange(float(hidden_dim))
    states = [0]
    for t in pyro.markov(range(len(data))):
        states.append(pyro.sample("states_{}".format(t),
                                  dist.Categorical(transition[states[-1]])))
        pyro.sample("obs_{}".format(t),
                    dist.Normal(means[states[-1]], 1.),
                    obs=data[t])
    return states # returns maximum likelihood states
```

Parameters

- `fn` – a stochastic function (callable containing Pyro primitive calls)
- `first_available_dim (int)` – The first tensor dimension (counting from the right) that is available for parallel enumeration. This dimension and all dimensions left may be used internally by Pyro. This should be a negative integer.
- `temperature (int)` – Either 1 (sample via forward-filter backward-sample) or 0 (optimize via Viterbi-like MAP inference). Defaults to 1 (sample).
- `strict_enumeration_warning (bool)` – Whether to warn in case no enumerated sample sites are found. Defaults to True.

```
class TraceEnumSample_ELBO(num_particles=1, max_plate_nesting=inf, max_iarange_nesting=None,
                           vectorize_particles=False, strict_enumeration_warning=True,
                           ignore_jit_warnings=False, jit_options=None, retain_graph=None,
                           tail_adaptive_beta=-1.0)
```

Bases: `pyro.infer.traceenum_elbo.TraceEnum_ELBO`

This extends `TraceEnum_ELBO` to make it cheaper to sample from discrete latent states during SVI.

The following are equivalent but the first is cheaper, sharing work between the computations of `loss` and `z`:

```
# Version 1.
elbo = TraceEnumSample_ELBO(max_plate_nesting=1)
```

(continues on next page)

(continued from previous page)

```

loss = elbo.loss(*args, **kwargs)
z = elbo.sample_saved()

# Version 2.
elbo = TraceEnum_ELBO(max_plate_nesting=1)
loss = elbo.loss(*args, **kwargs)
guide_trace = poutine.trace(guide).get_trace(*args, **kwargs)
z = infer_discrete(poutine.replay(model, guide_trace),
                    first_available_dim=-2)(*args, **kwargs)

```

sample_saved()

Generate latent samples while reusing work from SVI.step().

3.9 Prediction utilities

```

class Predictive(model, posterior_samples=None, guide=None, num_samples=None, return_sites=(),
                    parallel=False)

```

Bases: torch.nn.modules.module.Module

EXPERIMENTAL class used to construct predictive distribution. The predictive distribution is obtained by running the *model* conditioned on latent samples from *posterior_samples*. If a *guide* is provided, then posterior samples from all the latent sites are also returned.

Warning: The interface for the *Predictive* class is experimental, and might change in the future.

Parameters

- **model** – Python callable containing Pyro primitives.
- **posterior_samples** (*dict*) – dictionary of samples from the posterior.
- **guide** (*callable*) – optional guide to get posterior samples of sites not present in *posterior_samples*.
- **num_samples** (*int*) – number of samples to draw from the predictive distribution. This argument has no effect if *posterior_samples* is non-empty, in which case, the leading dimension size of samples in *posterior_samples* is used.
- **return_sites** (*list*, *tuple*, or *set*) – sites to return; by default only sample sites not present in *posterior_samples* are returned.
- **parallel** (*bool*) – predict in parallel by wrapping the existing model in an outermost *plate* messenger. Note that this requires that the model has all batch dims correctly annotated via *plate*. Default is *False*.

call(*args, **kwargs)

Method that calls *forward()* and returns parameter values of the guide as a *tuple* instead of a *dict*, which is a requirement for JIT tracing. Unlike *forward()*, this method can be traced by *torch.jit.trace_module()*.

Warning: This method may be removed once PyTorch JIT tracer starts accepting *dict* as valid return types. See [issue](#).

forward(*args, **kwargs)

Returns dict of samples from the predictive distribution. By default, only sample sites not contained in `posterior_samples` are returned. This can be modified by changing the `return_sites` keyword argument of this `Predictive` instance.

Note: This method is used internally by `Module`. Users should instead use `__call__()` as in `Predictive(model)(*args, **kwargs)`.

Parameters

- `args` – model arguments.
- `kwargs` – model keyword arguments.

get_samples(*args, **kwargs)**get_vectorized_trace**(*args, **kwargs)

Returns a single vectorized `trace` from the predictive distribution. Note that this requires that the model has all batch dims correctly annotated via `plate`.

Parameters

- `args` – model arguments.
- `kwargs` – model keyword arguments.

training: bool**class EmpiricalMarginal**(*args, **kwargs)

Bases: `pyro.distributions.empirical.Empirical`

Marginal distribution over a single site (or multiple, provided they have the same shape) from the `TracePosterior`'s model.

Note: If multiple sites are specified, they must have the same tensor shape. Samples from each site will be stacked and stored within a single tensor. See `Empirical`. To hold the marginal distribution of sites having different shapes, use `Marginals` instead.

Parameters

- `trace_posterior` (`TracePosterior`) – a `TracePosterior` instance representing a Monte Carlo posterior.
- `sites` (`list`) – optional list of sites for which we need to generate the marginal distribution.

class Marginals(`trace_posterior`, `sites=None`, `validate_args=None`)

Bases: `object`

Holds the marginal distribution over one or more sites from the `TracePosterior`'s model. This is a convenience container class, which can be extended by `TracePosterior` subclasses. e.g. for implementing diagnostics.

Parameters

- `trace_posterior` (`TracePosterior`) – a `TracePosterior` instance representing a Monte Carlo posterior.
- `sites` (`list`) – optional list of sites for which we need to generate the marginal distribution.

property empirical

A dictionary of sites' names and their corresponding [EmpiricalMarginal](#) distribution.

Type `OrderedDict`

support(*flatten=False*)

Gets support of this marginal distribution.

Parameters `flatten (bool)` – A flag to decide if we want to flatten `batch_shape` when the marginal distribution is collected from the posterior with `num_chains > 1`. Defaults to `False`.

Returns a dict with keys are sites' names and values are sites' supports.

Return type `OrderedDict`

class TracePosterior(*num_chains=1*)

Bases: `object`

Abstract `TracePosterior` object from which posterior inference algorithms inherit. When run, collects a bag of execution traces from the approximate posterior. This is designed to be used by other utility classes like [EmpiricalMarginal](#), that need access to the collected execution traces.

information_criterion(*pointwise=False*)

Computes information criterion of the model. Currently, returns only “Widely Applicable/Watanabe-Akaike Information Criterion” (WAIC) and the corresponding effective number of parameters.

Reference:

[1] *Practical Bayesian model evaluation using leave-one-out cross-validation and WAIC*, Aki Vehtari, Andrew Gelman, and Jonah Gabry

Parameters `pointwise (bool)` – a flag to decide if we want to get a vectorized WAIC or not.

When `pointwise=False`, returns the sum.

Returns a dictionary containing values of WAIC and its effective number of parameters.

Return type `OrderedDict`

marginal(*sites=None*)

Generates the marginal distribution of this posterior.

Parameters `sites (list)` – optional list of sites for which we need to generate the marginal distribution.

Returns A [Marginals](#) class instance.

Return type [Marginals](#)

run(*args, **kwargs)

Calls `self._traces` to populate execution traces from a stochastic Pyro model.

Parameters

- **args** – optional args taken by `self._traces`.
- **kwargs** – optional keywords args taken by `self._traces`.

class TracePredictive(*model, posterior, num_samples, keep_sites=None*)

Bases: `pyro.infer.abstract_infer.TracePosterior`

Warning: This class is deprecated and will be removed in a future release. Use the [Predictive](#) class instead.

Generates and holds traces from the posterior predictive distribution, given model execution traces from the approximate posterior. This is achieved by constraining latent sites to randomly sampled parameter values from the model execution traces and running the model forward to generate traces with new response (“_RETURN”) sites. :param model: arbitrary Python callable containing Pyro primitives. :param TracePosterior posterior: trace posterior instance holding samples from the model’s approximate posterior. :param int num_samples: number of samples to generate. :param keep_sites: The sites which should be sampled from posterior distribution (default: all)

marginal(sites=None)

Gets marginal distribution for this predictive posterior distribution.

3.10 MCMC

3.10.1 MCMC

```
class MCMC(kernel, num_samples, warmup_steps=None, initial_params=None, num_chains=1, hook_fn=None,
           mp_context=None, disable_progbar=False, disable_validation=True, transforms=None,
           save_params=None)
```

Bases: `pyro.infer.mcmc.api.AbstractMCMC`

Wrapper class for Markov Chain Monte Carlo algorithms. Specific MCMC algorithms are `TraceKernel` instances and need to be supplied as a `kernel` argument to the constructor.

Note: The case of `num_chains > 1` uses python multiprocessing to run parallel chains in multiple processes. This goes with the usual caveats around multiprocessing in python, e.g. the model used to initialize the `kernel` must be serializable via `pickle`, and the performance / constraints will be platform dependent (e.g. only the “spawn” context is available in Windows). This has also not been extensively tested on the Windows platform.

Parameters

- **kernel** – An instance of the `TraceKernel` class, which when given an execution trace returns another sample trace from the target (posterior) distribution.
- **num_samples** (`int`) – The number of samples that need to be generated, excluding the samples discarded during the warmup phase.
- **warmup_steps** (`int`) – Number of warmup iterations. The samples generated during the warmup phase are discarded. If not provided, default is the same as `num_samples`.
- **num_chains** (`int`) – Number of MCMC chains to run in parallel. Depending on whether `num_chains` is 1 or more than 1, this class internally dispatches to either `_UnarySampler` or `_MultiSampler`.
- **initial_params** (`dict`) – dict containing initial tensors in unconstrained space to initiate the markov chain. The leading dimension’s size must match that of `num_chains`. If not specified, parameter values will be sampled from the prior.
- **hook_fn** – Python callable that takes in `(kernel, samples, stage, i)` as arguments. `stage` is either `sample` or `warmup` and `i` refers to the `i`’th sample for the given stage. This can be used to implement additional logging, or more generally, run arbitrary code per generated sample.
- **mp_context** (`str`) – Multiprocessing context to use when `num_chains > 1`. Only applicable for Python 3.5 and above. Use `mp_context="spawn"` for CUDA.
- **disable_progbar** (`bool`) – Disable progress bar and diagnostics update.

- **disable_validation** (`bool`) – Disables distribution validation check. Defaults to `True`, disabling validation, since divergent transitions will lead to exceptions. Switch to `False` to enable validation, or to `None` to preserve existing global values.
- **transforms** (`dict`) – dictionary that specifies a transform for a sample site with constrained support to unconstrained space.
- **save_params** (`List[str]`) – Optional list of a subset of parameter names to save during sampling and diagnostics. This is useful in models with large nuisance variables. Defaults to `None`, saving all params.

diagnostics()

Gets some diagnostics statistics such as effective sample size, split Gelman-Rubin, or divergent transitions from the sampler.

get_samples(`num_samples=None, group_by_chain=False`)

Get samples from the MCMC run, potentially resampling with replacement.

For parameter details see: `select_samples`.

run(*args, **kwargs)

Run MCMC to generate samples and populate `self._samples`.

Example usage:

```
def model(data):
    ...

nuts_kernel = NUTS(model)
mcmc = MCMC(nuts_kernel, num_samples=500)
mcmc.run(data)
samples = mcmc.get_samples()
```

Parameters

- **args** – optional arguments taken by `MCMCKernel.setup`.
- **kwargs** – optional keywords arguments taken by `MCMCKernel.setup`.

summary(`prob=0.9`)

Prints a summary table displaying diagnostics of samples obtained from posterior. The diagnostics displayed are mean, standard deviation, median, the 90% Credibility Interval, `effective_sample_size()`, `split_gelman_rubin()`.

Parameters `prob` (`float`) – the probability mass of samples within the credibility interval.

3.10.2 StreamingMCMC

```
class StreamingMCMC(kernel, num_samples, warmup_steps=None, initial_params=None, statistics=None,
                     num_chains=1, hook_fn=None, disable_progbar=False, disable_validation=True,
                     transforms=None, save_params=None)
```

Bases: `pyro.infer.mcmc.api.AbstractMCMC`

MCMC that computes required statistics in a streaming fashion. For this class no samples are retained but only aggregated statistics. This is useful for running memory expensive models where we care only about specific statistics (especially useful in a memory constrained environments like GPU).

For available streaming ops please see `streaming`.

diagnostics()

Gets diagnostics. Currently a split Gelman-Rubin is only supported and requires ‘mean’ and ‘variance’ streaming statistics to be present.

get_statistics(group_by_chain=True)

Returns a dict of statistics defined by those passed to the class constructor.

Parameters `group_by_chain (bool)` – Whether statistics should be chain-wise or merged together.

run(*args, **kwargs)

Run StreamingMCMC to compute required `self._statistics`.

3.10.3 MCMCKernel

class MCMCKernel

Bases: `object`

cleanup()

Optional method to clean up any residual state on termination.

diagnostics()

Returns a dict of useful diagnostics after finishing sampling process.

end_warmup()

Optional method to tell kernel that warm-up phase has been finished.

property initial_params

Returns a dict of initial params (by default, from the prior) to initiate the MCMC run.

Returns dict of parameter values keyed by their name.

logging()

Relevant logging information to be printed at regular intervals of the MCMC run. Returns `None` by default.

Returns String containing the diagnostic summary. e.g. acceptance rate

Return type string

abstract sample(params)

Samples parameters from the posterior distribution, when given existing parameters.

Parameters

- `params (dict)` – Current parameter values.
- `time_step (int)` – Current time step.

Returns New parameters from the posterior distribution.

setup(warmup_steps, *args, **kwargs)

Optional method to set up any state required at the start of the simulation run.

Parameters

- `warmup_steps (int)` – Number of warmup iterations.
- `*args` – Algorithm specific positional arguments.
- `**kwargs` – Algorithm specific keyword arguments.

3.10.4 HMC

```
class HMC(model=None, potential_fn=None, step_size=1, trajectory_length=None, num_steps=None,
          adapt_step_size=True, adapt_mass_matrix=True, full_mass=False, transforms=None,
          max_plate_nesting=None, jit_compile=False, jit_options=None, ignore_jit_warnings=False,
          target_accept_prob=0.8, init_strategy=<function init_to_uniform>)
```

Bases: `pyro.infer.mcmc.mcmc_kernel.MCMCKernel`

Simple Hamiltonian Monte Carlo kernel, where `step_size` and `num_steps` need to be explicitly specified by the user.

References

[1] *MCMC Using Hamiltonian Dynamics*, Radford M. Neal

Parameters

- **model** – Python callable containing Pyro primitives.
- **potential_fn** – Python callable calculating potential energy with input is a dict of real support parameters.
- **step_size** (`float`) – Determines the size of a single step taken by the verlet integrator while computing the trajectory using Hamiltonian dynamics. If not specified, it will be set to 1.
- **trajectory_length** (`float`) – Length of a MCMC trajectory. If not specified, it will be set to `step_size` x `num_steps`. In case `num_steps` is not specified, it will be set to 2π .
- **num_steps** (`int`) – The number of discrete steps over which to simulate Hamiltonian dynamics. The state at the end of the trajectory is returned as the proposal. This value is always equal to `int(trajectory_length / step_size)`.
- **adapt_step_size** (`bool`) – A flag to decide if we want to adapt `step_size` during warm-up phase using Dual Averaging scheme.
- **adapt_mass_matrix** (`bool`) – A flag to decide if we want to adapt mass matrix during warm-up phase using Welford scheme.
- **full_mass** (`bool`) – A flag to decide if mass matrix is dense or diagonal.
- **transforms** (`dict`) – Optional dictionary that specifies a transform for a sample site with constrained support to unconstrained space. The transform should be invertible, and implement `log_abs_det_jacobian`. If not specified and the model has sites with constrained support, automatic transformations will be applied, as specified in `torch.distributions.constraint_registry`.
- **max_plate_nesting** (`int`) – Optional bound on max number of nested `pyro.plate()` contexts. This is required if model contains discrete sample sites that can be enumerated over in parallel.
- **jit_compile** (`bool`) – Optional parameter denoting whether to use the PyTorch JIT to trace the log density computation, and use this optimized executable trace in the integrator.
- **jit_options** (`dict`) – A dictionary contains optional arguments for `torch.jit.trace()` function.
- **ignore_jit_warnings** (`bool`) – Flag to ignore warnings from the JIT tracer when `jit_compile=True`. Default is False.
- **target_accept_prob** (`float`) – Increasing this value will lead to a smaller step size, hence the sampling will be slower and more robust. Default to 0.8.

- **init_strategy** (*callable*) – A per-site initialization function. See [Initialization](#) section for available functions.

Note: Internally, the mass matrix will be ordered according to the order of the names of latent variables, not the order of their appearance in the model.

Example:

```
>>> true_coefs = torch.tensor([1., 2., 3.])
>>> data = torch.randn(2000, 3)
>>> dim = 3
>>> labels = dist.Bernoulli(logits=(true_coefs * data).sum(-1)).sample()
>>>
>>> def model(data):
...     coefs_mean = torch.zeros(dim)
...     coefs = pyro.sample('beta', dist.Normal(coefs_mean, torch.ones(3)))
...     y = pyro.sample('y', dist.Bernoulli(logits=(coefs * data).sum(-1)),  
obs=labels)
...     return y
>>>
>>> hmc_kernel = HMC(model, step_size=0.0855, num_steps=4)
>>> mcmc = MCMC(hmc_kernel, num_samples=500, warmup_steps=100)
>>> mcmc.run(data)
>>> mcmc.get_samples()['beta'].mean(0)
tensor([ 0.9819,  1.9258,  2.9737])
```

```
cleanup()
clear_cache()
diagnostics()
property initial_params
property inverse_mass_matrix
logging()
property mass_matrix_adapter
property num_steps
sample(params)
setup(warmup_steps, *args, **kwargs)
property step_size
```

3.10.5 NUTS

```
class NUTS(model=None, potential_fn=None, step_size=1, adapt_step_size=True, adapt_mass_matrix=True,
           full_mass=False, use_multinomial_sampling=True, transforms=None, max_plate_nesting=None,
           jit_compile=False, jit_options=None, ignore_jit_warnings=False, target_accept_prob=0.8,
           max_tree_depth=10, init_strategy=<function init_to_uniform>)
Bases: pyro.infer.mcmc.hmc.HMC
```

No-U-Turn Sampler kernel, which provides an efficient and convenient way to run Hamiltonian Monte Carlo. The number of steps taken by the integrator is dynamically adjusted on each call to `sample` to ensure an optimal length for the Hamiltonian trajectory [1]. As such, the samples generated will typically have lower autocorrelation than those generated by the `HMC` kernel. Optionally, the NUTS kernel also provides the ability to adapt step size during the warmup phase.

Refer to the [baseball example](#) to see how to do Bayesian inference in Pyro using NUTS.

References

- [1] *The No-U-turn sampler: adaptively setting path lengths in Hamiltonian Monte Carlo*, Matthew D. Hoffman, and Andrew Gelman.
- [2] *A Conceptual Introduction to Hamiltonian Monte Carlo*, Michael Betancourt
- [3] *Slice Sampling*, Radford M. Neal

Parameters

- **model** – Python callable containing Pyro primitives.
- **potential_fn** – Python callable calculating potential energy with input is a dict of real support parameters.
- **step_size** (`float`) – Determines the size of a single step taken by the verlet integrator while computing the trajectory using Hamiltonian dynamics. If not specified, it will be set to 1.
- **adapt_step_size** (`bool`) – A flag to decide if we want to adapt step_size during warm-up phase using Dual Averaging scheme.
- **adapt_mass_matrix** (`bool`) – A flag to decide if we want to adapt mass matrix during warm-up phase using Welford scheme.
- **full_mass** (`bool`) – A flag to decide if mass matrix is dense or diagonal.
- **use_multinomial_sampling** (`bool`) – A flag to decide if we want to sample candidates along its trajectory using “multinomial sampling” or using “slice sampling”. Slice sampling is used in the original NUTS paper [1], while multinomial sampling is suggested in [2]. By default, this flag is set to True. If it is set to *False*, NUTS uses slice sampling.
- **transforms** (`dict`) – Optional dictionary that specifies a transform for a sample site with constrained support to unconstrained space. The transform should be invertible, and implement `log_abs_det_jacobian`. If not specified and the model has sites with constrained support, automatic transformations will be applied, as specified in `torch.distributions.constraint_registry`.
- **max_plate_nesting** (`int`) – Optional bound on max number of nested `pyro.plate()` contexts. This is required if model contains discrete sample sites that can be enumerated over in parallel.
- **jit_compile** (`bool`) – Optional parameter denoting whether to use the PyTorch JIT to trace the log density computation, and use this optimized executable trace in the integrator.

- **jit_options** (*dict*) – A dictionary contains optional arguments for `torch.jit.trace()` function.
- **ignore_jit_warnings** (*bool*) – Flag to ignore warnings from the JIT tracer when `jit_compile=True`. Default is False.
- **target_accept_prob** (*float*) – Target acceptance probability of step size adaptation scheme. Increasing this value will lead to a smaller step size, so the sampling will be slower but more robust. Default to 0.8.
- **max_tree_depth** (*int*) – Max depth of the binary tree created during the doubling scheme of NUTS sampler. Default to 10.
- **init_strategy** (*callable*) – A per-site initialization function. See [Initialization](#) section for available functions.

Example:

```
>>> true_coefs = torch.tensor([1., 2., 3.])
>>> data = torch.randn(2000, 3)
>>> dim = 3
>>> labels = dist.Bernoulli(logits=(true_coefs * data).sum(-1)).sample()
>>>
>>> def model(data):
...     coefs_mean = torch.zeros(dim)
...     coefs = pyro.sample('beta', dist.Normal(coefs_mean, torch.ones(3)))
...     y = pyro.sample('y', dist.Bernoulli(logits=(coefs * data).sum(-1)),  
obs=labels)
...     return y
>>>
>>> nuts_kernel = NUTS(model, adapt_step_size=True)
>>> mcmc = MCMC(nuts_kernel, num_samples=500, warmup_steps=300)
>>> mcmc.run(data)
>>> mcmc.get_samples()['beta'].mean(0)
tensor([ 0.9221,  1.9464,  2.9228])
```

`sample(params)`

3.10.6 BlockMassMatrix

```
class BlockMassMatrix(init_scale=1.0)
Bases: object
```

EXPERIMENTAL This class is used to adapt (inverse) mass matrix and provide useful methods to calculate algebraic terms which involves the mass matrix.

The mass matrix will have block structure, which can be specified by using the method `configure()` with the corresponding structured `mass_matrix_shape` arg.

Parameters `init_scale` (*float*) – initial scale to construct the initial mass matrix.

`configure(mass_matrix_shape, adapt_mass_matrix=True, options={})`
Sets up an initial mass matrix.

Parameters

- **mass_matrix_shape** (*dict*) – a dict that maps tuples of site names to the shape of the corresponding mass matrix. Each tuple of site names corresponds to a block.

- **adapt_mass_matrix** (`bool`) – a flag to decide whether an adaptation scheme will be used.
- **options** (`dict`) – tensor options to construct the initial mass matrix.

end_adaptation()

Updates the current mass matrix using the adaptation scheme.

property inverse_mass_matrix**kinetic_grad(*r*)**

Computes the gradient of kinetic energy w.r.t. the momentum *r*. It is equivalent to compute velocity given the momentum *r*.

Parameters `r` (`dict`) – a dictionary maps site names to a tensor momentum.

Returns a dictionary maps site names to the corresponding gradient

property mass_matrix_size

A dict that maps site names to the size of the corresponding mass matrix.

scale(*r_unscaled*, *r_prototype*)

Computes $M^{1/2}$ @ *r_unscaled*.

Note that *r* is generated from a gaussian with scale `mass_matrix_sqrt`. This method will scale it.

Parameters

- **r_unscaled** (`dict`) – a dictionary maps site names to a tensor momentum.
- **r_prototype** (`dict`) – a dictionary maps site names to prototype momentum. Those prototype values are used to get shapes of the scaled version.

Returns a dictionary maps site names to the corresponding tensor

unscale(*r*)

Computes $\text{inv}(M^{1/2})$ @ *r*.

Note that *r* is generated from a gaussian with scale `mass_matrix_sqrt`. This method will unscale it.

Parameters `r` (`dict`) – a dictionary maps site names to a tensor momentum.

Returns a dictionary maps site names to the corresponding tensor

update(*z*, *z_grad*)

Updates the adaptation scheme using the new sample *z* or its grad *z_grad*.

Parameters

- **z** (`dict`) – the current value.
- **z_grad** (`dict`) – grad of the current value.

3.10.7 Utilities

```
initialize_model(model, model_args=(), model_kwargs={}, transforms=None, max_plate_nesting=None,
                 jit_compile=False, jit_options=None, skip_jit_warnings=False, num_chains=1,
                 init_strategy=<function init_to_uniform>, initial_params=None)
```

Given a Python callable with Pyro primitives, generates the following model-specific properties needed for inference using HMC/NUTS kernels:

- initial parameters to be sampled using a HMC kernel,
- a potential function whose input is a dict of parameters in unconstrained space,
- transforms to transform latent sites of *model* to unconstrained space,

- a prototype trace to be used in MCMC to consume traces from sampled parameters.

Parameters

- **model** – a Pyro model which contains Pyro primitives.
- **model_args** (*tuple*) – optional args taken by *model*.
- **model_kwargs** (*dict*) – optional kwargs taken by *model*.
- **transforms** (*dict*) – Optional dictionary that specifies a transform for a sample site with constrained support to unconstrained space. The transform should be invertible, and implement *log_abs_det_jacobian*. If not specified and the model has sites with constrained support, automatic transformations will be applied, as specified in `torch.distributions.constraint_registry`.
- **max_plate_nesting** (*int*) – Optional bound on max number of nested `pyro.plate()` contexts. This is required if model contains discrete sample sites that can be enumerated over in parallel.
- **jit_compile** (*bool*) – Optional parameter denoting whether to use the PyTorch JIT to trace the log density computation, and use this optimized executable trace in the integrator.
- **jit_options** (*dict*) – A dictionary contains optional arguments for `torch.jit.trace()` function.
- **ignore_jit_warnings** (*bool*) – Flag to ignore warnings from the JIT tracer when `jit_compile=True`. Default is False.
- **num_chains** (*int*) – Number of parallel chains. If *num_chains > 1*, the returned *initial_params* will be a list with *num_chains* elements.
- **init_strategy** (*callable*) – A per-site initialization function. See *Initialization* section for available functions.
- **initial_params** (*dict*) – dict containing initial tensors in unconstrained space to initiate the markov chain.

Returns a tuple of (*initial_params*, *potential_fn*, *transforms*, *prototype_trace*)

diagnostics(*samples*, *group_by_chain=True*)

Gets diagnostics statistics such as effective sample size and split Gelman-Rubin using the samples drawn from the posterior distribution.

Parameters

- **samples** (*dict*) – dictionary of samples keyed by site name.
- **group_by_chain** (*bool*) – If True, each variable in *samples* will be treated as having shape *num_chains x num_samples x sample_shape*. Otherwise, the corresponding shape will be *num_samples x sample_shape* (i.e. without chain dimension).

Returns dictionary of diagnostic stats for each sample site.

select_samples(*samples*, *num_samples=None*, *group_by_chain=False*)

Performs selection from given MCMC samples.

Parameters

- **samples** (*dictionary*) – Samples object to sample from.
- **num_samples** (*int*) – Number of samples to return. If *None*, all the samples from an MCMC chain are returned in their original ordering.

- **group_by_chain** (`bool`) – Whether to preserve the chain dimension. If True, all samples will have num_chains as the size of their leading dimension.

Returns dictionary of samples keyed by site name.

3.11 Automatic Guide Generation

3.11.1 AutoGuide

```
class AutoGuide(model, *, create_plates=None)
Bases: pyro.nn.module.PyroModule
```

Base class for automatic guides.

Derived classes must implement the `forward()` method, with the same `*args`, `**kwargs` as the base `model`.

Auto guides can be used individually or combined in an `AutoGuideList` object.

Parameters

- **model** (`callable`) – A pyro model.
- **create_plates** (`callable`) – An optional function inputting the same `*args`, `**kwargs` as `model()` and returning a `pyro.plate` or iterable of plates. Plates not returned will be created automatically as usual. This is useful for data subsampling.

property `model`

`call(*args, **kwargs)`

Method that calls `forward()` and returns parameter values of the guide as a *tuple* instead of a *dict*, which is a requirement for JIT tracing. Unlike `forward()`, this method can be traced by `torch.jit.trace_module()`.

Warning: This method may be removed once PyTorch JIT tracer starts accepting *dict* as valid return types. See issue <<https://github.com/pytorch/pytorch/issues/27743>>_.

`sample_latent(**kwargs)`

Samples an encoded latent given the same `*args`, `**kwargs` as the base `model`.

`median(*args, **kwargs)`

Returns the posterior median value of each latent variable.

Returns A dict mapping sample site name to median tensor.

Return type `dict`

training: `bool`

3.11.2 AutoGuideList

```
class AutoGuideList(model, *, create_plates=None)
    Bases: pyro.infer.autoguide.guides.AutoGuide, torch.nn.modules.container.ModuleList
```

Container class to combine multiple automatic guides.

Example usage:

```
guide = AutoGuideList(my_model)
guide.append(AutoDiagonalNormal(poutine.block(model, hide=["assignment"])))
guide.append(AutoDiscreteParallel(poutine.block(model, expose=["assignment"])))
svi = SVI(model, guide, optim, Trace_ELBO())
```

Parameters `model` (`callable`) – a Pyro model

append(`part`)

Add an automatic guide for part of the model. The guide should have been created by blocking the model to restrict to a subset of sample sites. No two parts should operate on any one sample site.

Parameters `part` (`AutoGuide` or `callable`) – a partial guide to add

add(`part`)

Deprecated alias for `append()`.

forward(*`args`, **`kwargs`)

A composite guide with the same `*args`, `**kwargs` as the base `model`.

Note: This method is used internally by `Module`. Users should instead use `__call__()`.

Returns A dict mapping sample site name to sampled value.

Return type `dict`

median(*`args`, **`kwargs`)

Returns the posterior median value of each latent variable.

Returns A dict mapping sample site name to median tensor.

Return type `dict`

quantiles(`quantiles`, *`args`, **`kwargs`)

Returns the posterior quantile values of each latent variable.

Parameters `quantiles` (`list`) – A list of requested quantiles between 0 and 1.

Returns A dict mapping sample site name to quantiles tensor.

Return type `dict`

training: `bool`

3.11.3 AutoCallable

```
class AutoCallable(model, guide, median=<function AutoCallable.<lambda>>)
    Bases: pyro.infer.autoguide.guides.AutoGuide
```

`AutoGuide` wrapper for simple callable guides.

This is used internally for composing autoguides with custom user-defined guides that are simple callables, e.g.:

```
def my_local_guide(*args, **kwargs):
    ...

guide = AutoGuideList(model)
guide.add(AutoDelta(poutine.block(model, expose=['my_global_param'])))
guide.add(my_local_guide) # automatically wrapped in an AutoCallable
```

To specify a median callable, you can instead:

```
def my_local_median(*args, **kwargs)
    ...

guide.add(AutoCallable(model, my_local_guide, my_local_median))
```

For more complex guides that need e.g. access to plates, users should instead subclass `AutoGuide`.

Parameters

- `model (callable)` – a Pyro model
- `guide (callable)` – a Pyro guide (typically over only part of the model)
- `median (callable)` – an optional callable returning a dict mapping sample site name to computed median tensor.

`forward(*args, **kwargs)`

`training: bool`

3.11.4 AutoNormal

```
class AutoNormal(model, *, init_loc_fn=<function init_to_feasible>, init_scale=0.1, create_plates=None)
    Bases: pyro.infer.autoguide.guides.AutoGuide
```

This implementation of `AutoGuide` uses a Normal distribution with a diagonal covariance matrix to construct a guide over the entire latent space. The guide does not depend on the model's `*args`, `**kwargs`.

It should be equivalent to :class: `AutoDiagonalNormal` , but with more convenient site names and with better support for `TraceMeanField_ELBO` .

In `AutoDiagonalNormal` , if your model has N named parameters with dimensions k_i and sum $k_i = D$, you get a single vector of length D for your mean, and a single vector of length D for sigmas. This guide gives you N distinct normals that you can call by name.

Usage:

```
guide = AutoNormal(model)
svi = SVI(model, guide, ...)
```

Parameters

- **model** (*callable*) – A Pyro model.
- **init_loc_fn** (*callable*) – A per-site initialization function. See [Initialization](#) section for available functions.
- **init_scale** (*float*) – Initial scale for the standard deviation of each (unconstrained transformed) latent variable.
- **create_plates** (*callable*) – An optional function inputting the same **args*, ***kwargs* as `model()` and returning a `pyro.plate` or iterable of plates. Plates not returned will be created automatically as usual. This is useful for data subsampling.

```
scale_constraint = SoftplusPositive(lower_bound=0.0)
forward(*args, **kwargs)
```

An automatic guide with the same **args*, ***kwargs* as the base `model`.

Note: This method is used internally by `Module`. Users should instead use `__call__()`.

Returns A dict mapping sample site name to sampled value.

Return type `dict`

```
median(*args, **kwargs)
```

Returns the posterior median value of each latent variable.

Returns A dict mapping sample site name to median tensor.

Return type `dict`

```
quantiles(quantiles, *args, **kwargs)
```

Returns posterior quantiles each latent variable. Example:

```
print(guide.quantiles([0.05, 0.5, 0.95]))
```

Parameters `quantiles` (`torch.Tensor` or `list`) – A list of requested quantiles between 0 and 1.

Returns A dict mapping sample site name to a tensor of quantile values.

Return type `dict`

training: `bool`

3.11.5 AutoDelta

```
class AutoDelta(model, init_loc_fn=<function init_to_median>, *, create_plates=None)
Bases: pyro.infer.autoguide.guides.AutoGuide
```

This implementation of `AutoGuide` uses Delta distributions to construct a MAP guide over the entire latent space. The guide does not depend on the model's **args*, ***kwargs*.

Note: This class does MAP inference in constrained space.

Usage:

```
guide = AutoDelta(model)
svi = SVI(model, guide, ...)
```

Latent variables are initialized using `init_loc_fn()`. To change the default behavior, create a custom `init_loc_fn()` as described in [Initialization](#), for example:

```
def my_init_fn(site):
    if site["name"] == "level":
        return torch.tensor([-1., 0., 1.])
    if site["name"] == "concentration":
        return torch.ones(k)
    return init_to_sample(site)
```

Parameters

- `model (callable)` – A Pyro model.
- `init_loc_fn (callable)` – A per-site initialization function. See [Initialization](#) section for available functions.
- `create_plates (callable)` – An optional function inputting the same `*args, **kwargs` as `model()` and returning a `pyro.plate` or iterable of plates. Plates not returned will be created automatically as usual. This is useful for data subsampling.

`forward(*args, **kwargs)`

An automatic guide with the same `*args, **kwargs` as the base `model`.

Note: This method is used internally by `Module`. Users should instead use `__call__()`.

Returns A dict mapping sample site name to sampled value.

Return type `dict`

`median(*args, **kwargs)`

Returns the posterior median value of each latent variable.

Returns A dict mapping sample site name to median tensor.

Return type `dict`

`training: bool`

3.11.6 AutoContinuous

```
class AutoContinuous(model, init_loc_fn=<function init_to_median>)
Bases: pyro.infer.autoguide.guides.AutoGuide
```

Base class for implementations of continuous-valued Automatic Differentiation Variational Inference [1].

This uses `torch.distributions.transforms` to transform each constrained latent variable to an unconstrained space, then concatenate all variables into a single unconstrained latent variable. Each derived class implements a `get_posterior()` method returning a distribution over this single unconstrained latent variable.

Assumes model structure and latent dimension are fixed, and all latent variables are continuous.

Parameters `model (callable)` – a Pyro model

Reference:

[1] **Automatic Differentiation Variational Inference**, Alp Kucukelbir, Dustin Tran, Rajesh Ranganath, Andrew Gelman, David M. Blei

Parameters

- **model** (*callable*) – A Pyro model.
- **init_loc_fn** (*callable*) – A per-site initialization function. See *Initialization* section for available functions.

`get_base_dist()`

Returns the base distribution of the posterior when reparameterized as a *TransformedDistribution*. This should not depend on the model's **args*, ***kwargs*.

```
posterior = TransformedDistribution(self.get_base_dist(), self.get_
    ↴transform(*args, **kwargs))
```

Returns *TorchDistribution* instance representing the base distribution.

`get_transform(*args, **kwargs)`

Returns the transform applied to the base distribution when the posterior is reparameterized as a *TransformedDistribution*. This may depend on the model's **args*, ***kwargs*.

```
posterior = TransformedDistribution(self.get_base_dist(), self.get_
    ↴transform(*args, **kwargs))
```

Returns a *Transform* instance.

`get_posterior(*args, **kwargs)`

Returns the posterior distribution.

`sample_latent(*args, **kwargs)`

Samples an encoded latent given the same **args*, ***kwargs* as the base model.

`forward(*args, **kwargs)`

An automatic guide with the same **args*, ***kwargs* as the base model.

Note: This method is used internally by *Module*. Users should instead use `__call__()`.

Returns A dict mapping sample site name to sampled value.

Return type *dict*

`median(*args, **kwargs)`

Returns the posterior median value of each latent variable.

Returns A dict mapping sample site name to median tensor.

Return type *dict*

`quantiles(quantiles, *args, **kwargs)`

Returns posterior quantiles each latent variable. Example:

```
print(guide.quantiles([0.05, 0.5, 0.95]))
```

Parameters `quantiles` (`torch.Tensor` or `list`) – A list of requested quantiles between 0 and 1.

Returns A dict mapping sample site name to a tensor of quantile values.

Return type `dict`

training: `bool`

3.11.7 AutoMultivariateNormal

```
class AutoMultivariateNormal(model, init_loc_fn=<function init_to_median>, init_scale=0.1)
Bases: pyro.infer.autoguide.guides.AutoContinuous
```

This implementation of `AutoContinuous` uses a Cholesky factorization of a Multivariate Normal distribution to construct a guide over the entire latent space. The guide does not depend on the model's `*args`, `**kwargs`.

Usage:

```
guide = AutoMultivariateNormal(model)
svi = SVI(model, guide, ...)
```

By default the mean vector is initialized by `init_loc_fn()` and the Cholesky factor is initialized to the identity times a small factor.

Parameters

- `model` (`callable`) – A generative model.
- `init_loc_fn` (`callable`) – A per-site initialization function. See [Initialization](#) section for available functions.
- `init_scale` (`float`) – Initial scale for the standard deviation of each (unconstrained transformed) latent variable.

```
scale_constraint = SoftplusPositive(lower_bound=0.0)
```

```
scale_tril_constraint = UnitLowerCholesky()
```

```
get_base_dist()
```

```
get_transform(*args, **kwargs)
```

```
get_posterior(*args, **kwargs)
```

Returns a `MultivariateNormal` posterior distribution.

training: `bool`

3.11.8 AutoDiagonalNormal

```
class AutoDiagonalNormal(model, init_loc_fn=<function init_to_median>, init_scale=0.1)
    Bases: pyro.infer.autoguide.guides.AutoContinuous
```

This implementation of [AutoContinuous](#) uses a Normal distribution with a diagonal covariance matrix to construct a guide over the entire latent space. The guide does not depend on the model's *args, **kwargs.

Usage:

```
guide = AutoDiagonalNormal(model)
svi = SVI(model, guide, ...)
```

By default the mean vector is initialized to zero and the scale is initialized to the identity times a small factor.

Parameters

- **model** (*callable*) – A generative model.
- **init_loc_fn** (*callable*) – A per-site initialization function. See [Initialization](#) section for available functions.
- **init_scale** (*float*) – Initial scale for the standard deviation of each (unconstrained transformed) latent variable.

```
scale_constraint = SoftplusPositive(lower_bound=0.0)
```

```
get_base_dist()
```

```
get_transform(*args, **kwargs)
```

```
get_posterior(*args, **kwargs)
```

Returns a diagonal Normal posterior distribution.

```
training: bool
```

3.11.9 AutoLowRankMultivariateNormal

```
class AutoLowRankMultivariateNormal(model, init_loc_fn=<function init_to_median>, init_scale=0.1,
                                         rank=None)
    Bases: pyro.infer.autoguide.guides.AutoContinuous
```

This implementation of [AutoContinuous](#) uses a low rank plus diagonal Multivariate Normal distribution to construct a guide over the entire latent space. The guide does not depend on the model's *args, **kwargs.

Usage:

```
guide = AutoLowRankMultivariateNormal(model, rank=10)
svi = SVI(model, guide, ...)
```

By default the cov_diag is initialized to a small constant and the cov_factor is initialized randomly such that on average cov_factor.matmul(cov_factor.t()) has the same scale as cov_diag.

Parameters

- **model** (*callable*) – A generative model.
- **rank** (*int or None*) – The rank of the low-rank part of the covariance matrix. Defaults to approximately `sqrt(latent_dim)`.
- **init_loc_fn** (*callable*) – A per-site initialization function. See [Initialization](#) section for available functions.

- **init_scale** (*float*) – Approximate initial scale for the standard deviation of each (unconstrained transformed) latent variable.

scale_constraint = SoftplusPositive(lower_bound=0.0)

get_posterior(*args, **kwargs)

Returns a LowRankMultivariateNormal posterior distribution.

training: *bool*

3.11.10 AutoNormalizingFlow

```
class AutoNormalizingFlow(model, init_transform_fn)
Bases: pyro.infer.autoguide.guides.AutoContinuous
```

This implementation of *AutoContinuous* uses a Diagonal Normal distribution transformed via a sequence of bijective transforms (e.g. various *TransformModule* subclasses) to construct a guide over the entire latent space. The guide does not depend on the model's *args, **kwargs.

Usage:

```
transform_init = partial(iterated, block_autoregressive,
                      repeats=2)
guide = AutoNormalizingFlow(model, transform_init)
svi = SVI(model, guide, ...)
```

Parameters

- **model** (*callable*) – a generative model
- **init_transform_fn** – a callable which when provided with the latent dimension returns an instance of *Transform*, or *TransformModule* if the transform has trainable params.

get_base_dist()

get_transform(*args, **kwargs)

get_posterior(*args, **kwargs)

training: *bool*

3.11.11 AutoIAFNormal

```
class AutoIAFNormal(model, hidden_dim=None, init_loc_fn=None, num_transforms=1,
                     **init_transform_kwargs)
Bases: pyro.infer.autoguide.guides.AutoNormalizingFlow
```

This implementation of *AutoContinuous* uses a Diagonal Normal distribution transformed via a *AffineAutoregressive* to construct a guide over the entire latent space. The guide does not depend on the model's *args, **kwargs.

Usage:

```
guide = AutoIAFNormal(model, hidden_dim=latent_dim)
svi = SVI(model, guide, ...)
```

Parameters

- **model** (*callable*) – a generative model
- **hidden_dim** (*list[int]*) – number of hidden dimensions in the IAF
- **init_loc_fn** (*callable*) – A per-site initialization function. See [Initialization](#) section for available functions.

Warning: This argument is only to preserve backwards compatibility and has no effect in practice.

- **num_transforms** (*int*) – number of *AffineAutoregressive* transforms to use in sequence.
- **init_transform_kwargs** – other keyword arguments taken by *affine_autoregressive()*.

training: *bool*

3.11.12 AutoLaplaceApproximation

```
class AutoLaplaceApproximation(model, init_loc_fn=<function init_to_median>)
Bases: pyro.infer.autoguide.guides.AutoContinuous
```

Laplace approximation (quadratic approximation) approximates the posterior $\log p(z|x)$ by a multivariate normal distribution in the unconstrained space. Under the hood, it uses Delta distributions to construct a MAP guide over the entire (unconstrained) latent space. Its covariance is given by the inverse of the hessian of $-\log p(x, z)$ at the MAP point of z .

Usage:

```
delta_guide = AutoLaplaceApproximation(model)
svi = SVI(model, delta_guide, ...)
# ...then train the delta_guide...
guide = delta_guide.laplace_approximation()
```

By default the mean vector is initialized to an empirical prior median.

Parameters

- **model** (*callable*) – a generative model
- **init_loc_fn** (*callable*) – A per-site initialization function. See [Initialization](#) section for available functions.

get_posterior(*args, **kwargs)

Returns a Delta posterior distribution for MAP inference.

laplace_approximation(*args, **kwargs)

Returns a *AutoMultivariateNormal* instance whose posterior's *loc* and *scale_tril* are given by Laplace approximation.

training: *bool*

3.11.13 AutoDiscreteParallel

```
class AutoDiscreteParallel(model, *, create_plates=None)
    Bases: pyro.infer.autoguide.guides.AutoGuide
```

A discrete mean-field guide that learns a latent discrete distribution for each discrete site in the model.

```
forward(*args, **kwargs)
```

An automatic guide with the same `*args`, `**kwargs` as the base `model`.

Note: This method is used internally by `Module`. Users should instead use `__call__()`.

Returns A dict mapping sample site name to sampled value.

Return type `dict`

training: `bool`

3.11.14 AutoStructured

```
class AutoStructured(model, *, conditionals: Union[str, Dict[str, Union[str, Callable]]] = 'mvn',
                     dependencies: Union[str, Dict[str, Dict[str, Union[str, Callable]]]] = 'linear',
                     init_loc_fn: Callable = <function init_to_feasible>, init_scale: float = 0.1,
                     create_plates: Optional[Callable] = None)
    Bases: pyro.infer.autoguide.guides.AutoGuide
```

Structured guide whose conditional distributions are Delta, Normal, MultivariateNormal, or by a callable, and whose latent variables can depend on each other either linearly (in unconstrained space) or via shearing by a callable.

Usage:

```
def model(data):
    x = pyro.sample("x", dist.LogNormal(0, 1))
    with pyro.plate("plate", len(data)):
        y = pyro.sample("y", dist.Normal(0, 1))
        pyro.sample("z", dist.Normal(y, x), obs=data)

    # Either fully automatic...
guide = AutoStructured(model)

# ...or with specified conditional and dependency types...
guide = AutoStructured(
    model, conditionals="normal", dependencies="linear"
)

# ...or with custom dependency structure and distribution types.
guide = AutoStructured(
    model=model,
    conditionals={"x": "normal", "y": "delta"},
    dependencies={"x": {"y": "linear"}},
)
```

Once trained, this guide can be used with [StructuredReparam](#) to precondition a model for use in HMC and NUTS inference.

Note: If you declare a dependency of a high-dimensional downstream variable on a low-dimensional upstream variable, you may want to use a lower learning rate for that weight, e.g.:

```
def optim_config(param_name):
    config = {"lr": 0.01}
    if "deps.my_downstream.my_upstream" in param_name:
        config["lr"] *= 0.1
    return config

adam = pyro.optim.Adam(optim_config)
```

Parameters

- **model** (*callable*) – A Pyro model.
- **conditionals** – Either a single distribution type or a dict mapping each latent variable name to a distribution type. A distribution type is either a string in {"delta", "normal", "mvn"} or a callable that returns a sample from a zero mean (or approximately centered) noise distribution (such callables typically call `pyro.param()` and `pyro.sample()` internally).
- **dependencies** – Dependency type, or a dict mapping each site name to a dict mapping its upstream dependencies to dependency types. If only a dependency type is provided, dependency structure will be inferred. A dependency type is either the string “linear” or a callable that maps a *flattened* upstream perturbation to *flattened* downstream perturbation. The string “linear” is equivalent to `nn.Linear(upstream.numel(), downstream.numel(), bias=False)`. Dependencies must not contain cycles or self-loops.
- **init_loc_fn** (*callable*) – A per-site initialization function. See [Initialization](#) section for available functions.
- **init_scale** (*float*) – Initial scale for the standard deviation of each (unconstrained transformed) latent variable.
- **create_plates** (*callable*) – An optional function inputting the same `*args`, `**kwargs` as `model()` and returning a `pyro.plate` or iterable of plates. Plates not returned will be created automatically as usual. This is useful for data subsampling.

```
scale_constraint = SoftplusPositive(lower_bound=0.0)
scale_tril_constraint = SoftplusLowerCholesky()
get_deltas()
forward(*args, **kwargs)
median(*args, **kwargs)
training: bool
```

3.11.15 AutoGaussian

```
class AutoGaussian(*args, **kwargs)
    Bases: pyro.infer.autoguide.guides.AutoGuide
    Gaussian guide with optimal conditional independence structure.
```

This is equivalent to a full rank `AutoMultivariateNormal` guide, but with a sparse precision matrix determined by dependencies and plates in the model [1]. Depending on model structure, this can have asymptotically better statistical efficiency than `AutoMultivariateNormal`.

This guide implements multiple backends for computation. All backends use the same statistically optimal parametrization. The default “dense” backend has computational complexity similar to `AutoMultivariateNormal`. The experimental “funstor” backend can be asymptotically cheaper in terms of time and space (using Gaussian tensor variable elimination [2,3]), but incurs large constant overhead. The “funstor” backend requires `funstor` which can be installed via `pip install pyro-ppl[funstor]`.

The guide currently does not depend on the model’s `*args`, `**kwargs`.

Example:

```
guide = AutoGaussian(model)
svi = SVI(model, guide, ...)
```

Example using experimental funstor backend:

```
!pip install pyro-ppl[funstor]
guide = AutoGaussian(model, backend="funstor")
svi = SVI(model, guide, ...)
```

References

- [1] S.Webb, A.Goliński, R.Zinkov, N.Siddharth, T.Rainforth, Y.W.Teh, F.Wood (2018) “Faithful inversion of generative models for effective amortized inference” <https://dl.acm.org/doi/10.5555/3327144.3327229>
- [2] F.Obermeyer, E.Bingham, M.Jankowiak, J.Chiu, N.Pradhan, A.M.Rush, N.Goodman (2019) “Tensor Variable Elimination for Plated Factor Graphs” <http://proceedings.mlr.press/v97/obermeyer19a/obermeyer19a.pdf>
- [3] F. Obermeyer, E. Bingham, M. Jankowiak, D. Phan, J. P. Chen (2019) “Functional Tensors for Probabilistic Programming” <https://arxiv.org/abs/1910.10775>

Parameters

- `model (callable)` – A Pyro model.
- `init_loc_fn (callable)` – A per-site initialization function. See *Initialization* section for available functions.
- `init_scale (float)` – Initial scale for the standard deviation of each (unconstrained transformed) latent variable.
- `backend (str)` – Back end for performing Gaussian tensor variable elimination. Defaults to “dense”; other options include “funstor”.

```
scale_constraint = SoftplusPositive(lower_bound=0.0)
```

```
forward(*args, **kwargs) → Dict[str, torch.Tensor]
```

```
median(*args, **kwargs) → Dict[str, torch.Tensor]
```

Returns the posterior median value of each latent variable.

Returns A dict mapping sample site name to median tensor.

Return type `dict`

training: `bool`

3.11.16 AutoMessenger

```
class AutoMessenger(model: Callable, *, amortized_plates: Tuple[str, ...] = ())  
Bases: pyro.poutine.guide.GuideMessenger, pyro.nn.module.PyroModule
```

Base class for `GuideMessenger` autoguides.

Parameters

- **model** (`callable`) – A Pyro model.
- **amortized_plates** (`tuple`) – A tuple of names of plates over which guide parameters should be shared. This is useful for subsampling, where a guide parameter can be shared across all plates.

call(*args, **kwargs)

Method that calls `forward()` and returns parameter values of the guide as a `tuple` instead of a `dict`, which is a requirement for JIT tracing. Unlike `forward()`, this method can be traced by `torch.jit.trace_module()`.

Warning: This method may be removed once PyTorch JIT tracer starts accepting `dict` as valid return types. See issue <<https://github.com/pytorch/pytorch/issues/27743>>.

training: `bool`

3.11.17 AutoNormalMessenger

```
class AutoNormalMessenger(model: Callable, *, init_loc_fn: Callable = functools.partial(<function  
init_to_mean>, fallback=<function init_to_feasible>), init_scale: float = 0.1,  
amortized_plates: Tuple[str, ...] = ())  
Bases: pyro.infer.autoguide.effect.AutoMessenger
```

`AutoMessenger` with mean-field normal posterior.

The mean-field posterior at any site is a transformed normal distribution. This posterior is equivalent to `AutoNormal` or `AutoDiagonalNormal`, but allows customization via subclassing.

Derived classes may override the `get_posterior()` behavior at particular sites and use the mean-field normal behavior simply as a default, e.g.:

```
def model(data):  
    a = pyro.sample("a", dist.Normal(0, 1))  
    b = pyro.sample("b", dist.Normal(0, 1))  
    c = pyro.sample("c", dist.Normal(a + b, 1))  
    pyro.sample("obs", dist.Normal(c, 1), obs=data)  
  
class MyGuideMessenger(AutoNormalMessenger):  
    def get_posterior(self, name, prior):  
        if name == "c":
```

(continues on next page)

(continued from previous page)

```

# Use a custom distribution at site c.
bias = pyro.param("c_bias", lambda: torch.zeros(()))
weight = pyro.param("c_weight", lambda: torch.ones(()),
                     constraint=constraints.positive)
scale = pyro.param("c_scale", lambda: torch.ones(()),
                     constraint=constraints.positive)
a = self.upstream_value("a")
b = self.upstream_value("b")
loc = bias + weight * (a + b)
return dist.Normal(loc, scale)
# Fall back to mean field.
return super().get_posterior(name, prior)

```

Note that above we manually computed $\text{loc} = \text{bias} + \text{weight} * (\text{a} + \text{b})$. Alternatively we could reuse the model-side computation by setting $\text{loc} = \text{bias} + \text{weight} * \text{prior.loc}$:

```

class MyGuideMessenger_v2(AutoNormalMessenger):
    def get_posterior(self, name, prior):
        if name == "c":
            # Use a custom distribution at site c.
            bias = pyro.param("c_bias", lambda: torch.zeros(()))
            scale = pyro.param("c_scale", lambda: torch.ones(()),
                               constraint=constraints.positive)
            weight = pyro.param("c_weight", lambda: torch.ones(()),
                               constraint=constraints.positive)
            loc = bias + weight * prior.loc
            return dist.Normal(loc, scale)
        # Fall back to mean field.
        return super().get_posterior(name, prior)

```

Parameters

- **model** (*callable*) – A Pyro model.
- **init_loc_fn** (*callable*) – A per-site initialization function. See *Initialization* section for available functions.
- **init_scale** (*float*) – Initial scale for the standard deviation of each (unconstrained transformed) latent variable.
- **amortized_plates** (*tuple*) – A tuple of names of plates over which guide parameters should be shared. This is useful for subsampling, where a guide parameter can be shared across all plates.

get_posterior(*name: str, prior: pyro.distributions.distribution.Distribution*) → Union[*pyro.distributions.distribution.Distribution, torch.Tensor*]

median(*args, **kwargs)

training: *bool*

3.11.18 AutoHierarchicalNormalMessenger

```
class AutoHierarchicalNormalMessenger(model: Callable, *, init_loc_fn: Callable =
                                         functools.partial(<function init_to_mean>, fallback=<function
                                         init_to_feasible>), init_scale: float = 0.1, amortized_plates:
                                         Tuple[str, ...] = (), init_weight: float = 1.0, hierarchical_sites:
                                         Optional[list] = None)
```

Bases: `pyro.infer.autoguide.effect.AutoNormalMessenger`

AutoMessenger with mean-field normal posterior conditional on all dependencies.

The mean-field posterior at any site is a transformed normal distribution, the mean of which depends on the value of that site given its dependencies in the model:

```
loc_total = loc + transform.inv(prior.mean) * weight
```

Where the value of `prior.mean` is conditional on upstream sites in the model, `loc` is independent component of the mean in the untransformed space, `weight` is element-wise factor that scales the prior mean. This approach doesn't work for distributions that don't have the mean.

Derived classes may override particular sites and use this simply as a default, see `AutoNormalMessenger` documentation for example.

Parameters

- `model (callable)` – A Pyro model.
- `init_loc_fn (callable)` – A per-site initialization function. See [Initialization](#) section for available functions.
- `init_scale (float)` – Initial scale for the standard deviation of each (unconstrained transformed) latent variable.
- `init_weight (float)` – Initial value for the weight of the contribution of hierarchical sites to posterior mean for each latent variable.
- `hierarchical_sites (list)` – List of latent variables (model sites) that have hierarchical dependencies. If None, all sites are assumed to have hierarchical dependencies. If None, for the sites that don't have upstream sites, the `loc` and `weight` of the guide are representing/learning deviation from the prior.

```
weight_type = 'element-wise'  
get_posterior(name: str, prior: pyro.distributions.distribution.Distribution) →  
    Union[pyro.distributions.distribution.Distribution, torch.Tensor]  
median(*args, **kwargs)  
training: bool
```

3.11.19 AutoRegressiveMessenger

```
class AutoRegressiveMessenger(model: Callable, *, init_loc_fn: Callable = functools.partial(<function
                                         init_to_mean>),
                                         fallback=<function init_to_feasible>), init_scale: float = 0.1,
                                         amortized_plates: Tuple[str, ...] = ())
Bases: pyro.infer.autoguide.effect.AutoMessenger
```

AutoMessenger with recursively affine-transformed priors using prior dependency structure.

The posterior at any site is a learned affine transform of the prior, conditioned on upstream posterior samples. The affine transform operates in unconstrained space. This supports only continuous latent variables.

Derived classes may override the `get_posterior()` behavior at particular sites and use the regressive behavior simply as a default, e.g.:

```
class MyGuideMessenger(AutoRegressiveMessenger):
    def get_posterior(self, name, prior):
        if name == "x":
            # Use a custom distribution at site x.
            loc = pyro.param("x_loc", lambda: torch.zeros(prior.shape()))
            scale = pyro.param("x_scale", lambda: torch.ones(prior.shape())),
                    constraint=constraints.positive
            return dist.Normal(loc, scale).to_event(prior.event_dim())
        # Fall back to autoregressive.
        return super().get_posterior(name, prior)
```

Warning: This guide currently does not support jit-based elbos.

Parameters

- **model** (*callable*) – A Pyro model.
- **init_loc_fn** (*callable*) – A per-site initialization function. See [Initialization](#) section for available functions.
- **init_scale** (*float*) – Initial scale for the standard deviation of each (unconstrained transformed) latent variable.
- **amortized_plates** (*tuple*) – A tuple of names of plates over which guide parameters should be shared. This is useful for subsampling, where a guide parameter can be shared across all plates.

`get_posterior(name: str, prior: pyro.distributions.distribution.Distribution) →`
`Union[pyro.distributions.distribution.Distribution, torch.Tensor]`

`training: bool`

3.11.20 Initialization

The pyro.infer.autoguide.initialization module contains initialization functions for automatic guides.

The standard interface for initialization is a function that inputs a Pyro trace `site` dict and returns an appropriately sized value to serve as an initial constrained value for a guide estimate.

`init_to_feasible`(`site=None`)

Initialize to an arbitrary feasible point, ignoring distribution parameters.

`init_to_sample`(`site=None`)

Initialize to a random sample from the prior.

`init_to_median`(`site=None, num_samples=15, *, fallback: Optional[Callable] = <function init_to_feasible>`)

Initialize to the prior median; fallback to `fallback` (defaults to `init_to_feasible()`) if mean is undefined.

Parameters `fallback (callable)` – Fallback init strategy, for sites not specified in `values`.

Raises `ValueError` – If `fallback=None` and no value for a site is given in `values`.

`init_to_mean`(`site=None, *, fallback: Optional[Callable] = <function init_to_median>`)

Initialize to the prior mean; fallback to `fallback` (defaults to `init_to_median()`) if mean is undefined.

Parameters `fallback (callable)` – Fallback init strategy, for sites not specified in `values`.

Raises `ValueError` – If `fallback=None` and no value for a site is given in `values`.

`init_to_uniform`(`site: Optional[dict] = None, radius: float = 2.0`)

Initialize to a random point in the area $(-\text{radius}, \text{radius})$ of unconstrained domain.

Parameters `radius (float)` – specifies the range to draw an initial point in the unconstrained domain.

`init_to_value`(`site: Optional[dict] = None, values: dict = {}, *, fallback: Optional[Callable] = <function init_to_uniform>`)

Initialize to the value specified in `values`. Fallback to `fallback` (defaults to `init_to_uniform()`) strategy for sites not appearing in `values`.

Parameters

- `values (dict)` – dictionary of initial values keyed by site name.
- `fallback (callable)` – Fallback init strategy, for sites not specified in `values`.

Raises `ValueError` – If `fallback=None` and no value for a site is given in `values`.

`init_to_generated`(`site=None, generate=<function <lambda>>`)

Initialize to another initialization strategy returned by the callback `generate` which is called once per model execution.

This is like `init_to_value()` but can produce different (e.g. random) values once per model execution. For example to generate values and return `init_to_value` you could define:

```
def generate():
    values = {"x": torch.randn(100), "y": torch.rand(5)}
    return init_to_value(values=values)

my_init_fn = init_to_generated(generate=generate)
```

Parameters `generate (callable)` – A callable returning another initialization function, e.g. returning an `init_to_value(values={...})` populated with a dictionary of random samples.

```
class InitMessenger(init_fn)
Bases: pyro.poutine.messenger.Messenger
```

Initializes a site by replacing `.sample()` calls with values drawn from an initialization strategy. This is mainly for internal use by autoguide classes.

Parameters `init_fn` (*callable*) – An initialization function.

3.12 Reparameterizers

The `pyro.infer.reparam` module contains reparameterization strategies for the `pyro.poutine.handlers.reparam()` effect. These are useful for altering geometry of a poorly-conditioned parameter space to make the posterior better shaped. These can be used with a variety of inference algorithms, e.g. Auto^{*}Normal guides and MCMC.

```
TypedDict(*args, **kwargs)
```

```
class Reparam
```

Abstract base class for reparameterizers.

Derived classes should implement `apply()`.

```
apply(msg: dict) → dict
```

Abstract method to apply reparameterizer.

Parameters `name` (*dict*) – A simplified Pyro message with fields: - `name`: str the sample site's name - `fn`: Callable a distribution - `value`: Optional[`torch.Tensor`] an observed or initial value - `is_observed`: bool whether value is an observation

Returns A simplified Pyro message with fields `fn`, `value`, and `is_observed`.

Return type *dict*

```
__call__(name, fn, obs)
```

DEPRECATED. Subclasses should implement `apply()` instead. This will be removed in a future release.

3.12.1 Automatic Strategies

These reparametrization strategies are registered with `register_reparam_strategy()` and are accessed by name via `poutine.reparam(config=name_of_strategy)`. See `reparam()` for usage.

```
class Strategy
```

Bases: `abc.ABC`

Abstract base class for reparametrizer configuration strategies.

Derived classes must implement the `configure()` method.

Variables `config` (*dict*) – A dictionary configuration. This will be populated the first time the model is run. Thereafter it can be used as an argument to `poutine.reparam(config=___)`.

```
abstract configure(msg: dict) → Optional[pyro.infer.reparam.Reparam]
```

Inputs a sample site and returns either None or a `Reparam` instance.

This will be called only on the first model execution; subsequent executions will use the reparametrizer stored in `self.config`.

Parameters `msg` (*dict*) – A sample site to possibly reparametrize.

Returns An optional reparametrizer instance.

`__call__(msg_or_fn: Union[dict, Callable])`

Strategies can be used as decorators to reparametrize a model.

Parameters `msg_or_fn` – Public use: a model to be decorated. (Internal use: a site to be configured for reparametrization).

`class MinimalReparam`

Bases: `pyro.infer.reparam.strategies.Strategy`

Minimal reparametrization strategy that reparametrizes only those sites that would otherwise lead to error, e.g. `Stable` and `ProjectedNormal` random variables.

Example:

```
@MinimalReparam()
def model(...):
    ...
```

which is equivalent to:

```
@poutine.reparam(config=MinimalReparam())
def model(...):
    ...
```

`configure(msg: dict) → Optional[pyro.infer.reparam.reparam.Reparam]`

`class AutoReparam(*, centered: Optional[float] = None)`

Bases: `pyro.infer.reparam.strategies.Strategy`

Applies a recommended set of reparametrizers. These currently include: `MinimalReparam`, `TransformReparam`, a fully-learnable `LocScaleReparam`, and `GumbelSoftmaxReparam`.

Example:

```
@AutoReparam()
def model(...):
    ...
```

which is equivalent to:

```
@poutine.reparam(config=AutoReparam())
def model(...):
    ...
```

Warning: This strategy may change behavior across Pyro releases. To inspect or save a given behavior, extract the `.config` dict after running the model at least once.

Parameters `centered` – Optional centering parameter for `LocScaleReparam` reparametrizers. If `None` (default), centering will be learned. If a float in $[0.0, 1.0]$, then a fixed centering. To completely decenter (e.g. in MCMC), set to `0.0`.

`configure(msg: dict) → Optional[pyro.infer.reparam.reparam.Reparam]`

3.12.2 Conjugate Updating

```
class ConjugateReparam(guide)
    Bases: pyro.infer.reparam.Reparam
```

EXPERIMENTAL Reparameterize to a conjugate updated distribution.

This updates a prior distribution `fn` using the `conjugate_update()` method. The guide may be either a distribution object or a callable inputting model `*args, **kwargs` and returning a distribution object. The guide may be approximate or learned.

For example consider the model and naive variational guide:

```
total = torch.tensor(10.)
count = torch.tensor(2.)

def model():
    prob = pyro.sample("prob", dist.Beta(0.5, 1.5))
    pyro.sample("count", dist.Binomial(total, prob), obs=count)

guide = AutoDiagonalNormal(model) # learns the posterior over prob
```

Instead of using this learned guide, we can hand-compute the conjugate posterior distribution over “prob”, and then use a simpler guide during inference, in this case an empty guide:

```
reparam_model = poutine.reparam(model, {
    "prob": ConjugateReparam(dist.Beta(1 + count, 1 + total - count))
})

def reparam_guide():
    pass # nothing remains to be modeled!
```

Parameters `guide` (`Distribution` or `callable`) – A likelihood distribution or a callable returning a guide distribution. Only a few distributions are supported, depending on the prior distribution’s `conjugate_update()` implementation.

`apply(msg)`

3.12.3 Loc-Scale Decentering

```
class LocScaleReparam(centered=None, shape_params=None)
    Bases: pyro.infer.reparam.Reparam
```

Generic decentering reparameterizer [1] for latent variables parameterized by `loc` and `scale` (and possibly additional `shape_params`).

This reparameterization works only for latent variables, not likelihoods.

[1] **Maria I. Gorinova, Dave Moore, Matthew D. Hoffman (2019)** “Automatic Reparameterisation of Probabilistic Programs” <https://arxiv.org/pdf/1906.03028.pdf>

Parameters

- `centered` (`float`) – optional centered parameter. If `None` (default) learn a per-site per-element centering parameter in $[0, 1]$. If 0, fully decenter the distribution; if 1, preserve the centered distribution unchanged.

- **shape_params** (*tuple or list*) – Optional list of additional parameter names to copy unchanged from the centered to decentered distribution. If absent, all params in a distributions `.arg_constraints` will be copied.

`apply(msg)`

3.12.4 Gumbel-Softmax

class GumbelSoftmaxReparam

Bases: `pyro.infer.reparam.reparam.Reparam`

Reparameterizer for `RelaxedOneHotCategorical` latent variables.

This is useful for transforming multimodal posteriors to unimodal posteriors. Note this increases the latent dimension by 1 per event.

This reparameterization works only for latent variables, not likelihoods.

`apply(msg)`

3.12.5 Transformed Distributions

class TransformReparam

Bases: `pyro.infer.reparam.reparam.Reparam`

Reparameterizer for `pyro.distributions.torch.TransformedDistribution` latent variables.

This is useful for transformed distributions with complex, geometry-changing transforms, where the posterior has simple shape in the space of `base_dist`.

This reparameterization works only for latent variables, not likelihoods.

`apply(msg)`

3.12.6 Discrete Cosine Transform

class DiscreteCosineReparam(dim=-1, smooth=0.0, *, experimental_allow_batch=False)

Bases: `pyro.infer.reparam.unit_jacobian.UnitJacobianReparam`

Discrete Cosine reparameterizer, using a `DiscreteCosineTransform`.

This is useful for sequential models where coupling along a time-like axis (e.g. a banded precision matrix) introduces long-range correlation. This reparameterizes to a frequency-domain representation where posterior covariance should be closer to diagonal, thereby improving the accuracy of diagonal guides in SVI and improving the effectiveness of a diagonal mass matrix in HMC.

When reparameterizing variables that are approximately continuous along the time dimension, set `smooth=1`. For variables that are approximately continuously differentiable along the time axis, set `smooth=2`.

This reparameterization works only for latent variables, not likelihoods.

Parameters

- **dim** (*int*) – Dimension along which to transform. Must be negative. This is an absolute dim counting from the right.

- **smooth** (`float`) – Smoothing parameter. When 0, this transforms white noise to white noise; when 1 this transforms Brownian noise to white noise; when -1 this transforms violet noise to white noise; etc. Any real number is allowed. https://en.wikipedia.org/wiki/Colors_of_noise.
- **experimental_allow_batch** (`bool`) – EXPERIMENTAL allow coupling across a batch dimension. The targeted batch dimension and all batch dimensions to the right will be converted to event dimensions. Defaults to False.

3.12.7 Haar Transform

```
class HaarReparam(dim=-1, flip=False, *, experimental_allow_batch=False)
Bases: pyro.infer.reparam.unit_jacobian.UnitJacobianReparam
```

Haar wavelet reparameterizer, using a `HaarTransform`.

This is useful for sequential models where coupling along a time-like axis (e.g. a banded precision matrix) introduces long-range correlation. This reparameterizes to a frequency-domain representation where posterior covariance should be closer to diagonal, thereby improving the accuracy of diagonal guides in SVI and improving the effectiveness of a diagonal mass matrix in HMC.

This reparameterization works only for latent variables, not likelihoods.

Parameters

- **dim** (`int`) – Dimension along which to transform. Must be negative. This is an absolute dim counting from the right.
- **flip** (`bool`) – Whether to flip the time axis before applying the Haar transform. Defaults to false.
- **experimental_allow_batch** (`bool`) – EXPERIMENTAL allow coupling across a batch dimension. The targeted batch dimension and all batch dimensions to the right will be converted to event dimensions. Defaults to False.

3.12.8 Unit Jacobian Transforms

```
class UnitJacobianReparam(transform, suffix='transformed', *, experimental_allow_batch=False)
Bases: pyro.infer.reparam.reparam.Reparam
```

Reparameterizer for `Transform` objects whose Jacobian determinant is one.

Parameters

- **transform** (`Transform`) – A transform whose Jacobian has determinant 1.
- **suffix** (`str`) – A suffix to append to the transformed site.
- **experimental_allow_batch** (`bool`) – EXPERIMENTAL allow coupling across a batch dimension. The targeted batch dimension and all batch dimensions to the right will be converted to event dimensions. Defaults to False.

`apply(msg)`

3.12.9 StudentT Distributions

```
class StudentTReparam
```

Bases: `pyro.infer.reparam.reparam.Reparam`

Auxiliary variable reparameterizer for `StudentT` random variables.

This is useful in combination with `LinearHMMReparam` because it allows `StudentT` processes to be treated as conditionally Gaussian processes, permitting cheap inference via `GaussianHMM`.

This reparameterizes a `StudentT` by introducing an auxiliary `Gamma` variable conditioned on which the result is `Normal`.

```
apply(msg)
```

3.12.10 Stable Distributions

```
class LatentStableReparam
```

Bases: `pyro.infer.reparam.reparam.Reparam`

Auxiliary variable reparameterizer for `Stable` latent variables.

This is useful in inference of latent `Stable` variables because the `log_prob()` is not implemented.

This uses the Chambers-Mallows-Stuck method [1], creating a pair of parameter-free auxiliary distributions (`Uniform(-pi/2, pi/2)` and `Exponential(1)`) with well-defined `.log_prob()` methods, thereby permitting use of reparameterized stable distributions in likelihood-based inference algorithms like SVI and MCMC.

This reparameterization works only for latent variables, not likelihoods. For likelihood-compatible reparameterization see `SymmetricStableReparam` or `StableReparam`.

[1] J.P. Nolan (2017). Stable Distributions: Models for Heavy Tailed Data. <http://fs2.american.edu/jpnolan/www/stable/chap1.pdf>

```
apply(msg)
```

```
class SymmetricStableReparam
```

Bases: `pyro.infer.reparam.reparam.Reparam`

Auxiliary variable reparameterizer for symmetric `Stable` random variables (i.e. those for which `skew=0`).

This is useful in inference of symmetric `Stable` variables because the `log_prob()` is not implemented.

This reparameterizes a symmetric `Stable` random variable as a totally-skewed (`skew=1`) `Stable` scale mixture of `Normal` random variables. See Proposition 3. of [1] (but note we differ since `Stable` uses Nolan's continuous S0 parameterization).

[1] Alvaro Cartea and Sam Howison (2009) “Option Pricing with Levy-Stable Processes” <https://pdfs.semanticscholar.org/4d66/c91b136b2a38117dd16c2693679f5341c616.pdf>

```
apply(msg)
```

```
class StableReparam
```

Bases: `pyro.infer.reparam.reparam.Reparam`

Auxiliary variable reparameterizer for arbitrary `Stable` random variables.

This is useful in inference of non-symmetric `Stable` variables because the `log_prob()` is not implemented.

This reparameterizes a `Stable` random variable as sum of two other stable random variables, one symmetric and the other totally skewed (applying Property 2.3.a of [1]). The totally skewed variable is sampled as in `LatentStableReparam`, and the symmetric variable is decomposed as in `SymmetricStableReparam`.

[1] V. M. Zolotarev (1986) “One-dimensional stable distributions”

`apply(msg)`

3.12.11 Projected Normal Distributions

`class ProjectedNormalReparam`

Bases: `pyro.infer.reparam.reparam.Reparam`

Reparameterizer for `ProjectedNormal` latent variables.

This reparameterization works only for latent variables, not likelihoods.

`apply(msg)`

3.12.12 Hidden Markov Models

`class LinearHMMReparam(init=None, trans=None, obs=None)`

Bases: `pyro.infer.reparam.reparam.Reparam`

Auxiliary variable reparameterizer for `LinearHMM` random variables.

This defers to component reparameterizers to create auxiliary random variables conditioned on which the process becomes a `GaussianHMM`. If the `observation_dist` is a `TransformedDistribution` this reorders those transforms so that the result is a `TransformedDistribution` of `GaussianHMM`.

This is useful for training the parameters of a `LinearHMM` distribution, whose `log_prob()` method is undefined. To perform inference in the presence of non-Gaussian factors such as `Stable()`, `StudentT()` or `LogNormal()`, configure with `StudentTReparam`, `StableReparam`, `SymmetricStableReparam`, etc. component reparameterizers for `init`, `trans`, and `scale`. For example:

```

hmm = LinearHMM(
    init_dist=Stable(1, 0, 1, 0).expand([2]).to_event(1),
    trans_matrix=torch.eye(2),
    trans_dist=MultivariateNormal(torch.zeros(2), torch.eye(2)),
    obs_matrix=torch.eye(2),
    obs_dist=TransformedDistribution(
        Stable(1.5, -0.5, 1.0).expand([2]).to_event(1),
        ExpTransform()))

rep = LinearHMMReparam(init=SymmetricStableReparam(),
                       obs=StableReparam())

with poutine.reparam(config={"hmm": rep}):
    pyro.sample("hmm", hmm, obs=data)

```

Parameters

- `init` (`Reparam`) – Optional reparameterizer for the initial distribution.
- `trans` (`Reparam`) – Optional reparameterizer for the transition distribution.
- `obs` (`Reparam`) – Optional reparameterizer for the observation distribution.

`apply(msg)`

3.12.13 Site Splitting

```
class SplitReparam(sections, dim)
Bases: pyro.infer.reparam.reparam.Reparam
```

Reparameterizer to split a random variable along a dimension, similar to `torch.split()`.

This is useful for treating different parts of a tensor with different reparameterizers or inference methods. For example when performing HMC inference on a time series, you can first apply `DiscreteCosineReparam` or `HaarReparam`, then apply `SplitReparam` to split into low-frequency and high-frequency components, and finally add the low-frequency components to the `full_mass` matrix together with globals.

Parameters

- `sections` – Size of a single chunk or list of sizes for each chunk.
- `dim` (`int`) – Dimension along which to split. Defaults to -1.

Type `list(int)`

```
apply(msg)
```

3.12.14 Neural Transport

```
class NeuTraReparam(guide)
Bases: pyro.infer.reparam.reparam.Reparam
```

Neural Transport reparameterizer [1] of multiple latent variables.

This uses a trained `AutoContinuous` guide to alter the geometry of a model, typically for use e.g. in MCMC. Example usage:

```
# Step 1. Train a guide
guide = AutoIAFNormal(model)
svi = SVI(model, guide, ...)
# ...train the guide...

# Step 2. Use trained guide in NeuTra MCMC
neutra = NeuTraReparam(guide)
model = poutine.reparam(model, config=lambda _: neutra)
nuts = NUTS(model)
# ...now use the model in HMC or NUTS...
```

This reparameterization works only for latent variables, not likelihoods. Note that all sites must share a single common `NeuTraReparam` instance, and that the model must have static structure.

[1] Hoffman, M. et al. (2019) “NeuTra-lizing Bad Geometry in Hamiltonian Monte Carlo Using Neural Transport” <https://arxiv.org/abs/1903.03704>

Parameters `guide` (`AutoContinuous`) – A trained guide.

```
reparam(fn=None)
```

```
apply(msg)
```

```
transform_sample(latent)
```

Given latent samples from the warped posterior (with a possible batch dimension), return a `dict` of samples from the latent sites in the model.

Parameters `latent` – sample from the warped posterior (possibly batched). Note that the batch dimension must not collide with plate dimensions in the model, i.e. any batch dims $d < -max_plate_nesting$.

Returns a *dict* of samples keyed by latent sites in the model.

Return type `dict`

3.12.15 Structured Preconditioning

```
class StructuredReparam(guide: pyro.infer.autoguide.structured.AutoStructured)
    Bases: pyro.infer.reparam.reparam.Reparam
```

Preconditioning reparameterizer of multiple latent variables.

This uses a trained `AutoStructured` guide to alter the geometry of a model, typically for use e.g. in MCMC. Example usage:

```
# Step 1. Train a guide
guide = AutoStructured(model, ...)
svi = SVI(model, guide, ...)
# ...train the guide...

# Step 2. Use trained guide in preconditioned MCMC
model = StructuredReparam(guide).reparam(model)
nuts = NUTS(model)
# ...now use the model in HMC or NUTS...
```

This reparameterization works only for latent variables, not likelihoods. Note that all sites must share a single common `StructuredReparam` instance, and that the model must have static structure.

Note: This can be seen as a restricted structured version of `NeuTraReparam` [1] combined with `poutine.condition` on MAP-estimated sites (the NeuTra transform is an exact reparameterizer, but the conditioning to point estimates introduces model approximation).

[1] Hoffman, M. et al. (2019) “NeuTra-lizing Bad Geometry in Hamiltonian Monte Carlo Using Neural Transport” <https://arxiv.org/abs/1903.03704>

Parameters `guide` (`AutoStructured`) – A trained guide.

`reparam`(`fn=None`)

`apply`(`msg`)

`transform_samples`(`aux_samples`, `save_params=None`)

Given latent samples from the warped posterior (with a possible batch dimension), return a *dict* of samples from the latent sites in the model.

Parameters

- `aux_samples` (`dict`) – Dict site name to tensor value for each latent auxiliary site (or if `save_params` is specified, then for only those latent auxiliary sites needed to compute requested params).
- `save_params` (`list`) – An optional list of site names to save. This is useful in models with large nuisance variables. Defaults to None, saving all params.

Returns a *dict* of samples keyed by latent sites in the model.

Return type *dict*

3.13 Inference utilities

```
enable_validation(is_validate)
is_validation_enabled()
validation_enabled(is_validate=True)
```

3.13.1 Model inspection

get_dependencies(model: *Callable*, model_args: *Optional[tuple]* = None, model_kwargs: *Optional[dict]* = None) → *Dict[str, object]*

Infers dependency structure about a conditioned model.

This returns a nested dictionary with structure like:

```
{
    "prior_dependencies": {
        "variable1": {"variable1": set(), "variable2": set()},
        "variable2": {"variable1": set(), "variable2": set()},
        ...
    },
    "posterior_dependencies": {
        "variable1": {"variable1": {"plate1"}, "variable2": set()},
        ...
    },
}
```

where

- *prior_dependencies* is a dict mapping downstream latent and observed variables to dictionaries mapping upstream latent variables on which they depend to sets of plates inducing full dependencies. That is, included plates introduce quadratically many dependencies as in complete-bipartite graphs, whereas excluded plates introduce only linearly many dependencies as in independent sets of parallel edges. Prior dependencies follow the original model order.
- *posterior_dependencies* is a similar dict, but mapping latent variables to the latent or observed sites on which they depend in the posterior. Posterior dependencies are reversed from the model order.

Dependencies elide `pyro.deterministic` sites and `pyro.sample(..., Delta(...))` sites.

Examples

Here is a simple example with no plates. We see every node depends on itself, and only the latent variables appear in the posterior:

```
def model_1():
    a = pyro.sample("a", dist.Normal(0, 1))
    pyro.sample("b", dist.Normal(a, 1), obs=torch.tensor(0.0))

assert get_dependencies(model_1) == {
```

(continues on next page)

(continued from previous page)

```


"prior_dependencies": {  

    "a": {"a": set()},  

    "b": {"a": set(), "b": set()},  

},  

"posterior_dependencies": {  

    "a": {"a": set(), "b": set()},  

},  

}


```

Here is an example where two variables `a` and `b` start out conditionally independent in the prior, but become conditionally dependent in the posterior do the so-called collider variable `c` on which they both depend. This is called “moralization” in the graphical model literature:

```

def model_2():  

    a = pyro.sample("a", dist.Normal(0, 1))  

    b = pyro.sample("b", dist.LogNormal(0, 1))  

    c = pyro.sample("c", dist.Normal(a, b))  

    pyro.sample("d", dist.Normal(c, 1), obs=torch.tensor(0.))  

assert get_dependencies(model_2) == {  

    "prior_dependencies": {  

        "a": {"a": set()},  

        "b": {"b": set()},  

        "c": {"a": set(), "b": set(), "c": set()},  

        "d": {"c": set(), "d": set()},  

    },  

    "posterior_dependencies": {  

        "a": {"a": set(), "b": set(), "c": set()},  

        "b": {"b": set(), "c": set()},  

        "c": {"c": set(), "d": set()},  

    },  

}

```

Dependencies can be more complex in the presence of plates. So far all the dict values have been empty sets of plates, but in the following posterior we see that `c` depends on itself across the plate `p`. This means that, among the elements of `c`, e.g. `c[0]` depends on `c[1]` (this is why we explicitly allow variables to depend on themselves):

```

def model_3():  

    with pyro.plate("p", 5):  

        a = pyro.sample("a", dist.Normal(0, 1))  

        pyro.sample("b", dist.Normal(a.sum(), 1), obs=torch.tensor(0.0))  

assert get_dependencies(model_3) == {  

    "prior_dependencies": {  

        "a": {"a": set()},  

        "b": {"a": set(), "b": set()},  

    },  

    "posterior_dependencies": {  

        "a": {"a": {"p"}, "b": set()},  

    },
}

```

[1] S.Webb, A.Goliński, R.Zinkov, N.Siddharth, T.Rainforth, Y.W.Teh, F.Wood (2018) “Faithful inversion of generative models for effective amortized inference” <https://dl.acm.org/doi/10.5555/3327144.3327229>

Parameters

- **model** (*callable*) – A model.
- **model_args** (*tuple*) – Optional tuple of model args.
- **model_kwargs** (*dict*) – Optional dict of model kwargs.

Returns A dictionary of metadata (see above).

Return type `dict`

render_model(*model*: *Callable*, *model_args*: *Optional[tuple]* = *None*, *model_kwargs*: *Optional[dict]* = *None*,
filename: *Optional[str]* = *None*, *render_distributions*: *bool* = *False*) → `graphviz.Digraph`
Renders a model using `graphviz`.

If *filename* is provided, this saves an image; otherwise this draws the graph. For example usage see the [model rendering tutorial](#).

Parameters

- **model** – Model to render.
- **model_args** – Positional arguments to pass to the model.
- **model_kwargs** – Keyword arguments to pass to the model.
- **filename** (*str*) – File to save rendered model in.
- **render_distributions** (*bool*) – Whether to include RV distribution annotations in the plot.

Returns A model graph.

Return type `graphviz.Digraph`

DISTRIBUTIONS

4.1 PyTorch Distributions

Most distributions in Pyro are thin wrappers around PyTorch distributions. For details on the PyTorch distribution interface, see `torch.distributions.distribution.Distribution`. For differences between the Pyro and PyTorch interfaces, see `TorchDistributionMixin`.

4.1.1 Bernoulli

```
class Bernoulli(*args, **kwargs)
    Wraps torch.distributions.bernoulli.Bernoulli with TorchDistributionMixin.
```

4.1.2 Beta

```
class Beta(*args, **kwargs)
    Wraps torch.distributions.beta.Beta with TorchDistributionMixin.
```

4.1.3 Binomial

```
class Binomial(*args, **kwargs)
    Wraps torch.distributions.binomial.Binomial with TorchDistributionMixin.
```

4.1.4 Categorical

```
class Categorical(*args, **kwargs)
    Wraps torch.distributions.categorical.Categorical with TorchDistributionMixin.
```

4.1.5 Cauchy

```
class Cauchy(*args, **kwargs)
    Wraps torch.distributions.cauchy.Cauchy with TorchDistributionMixin.
```

4.1.6 Chi2

```
class Chi2(*args, **kwargs)
    Wraps torch.distributions.chi2.Chi2 with TorchDistributionMixin.
```

4.1.7 ContinuousBernoulli

```
class ContinuousBernoulli(*args, **kwargs)
    Wraps torch.distributions.continuous_bernoulli.ContinuousBernoulli with
    TorchDistributionMixin.
```

4.1.8 Dirichlet

```
class Dirichlet(*args, **kwargs)
    Wraps torch.distributions.dirichlet.Dirichlet with TorchDistributionMixin.
```

4.1.9 Exponential

```
class Exponential(*args, **kwargs)
    Wraps torch.distributions.exponential.Exponential with TorchDistributionMixin.
```

4.1.10 ExponentialFamily

```
class ExponentialFamily(*args, **kwargs)
    Wraps torch.distributions.exp_family.ExponentialFamily with TorchDistributionMixin.
```

4.1.11 FisherSnedecor

```
class FisherSnedecor(*args, **kwargs)
    Wraps torch.distributions.fishersnedecor.FisherSnedecor with TorchDistributionMixin.
```

4.1.12 Gamma

```
class Gamma(*args, **kwargs)
    Wraps torch.distributions.gamma.Gamma with TorchDistributionMixin.
```

4.1.13 Geometric

```
class Geometric(*args, **kwargs)
    Wraps torch.distributions.geometric.Geometric with TorchDistributionMixin.
```

4.1.14 Gumbel

```
class Gumbel(*args, **kwargs)
    Wraps torch.distributions.gumbel.Gumbel with TorchDistributionMixin.
```

4.1.15 HalfCauchy

```
class HalfCauchy(*args, **kwargs)
    Wraps torch.distributions.half_cauchy.HalfCauchy with TorchDistributionMixin.
```

4.1.16 HalfNormal

```
class HalfNormal(*args, **kwargs)
    Wraps torch.distributions.half_normal.HalfNormal with TorchDistributionMixin.
```

4.1.17 Independent

```
class Independent(*args, **kwargs)
    Wraps torch.distributions.independent.Independent with TorchDistributionMixin.
```

4.1.18 Kumaraswamy

```
class Kumaraswamy(*args, **kwargs)
    Wraps torch.distributions.kumaraswamy.Kumaraswamy with TorchDistributionMixin.
```

4.1.19 LKJCholesky

```
class LKJCholesky(*args, **kwargs)
    Wraps torch.distributions.lkj_cholesky.LKJCholesky with TorchDistributionMixin.
```

4.1.20 Laplace

```
class Laplace(*args, **kwargs)
    Wraps torch.distributions.laplace.Laplace with TorchDistributionMixin.
```

4.1.21 LogNormal

```
class LogNormal(*args, **kwargs)
    Wraps torch.distributions.log_normal.LogNormal with TorchDistributionMixin.
```

4.1.22 LogisticNormal

```
class LogisticNormal(*args, **kwargs)
    Wraps torch.distributions.logistic_normal.LogisticNormal with TorchDistributionMixin.
```

4.1.23 LowRankMultivariateNormal

```
class LowRankMultivariateNormal(*args, **kwargs)
    Wraps torch.distributions.lowrank_multivariate_normal.LowRankMultivariateNormal with
    TorchDistributionMixin.
```

4.1.24 MixtureSameFamily

```
class MixtureSameFamily(*args, **kwargs)
    Wraps torch.distributions.mixture_same_family.MixtureSameFamily with
    TorchDistributionMixin.
```

4.1.25 Multinomial

```
class Multinomial(*args, **kwargs)
    Wraps torch.distributions.multinomial.Multinomial with TorchDistributionMixin.
```

4.1.26 MultivariateNormal

```
class MultivariateNormal(*args, **kwargs)
    Wraps torch.distributions.multivariate_normal.MultivariateNormal with
    TorchDistributionMixin.
```

4.1.27 NegativeBinomial

```
class NegativeBinomial(*args, **kwargs)
    Wraps torch.distributions.negative_binomial.NegativeBinomial with
    TorchDistributionMixin.
```

4.1.28 Normal

```
class Normal(*args, **kwargs)
    Wraps torch.distributions.normal.Normal with TorchDistributionMixin.
```

4.1.29 OneHotCategorical

```
class OneHotCategorical(*args, **kwargs)
    Wraps torch.distributions.one_hot_categorical.OneHotCategorical with
    TorchDistributionMixin.
```

4.1.30 OneHotCategoricalStraightThrough

```
class OneHotCategoricalStraightThrough(*args, **kwargs)
    Wraps torch.distributions.one_hot_categorical.OneHotCategoricalStraightThrough with
    TorchDistributionMixin.
```

4.1.31 Pareto

```
class Pareto(*args, **kwargs)
    Wraps torch.distributions.pareto.Pareto with TorchDistributionMixin.
```

4.1.32 Poisson

```
class Poisson(*args, **kwargs)
    Wraps torch.distributions.poisson.Poisson with TorchDistributionMixin.
```

4.1.33 RelaxedBernoulli

```
class RelaxedBernoulli(*args, **kwargs)
    Wraps torch.distributions.relaxed_bernoulli.RelaxedBernoulli with
    TorchDistributionMixin.
```

4.1.34 RelaxedOneHotCategorical

```
class RelaxedOneHotCategorical(*args, **kwargs)
    Wraps torch.distributions.relaxed_categorical.RelaxedOneHotCategorical with
    TorchDistributionMixin.
```

4.1.35 StudentT

```
class StudentT(*args, **kwargs)
    Wraps torch.distributions.studentT.StudentT with TorchDistributionMixin.
```

4.1.36 TransformedDistribution

```
class TransformedDistribution(*args, **kwargs)
    Wraps torch.distributions.transformed_distribution.TransformedDistribution with
    TorchDistributionMixin.
```

4.1.37 Uniform

```
class Uniform(*args, **kwargs)
    Wraps torch.distributions.uniform.Uniform with TorchDistributionMixin.
```

4.1.38 VonMises

```
class VonMises(*args, **kwargs)
    Wraps torch.distributions.von_mises.VonMises with TorchDistributionMixin.
```

4.1.39 Weibull

```
class Weibull(*args, **kwargs)
    Wraps torch.distributions.weibull.Weibull with TorchDistributionMixin.
```

4.2 Pyro Distributions

4.2.1 Abstract Distribution

```
class Distribution(*args, **kwargs)
    Bases: object
```

Base class for parameterized probability distributions.

Distributions in Pyro are stochastic function objects with `sample()` and `log_prob()` methods. Distribution are stochastic functions with fixed parameters:

```
d = dist.Bernoulli(param)
x = d()                                # Draws a random sample.
p = d.log_prob(x)                        # Evaluates log probability of x.
```

Implementing New Distributions:

Derived classes must implement the methods: `sample()`, `log_prob()`.

Examples:

Take a look at the examples to see how they interact with inference algorithms.

```
has_rsample = False
```

```
has_enumerate_support = False
```

__call__(*args, **kwargs)
Samples a random value (just an alias for `.sample(*args, **kwargs)`).
For tensor distributions, the returned tensor should have the same `.shape` as the parameters.

Returns A random value.

Return type `torch.Tensor`

```
abstract sample(*args, **kwargs)
```

Samples a random value.
For tensor distributions, the returned tensor should have the same `.shape` as the parameters, unless otherwise noted.

Parameters `sample_shape (torch.Size)` – the size of the iid batch to be drawn from the distribution.

Returns A random value or batch of random values (if parameters are batched). The shape of the result should be `self.shape()`.

Return type `torch.Tensor`

```
abstract log_prob(x, *args, **kwargs)
```

Evaluates log probability densities for each of a batch of samples.

Parameters `x (torch.Tensor)` – A single value or a batch of values batched along axis 0.

Returns log probability densities as a one-dimensional `Tensor` with same batch size as value and params. The shape of the result should be `self.batch_size`.

Return type `torch.Tensor`

```
score_parts(x, *args, **kwargs)
```

Computes ingredients for stochastic gradient estimators of ELBO.
The default implementation is correct both for non-reparameterized and for fully reparameterized distributions. Partially reparameterized distributions should override this method to compute correct `.score_function` and `.entropy_term` parts.
Setting `.has_rsample` on a distribution instance will determine whether inference engines like `SVI` use reparameterized samplers or the score function estimator.

Parameters `x (torch.Tensor)` – A single value or batch of values.

Returns A `ScoreParts` object containing parts of the ELBO estimator.

Return type `ScoreParts`

```
enumerate_support(expand=True)
```

Returns a representation of the parametrized distribution's support, along the first dimension. This is implemented only by discrete distributions.
Note that this returns support values of all the batched RVs in lock-step, rather than the full cartesian product.

Parameters `expand (bool)` – whether to expand the result to a tensor of shape `(n,) + batch_shape + event_shape`. If false, the return value has unexpanded shape `(n,) + (1,)*len(batch_shape) + event_shape` which can be broadcasted to the full shape.

Returns An iterator over the distribution's discrete support.

Return type iterator

conjugate_update(*other*)

EXPERIMENTAL Creates an updated distribution fusing information from another compatible distribution. This is supported by only a few conjugate distributions.

This should satisfy the equation:

```
fg, log_normalizer = f.conjugate_update(g)
assert f.log_prob(x) + g.log_prob(x) == fg.log_prob(x) + log_normalizer
```

Note this is equivalent to `functor.ops.add` on `Functor` distributions, but we return a lazy sum (`updated`, `log_normalizer`) because PyTorch distributions must be normalized. Thus `conjugate_update()` should commute with `dist_to_functor()` and `tensor_to_functor()`

```
= dist_to_functor(f) + dist_to_functor(g)
== dist_to_functor(fg) + tensor_to_functor(log_normalizer)
```

Parameters `other` – A distribution representing $p(\text{data}|\text{latent})$ but normalized over `latent` rather than `data`. Here `latent` is a candidate sample from `self` and `data` is a ground observation of unrelated type.

Returns a pair (`updated`, `log_normalizer`) where `updated` is an updated distribution of type `type(self)`, and `log_normalizer` is a `Tensor` representing the normalization factor.

has_rsample_(*value*)

Force reparameterized or detached sampling on a single distribution instance. This sets the `.has_rsample` attribute in-place.

This is useful to instruct inference algorithms to avoid reparameterized gradients for variables that discontinuously determine downstream control flow.

Parameters `value` (`bool`) – Whether samples will be pathwise differentiable.

Returns self

Return type `Distribution`

property rv

EXPERIMENTAL Switch to the Random Variable DSL for applying transformations to random variables. Supports either chaining operations or arithmetic operator overloading.

Example usage:

```
# This should be equivalent to an Exponential distribution.
Uniform(0, 1).rv.log().neg().dist

# These two distributions Y1, Y2 should be the same
X = Uniform(0, 1).rv
Y1 = X.mul(4).pow(0.5).sub(1).abs().neg().dist
Y2 = (-abs((4*X)**(0.5) - 1)).dist
```

Returns A `:class: ~pyro.contrib.randomvariable.random_variable.RandomVariable` object wrapping this distribution.

Return type `RandomVariable`

4.2.2 TorchDistributionMixin

```
class TorchDistributionMixin(*args, **kwargs)
    Bases: pyro.distributions.distribution.Distribution

    Mixin to provide Pyro compatibility for PyTorch distributions.

    You should instead use TorchDistribution for new distribution classes.

    This is mainly useful for wrapping existing PyTorch distributions for use in Pyro. Derived classes
    must first inherit from torch.distributions.distribution.Distribution and then inherit from
    TorchDistributionMixin.

__call__(sample_shape=torch.Size([]))
    Samples a random value.

    This is reparameterized whenever possible, calling rsample() for reparameterized distributions and
    sample() for non-reparameterized distributions.

    Parameters sample_shape (torch.Size) – the size of the iid batch to be drawn from the dis-
    tribution.

    Returns A random value or batch of random values (if parameters are batched). The shape of
    the result should be self.shape().

    Return type torch.Tensor

property event_dim

    Returns Number of dimensions of individual events.

    Return type int

shape(sample_shape=torch.Size([]))
    The tensor shape of samples from this distribution.

    Samples are of shape:

d.shape(sample_shape) == sample_shape + d.batch_shape + d.event_shape

Parameters sample_shape (torch.Size) – the size of the iid batch to be drawn from the dis-
    tribution.

    Returns Tensor shape of samples.

    Return type torch.Size

classmethod infer_shapes(**arg_shapes)
    Infers batch_shape and event_shape given shapes of args to __init__().
```

Note: This assumes distribution shape depends only on the shapes of tensor inputs, not in the data contained in those inputs.

Parameters ****arg_shapes** – Keywords mapping name of input arg to *torch.Size* or tuple representing the sizes of each tensor input.

Returns A pair (batch_shape, event_shape) of the shapes of a distribution that would be created with input args of the given shapes.

Return type *tuple*

expand(batch_shape, _instance=None)

Returns a new ExpandedDistribution instance with batch dimensions expanded to `batch_shape`.

Parameters

- `batch_shape` (`tuple`) – batch shape to expand to.
- `_instance` – unused argument for compatibility with `torch.distributions.Distribution.expand()`

Returns an instance of `ExpandedDistribution`.

Return type `ExpandedDistribution`

expand_by(sample_shape)

Expands a distribution by adding `sample_shape` to the left side of its `batch_shape`.

To expand internal dims of `self.batch_shape` from 1 to something larger, use `expand()` instead.

Parameters `sample_shape` (`torch.Size`) – The size of the iid batch to be drawn from the distribution.

Returns An expanded version of this distribution.

Return type `ExpandedDistribution`

reshape(sample_shape=None, extra_event_dims=None)**to_event**(reinterpreted_batch_ndims=None)

Reinterprets the `n` rightmost dimensions of this distributions `batch_shape` as event dims, adding them to the left side of `event_shape`.

Example:

```
>>> [d1.batch_shape, d1.event_shape]
[torch.Size([2, 3]), torch.Size([4, 5])]
>>> d2 = d1.to_event(1)
>>> [d2.batch_shape, d2.event_shape]
[torch.Size([2]), torch.Size([3, 4, 5])]
>>> d3 = d1.to_event(2)
>>> [d3.batch_shape, d3.event_shape]
[torch.Size([]), torch.Size([2, 3, 4, 5])]
```

Parameters `reinterpreted_batch_ndims` (`int`) – The number of batch dimensions to reinterpret as event dimensions. May be negative to remove dimensions from an `pyro.distributions.torch.Independent`. If None, convert all dimensions to event dimensions.

Returns A reshaped version of this distribution.

Return type `pyro.distributions.torch.Independent`

independent(reinterpreted_batch_ndims=None)**mask**(mask)

Masks a distribution by a boolean or boolean-valued tensor that is broadcastable to the distributions `batch_shape`.

Parameters `mask` (`bool` or `torch.Tensor`) – A boolean or boolean valued tensor.

Returns A masked copy of this distribution.

Return type `MaskedDistribution`

4.2.3 TorchDistribution

```
class TorchDistribution(*args, **kwargs)
    Bases: torch.distributions.distribution.Distribution, pyro.distributions.
            torch_distribution.TorchDistributionMixin
```

Base class for PyTorch-compatible distributions with Pyro support.

This should be the base class for almost all new Pyro distributions.

Note: Parameters and data should be of type `Tensor` and all methods return type `Tensor` unless otherwise noted.

Tensor Shapes:

TorchDistributions provide a method `.shape()` for the tensor shape of samples:

```
x = d.sample(sample_shape)
assert x.shape == d.shape(sample_shape)
```

Pyro follows the same distribution shape semantics as PyTorch. It distinguishes between three different roles for tensor shapes of samples:

- *sample shape* corresponds to the shape of the iid samples drawn from the distribution. This is taken as an argument by the distribution's `sample` method.
- *batch shape* corresponds to non-identical (independent) parameterizations of the distribution, inferred from the distribution's parameter shapes. This is fixed for a distribution instance.
- *event shape* corresponds to the event dimensions of the distribution, which is fixed for a distribution class. These are collapsed when we try to score a sample from the distribution via `d.log_prob(x)`.

These shapes are related by the equation:

```
assert d.shape(sample_shape) == sample_shape + d.batch_shape + d.event_shape
```

Distributions provide a vectorized `log_prob()` method that evaluates the log probability density of each event in a batch independently, returning a tensor of shape `sample_shape + d.batch_shape`:

```
x = d.sample(sample_shape)
assert x.shape == d.shape(sample_shape)
log_p = d.log_prob(x)
assert log_p.shape == sample_shape + d.batch_shape
```

Implementing New Distributions:

Derived classes must implement the methods `sample()` (or `rsample()` if `.has_rsample == True`) and `log_prob()`, and must implement the properties `batch_shape`, and `event_shape`. Discrete classes may also implement the `enumerate_support()` method to improve gradient estimates and set `.has_enumerate_support = True`.

`expand(batch_shape, _instance=None)`

Returns a new `ExpandedDistribution` instance with batch dimensions expanded to `batch_shape`.

Parameters

- `batch_shape (tuple)` – batch shape to expand to.

- `_instance` – unused argument for compatibility with `torch.distributions.Distribution.expand()`

Returns an instance of `ExpandedDistribution`.

Return type `ExpandedDistribution`

4.2.4 AffineBeta

class `AffineBeta(*args, **kwargs)`

Bases: `pyro.distributions.torch.TransformedDistribution`

Beta distribution scaled by `scale` and shifted by `loc`:

```
X ~ Beta(concentration1, concentration0)
f(X) = loc + scale * X
Y = f(X) ~ AffineBeta(concentration1, concentration0, loc, scale)
```

Parameters

- `concentration1` (`float or torch.Tensor`) – 1st concentration parameter (alpha) for the Beta distribution.
- `concentration0` (`float or torch.Tensor`) – 2nd concentration parameter (beta) for the Beta distribution.
- `loc` (`float or torch.Tensor`) – location parameter.
- `scale` (`float or torch.Tensor`) – scale parameter.

```
arg_constraints: Dict[str, torch.distributions.constraints.Constraint] =
{'concentration0': GreaterThan(lower_bound=0.0), 'concentration1':
GreaterThan(lower_bound=0.0), 'loc': Real(), 'scale':
GreaterThan(lower_bound=0.0)}
```

property `concentration0`

property `concentration1`

expand(`batch_shape, _instance=None`)

property `high`

static `infer_shapes`(`concentration1, concentration0, loc, scale`)

property `loc`

property `low`

property `mean`

rsample(`sample_shape=torch.Size([])`)

Generates a sample from `Beta` distribution and applies `AffineTransform`. Additionally clamps the output in order to avoid `NaN` and `Inf` values in the gradients.

sample(`sample_shape=torch.Size([])`)

Generates a sample from `Beta` distribution and applies `AffineTransform`. Additionally clamps the output in order to avoid `NaN` and `Inf` values in the gradients.

property `sample_size`

property `scale`

property support

property variance

4.2.5 AsymmetricLaplace

```
class AsymmetricLaplace(*args, **kwargs)
Bases: pyro.distributions.torch_distribution.TorchDistribution

Asymmetric version of the Laplace distribution.

To the left of loc this acts like an -Exponential(1/(asymmetry*scale)); to the right of loc this acts like an Exponential(asymmetry/scale). The density is continuous so the left and right densities at loc agree.

Parameters
• loc – Location parameter, i.e. the mode.
• scale – Scale parameter = geometric mean of left and right scales.
• asymmetry – Square of ratio of left to right scales.

arg_constraints = {'asymmetry': GreaterThan(lower_bound=0.0), 'loc': Real(),
'scale': GreaterThan(lower_bound=0.0)}

expand(batch_shape, _instance=None)

has_rsample = True

left_scale()

log_prob(value)

property mean

right_scale()

rsample(sample_shape=torch.Size([]))

support = Real()

property variance
```

4.2.6 AVFMultivariateNormal

```
class AVFMultivariateNormal(*args, **kwargs)
Bases: pyro.distributions.torch.MultivariateNormal

Multivariate normal (Gaussian) distribution with transport equation inspired control variates (adaptive velocity fields).

A distribution over vectors in which all the elements have a joint Gaussian density.
```

Parameters

- `loc` (`torch.Tensor`) – D-dimensional mean vector.
- `scale_tril` (`torch.Tensor`) – Cholesky of Covariance matrix; D x D matrix.
- `control_var` (`torch.Tensor`) – 2 x L x D tensor that parameterizes the control variate; L is an arbitrary positive integer. This parameter needs to be learned (i.e. adapted) to achieve lower variance gradients. In a typical use case this parameter will be adapted concurrently with the `loc` and `scale_tril` that define the distribution.

Example usage:

```
control_var = torch.tensor(0.1 * torch.ones(2, 1, D), requires_grad=True)
opt_cv = torch.optim.Adam([control_var], lr=0.1, betas=(0.5, 0.999))

for _ in range(1000):
    d = AVFMultivariateNormal(loc, scale_tril, control_var)
    z = d.rsample()
    cost = torch.pow(z, 2.0).sum()
    cost.backward()
    opt_cv.step()
    opt_cv.zero_grad()

arg_constraints = {'control_var': Real(), 'loc': Real(), 'scale_tril': LowerTriangular()}

rsample(sample_shape=torch.Size([]))
```

4.2.7 BetaBinomial

`class BetaBinomial(*args, **kwargs)`

Bases: `pyro.distributions.torch_distribution.TorchDistribution`

Compound distribution comprising of a beta-binomial pair. The probability of success (probs for the `Binomial` distribution) is unknown and randomly drawn from a `Beta` distribution prior to a certain number of Bernoulli trials given by `total_count`.

Parameters

- `concentration1` (`float or torch.Tensor`) – 1st concentration parameter (alpha) for the Beta distribution.
- `concentration0` (`float or torch.Tensor`) – 2nd concentration parameter (beta) for the Beta distribution.
- `total_count` (`float or torch.Tensor`) – Number of Bernoulli trials.

`approx_log_prob_tol = 0.0`

`arg_constraints = {'concentration0': GreaterThan(lower_bound=0.0), 'concentration1': GreaterThan(lower_bound=0.0), 'total_count': IntegerGreaterThan(lower_bound=0)}`

`property concentration0`

`property concentration1`

`enumerate_support(expand=True)`

`expand(batch_shape, _instance=None)`

`has_enumerate_support = True`

`log_prob(value)`

`property mean`

`sample(sample_shape=())`

`property support`

`property variance`

4.2.8 CoalescentTimes

```
class CoalescentTimes(*args, **kwargs)
    Bases: pyro.distributions.torch_distribution.TorchDistribution

    Distribution over sorted coalescent times given irregular sampled leaf_times and constant population size.

    Sample values will be sorted sets of binary coalescent times. Each sample value will have cardinality value.size(-1) = leaf_times.size(-1) - 1, so that phylogenies are complete binary trees. This distribution can thus be batched over multiple samples of phylogenies given fixed (number of) leaf times, e.g. over phylogeny samples from BEAST or MrBayes.
```

References

- [1] J.F.C. Kingman (1982) “On the Genealogy of Large Populations” Journal of Applied Probability
- [2] J.F.C. Kingman (1982) “The Coalescent” Stochastic Processes and their Applications

Parameters

- `leaf_times` (`torch.Tensor`) – Vector of times of sampling events, i.e. leaf nodes in the phylogeny. These can be arbitrary real numbers with arbitrary order and duplicates.
- `rate` (`torch.Tensor`) – Base coalescent rate (pairwise rate of coalescence) under a constant population size model. Defaults to 1.

```
arg_constraints = {'leaf_times': Real(), 'rate': GreaterThan(lower_bound=0.0)}
log_prob(value)
sample(sample_shape=torch.Size([]))
property support
```

4.2.9 CoalescentTimesWithRate

```
class CoalescentTimesWithRate(*args, **kwargs)
    Bases: pyro.distributions.torch_distribution.TorchDistribution

    Distribution over coalescent times given irregular sampled leaf_times and piecewise constant coalescent rates defined on a regular time grid.
```

This assumes a piecewise constant base coalescent rate specified on time intervals $(-\inf, 1], [1, 2], \dots, [T-1, \inf)$, where $T = \text{rate_grid.size}(-1)$. Leaves may be sampled at arbitrary real times, but are commonly sampled in the interval $[0, T]$.

Sample values will be sorted sets of binary coalescent times. Each sample value will have cardinality `value.size(-1) = leaf_times.size(-1) - 1`, so that phylogenies are complete binary trees. This distribution can thus be batched over multiple samples of phylogenies given fixed (number of) leaf times, e.g. over phylogeny samples from BEAST or MrBayes.

This distribution implements `log_prob()` but not `.sample()`.

See also `CoalescentRateLikelihood`.

References

- [1] J.F.C. Kingman (1982) “On the Genealogy of Large Populations” Journal of Applied Probability
- [2] J.F.C. Kingman (1982) “The Coalescent” Stochastic Processes and their Applications

[3] A. Popinga, T. Vaughan, T. Statler, A.J. Drummond (2014) “Inferring epidemiological dynamics with Bayesian coalescent inference: The merits of deterministic and stochastic models” <https://arxiv.org/pdf/1407.1792.pdf>

Parameters

- **leaf_times** (`torch.Tensor`) – Tensor of times of sampling events, i.e. leaf nodes in the phylogeny. These can be arbitrary real numbers with arbitrary order and duplicates.
- **rate_grid** (`torch.Tensor`) – Tensor of base coalescent rates (pairwise rate of coalescence). For example in a simple SIR model this might be $\beta \cdot S / I$. The rightmost dimension is time, and this tensor represents a (batch of) rates that are piecewise constant in time.

```
arg_constraints = {'leaf_times': Real(), 'rate_grid':  
GreaterThan(lower_bound=0.0)}
```

property duration

```
expand(batch_shape, _instance=None)
```

log_prob(value)

Computes likelihood as in equations 7-8 of [3].

This has time complexity $O(T + S \cdot N \cdot \log(N))$ where T is the number of time steps, N is the number of leaves, and $S = \text{sample_shape}.\text{numel}()$ is the number of samples of `value`.

Parameters `value` (`torch.Tensor`) – A tensor of coalescent times. These denote sets of size `leaf_times.size(-1) - 1` along the trailing dimension and should be sorted along that dimension.

Returns Likelihood $p(\text{coal_times} | \text{leaf_times}, \text{rate_grid})$

Return type `torch.Tensor`

property support

4.2.10 ConditionalDistribution

```
class ConditionalDistribution
```

Bases: `abc.ABC`

```
abstract condition(context)
```

Return type `torch.distributions.Distribution`

4.2.11 ConditionalTransformedDistribution

```
class ConditionalTransformedDistribution(base_dist, transforms)
```

Bases: `pyro.distributions.conditional.ConditionalDistribution`

```
clear_cache()
```

```
condition(context)
```

4.2.12 Delta

```
class Delta(*args, **kwargs)
    Bases: pyro.distributions.torch_distribution.TorchDistribution
    Degenerate discrete distribution (a single point).

    Discrete distribution that assigns probability one to the single element in its support. Delta distribution parameterized by a random choice should not be used with MCMC based inference, as doing so produces incorrect results.

Parameters
    • v (torch.Tensor) – The single support element.
    • log_density (torch.Tensor) – An optional density for this Delta. This is useful to keep the class of Delta distributions closed under differentiable transformation.
    • event_dim (int) – Optional event dimension, defaults to zero.

arg_constraints = {'log_density': Real(), 'v': Dependent()}

expand(batch_shape, _instance=None)

has_rsample = True

log_prob(x)

property mean

rsample(sample_shape=torch.Size([]))

property support

property variance
```

4.2.13 DirichletMultinomial

```
class DirichletMultinomial(*args, **kwargs)
    Bases: pyro.distributions.torch_distribution.TorchDistribution

    Compound distribution comprising of a dirichlet-multinomial pair. The probability of classes (probs for the Multinomial distribution) is unknown and randomly drawn from a Dirichlet distribution prior to a certain number of Categorical trials given by total_count.

Parameters
    • concentration (float or torch.Tensor) – concentration parameter (alpha) for the Dirichlet distribution.
    • total_count (int or torch.Tensor) – number of Categorical trials.
    • is_sparse (bool) – Whether to assume value is mostly zero when computing log_prob(), which can speed up computation when data is sparse.

arg_constraints = {'concentration':
    IndependentConstraint(GreaterThan(lower_bound=0.0), 1), 'total_count':
    IntegerGreaterThan(lower_bound=0)}

property concentration

expand(batch_shape, _instance=None)

static infer_shapes(concentration, total_count=())
```

```
log_prob(value)
property mean
sample(sample_shape=())
property support
property variance
```

4.2.14 DiscreteHMM

```
class DiscreteHMM(*args, **kwargs)
Bases: pyro.distributions.hmm.HiddenMarkovModel
```

Hidden Markov Model with discrete latent state and arbitrary observation distribution. This uses [1] to parallelize over time, achieving $O(\log(\text{time}))$ parallel complexity.

The event_shape of this distribution includes time on the left:

```
event_shape = (num_steps,) + observation_dist.event_shape
```

This distribution supports any combination of homogeneous/heterogeneous time dependency of transition_logits and observation_dist. However, because time is included in this distribution's event_shape, the homogeneous+homogeneous case will have a broadcastable event_shape with num_steps = 1, allowing `log_prob()` to work with arbitrary length data:

```
# homogeneous + homogeneous case:
event_shape = (1,) + observation_dist.event_shape
```

References:

- [1] Simo Sarkka, Angel F. Garcia-Fernandez (2019) “Temporal Parallelization of Bayesian Filters and Smoothers” <https://arxiv.org/pdf/1905.13002.pdf>

Parameters

- **initial_logits** (*Tensor*) – A logits tensor for an initial categorical distribution over latent states. Should have rightmost size `state_dim` and be broadcastable to `batch_shape + (state_dim,)`.
- **transition_logits** (*Tensor*) – A logits tensor for transition conditional distributions between latent states. Should have rightmost shape `(state_dim, state_dim)` (old, new), and be broadcastable to `batch_shape + (num_steps, state_dim, state_dim)`.
- **observation_dist** (*Distribution*) – A conditional distribution of observed data conditioned on latent state. The `.batch_shape` should have rightmost size `state_dim` and be broadcastable to `batch_shape + (num_steps, state_dim)`. The `.event_shape` may be arbitrary.
- **duration** (*int*) – Optional size of the time axis `event_shape[0]`. This is required when sampling from homogeneous HMMs whose parameters are not expanded along the time axis.

```
arg_constraints = {'initial_logits': Real(), 'transition_logits': Real()}
expand(batch_shape, _instance=None)
filter(value)
```

Compute posterior over final state given a sequence of observations.

Parameters `value` (`Tensor`) – A sequence of observations.

Returns A posterior distribution over latent states at the final time step. `result.logits` can then be used as `initial_logits` in a sequential Pyro model for prediction.

Return type `Categorical`

`log_prob(value)`

property support

4.2.15 EmpiricalDistribution

```
class Empirical(*args, **kwargs)
    Bases: pyro.distributions.torch_distribution.TorchDistribution
```

Empirical distribution associated with the sampled data. Note that the shape requirement for `log_weights` is that its shape must match the leftmost shape of `samples`. Samples are aggregated along the `aggregation_dim`, which is the rightmost dim of `log_weights`.

Example:

```
>>> emp_dist = Empirical(torch.randn(2, 3, 10), torch.ones(2, 3))
>>> emp_dist.batch_shape
torch.Size([2])
>>> emp_dist.event_shape
torch.Size([10])
```

```
>>> single_sample = emp_dist.sample()
>>> single_sample.shape
torch.Size([2, 10])
>>> batch_sample = emp_dist.sample((100,))
>>> batch_sample.shape
torch.Size([100, 2, 10])
```

```
>>> emp_dist.log_prob(single_sample).shape
torch.Size([2])
>>> # Vectorized samples cannot be scored by log_prob.
>>> with pyro.validation_enabled():
...     emp_dist.log_prob(batch_sample).shape
Traceback (most recent call last):
...
ValueError: ``value.shape`` must be torch.Size([2, 10])
```

Parameters

- `samples` (`torch.Tensor`) – samples from the empirical distribution.
- `log_weights` (`torch.Tensor`) – log weights (optional) corresponding to the samples.

`arg_constraints = {}`

`enumerate_support(expand=True)`

See `pyro.distributions.torch_distribution.TorchDistribution.enumerate_support()`

property event_shape

See `pyro.distributions.torch_distribution.TorchDistribution.event_shape()`

```
has_enumerate_support = True
log_prob(value)
    Returns the log of the probability mass function evaluated at value. Note that this currently only supports scoring values with empty sample_shape.

    Parameters value (torch.Tensor) – scalar or tensor value to be scored.

property log_weights
property mean
    See pyro.distributions.torch_distribution.TorchDistribution.mean()

sample(sample_shape=torch.Size([]))
    See pyro.distributions.torch_distribution.TorchDistribution.sample()

property sample_size
    Number of samples that constitute the empirical distribution.

    Return int number of samples collected.

support = Real()
property variance
    See pyro.distributions.torch_distribution.TorchDistribution.variance()
```

4.2.16 ExtendedBetaBinomial

```
class ExtendedBetaBinomial(*args, **kwargs)
Bases: pyro.distributions.conjugate.BetaBinomial

EXPERIMENTAL BetaBinomial distribution extended to have logical support the entire integers and to allow arbitrary integer total_count. Numerical support is still the integer interval [0, total_count].  
arg_constraints = {'concentration0': GreaterThan(lower_bound=0.0),
'concentration1': GreaterThan(lower_bound=0.0), 'total_count': Integer}

log_prob(value)
support = Integer
```

4.2.17 ExtendedBinomial

```
class ExtendedBinomial(*args, **kwargs)
Bases: pyro.distributions.torch.Binomial

EXPERIMENTAL Binomial distribution extended to have logical support the entire integers and to allow arbitrary integer total_count. Numerical support is still the integer interval [0, total_count].  
arg_constraints = {'logits': Real(), 'probs': Interval(lower_bound=0.0,
upper_bound=1.0), 'total_count': Integer}

log_prob(value)
support = Integer
```

4.2.18 FoldedDistribution

```
class FoldedDistribution(*args, **kwargs)
    Bases: pyro.distributions.torch.TransformedDistribution

    Equivalent to TransformedDistribution(base_dist, AbsTransform()), but additionally supports log_prob() .

    Parameters base_dist (Distribution) – The distribution to reflect.

    expand(batch_shape, _instance=None)
    log_prob(value)
    support = GreaterThan(lower_bound=0.0)
```

4.2.19 GammaGaussianHMM

```
class GammaGaussianHMM(*args, **kwargs)
    Bases: pyro.distributions.hmm.HiddenMarkovModel
```

Hidden Markov Model with the joint distribution of initial state, hidden state, and observed state is a *MultivariateStudentT* distribution along the line of references [2] and [3]. This adapts [1] to parallelize over time to achieve O(log(time)) parallel complexity.

This GammaGaussianHMM class corresponds to the generative model:

```
s = Gamma(df/2, df/2).sample()
z = scale(initial_dist, s).sample()
x = []
for t in range(num_events):
    z = z @ transition_matrix + scale(transition_dist, s).sample()
    x.append(z @ observation_matrix + scale(observation_dist, s).sample())
```

where $scale(mvn(loc, precision), s) := mvn(loc, s * precision)$.

The event_shape of this distribution includes time on the left:

```
event_shape = (num_steps,) + observation_dist.event_shape
```

This distribution supports any combination of homogeneous/heterogeneous time dependency of *transition_dist* and *observation_dist*. However, because time is included in this distribution's event_shape, the homogeneous+homogeneous case will have a broadcastable event_shape with *num_steps* = 1, allowing *log_prob()* to work with arbitrary length data:

```
event_shape = (1, obs_dim) # homogeneous + homogeneous case
```

References:

- [1] Simo Sarkka, Angel F. Garcia-Fernandez (2019) “Temporal Parallelization of Bayesian Filters and Smoothers” <https://arxiv.org/pdf/1905.13002.pdf>
- [2] F. J. Giron and J. C. Rojano (1994) “Bayesian Kalman filtering with elliptically contoured errors”
- [3] Filip Tronarp, Toni Karvonen, and Simo Sarkka (2019) “Student’s t-filters for noise scale estimation” <https://users.aalto.fi/~ssarkka/pub/SPL2019.pdf>

Variables

- **hidden_dim** (`int`) – The dimension of the hidden state.
- **obs_dim** (`int`) – The dimension of the observed state.

Parameters

- **scale_dist** (`Gamma`) – Prior of the mixing distribution.
- **initial_dist** (`MultivariateNormal`) – A distribution with unit scale mixing over initial states. This should have batch_shape broadcastable to `self.batch_shape`. This should have event_shape (`hidden_dim`,).
- **transition_matrix** (`Tensor`) – A linear transformation of hidden state. This should have shape broadcastable to `self.batch_shape + (num_steps, hidden_dim, hidden_dim)` where the rightmost dims are ordered (old, new).
- **transition_dist** (`MultivariateNormal`) – A process noise distribution with unit scale mixing. This should have batch_shape broadcastable to `self.batch_shape + (num_steps,)`. This should have event_shape (`hidden_dim`,).
- **observation_matrix** (`Tensor`) – A linear transformation from hidden to observed state. This should have shape broadcastable to `self.batch_shape + (num_steps, hidden_dim, obs_dim)`.
- **observation_dist** (`MultivariateNormal`) – An observation noise distribution with unit scale mixing. This should have batch_shape broadcastable to `self.batch_shape + (num_steps,)`. This should have event_shape (`obs_dim`,).
- **duration** (`int`) – Optional size of the time axis `event_shape[0]`. This is required when sampling from homogeneous HMMs whose parameters are not expanded along the time axis.

```
arg_constraints = {}
expand(batch_shape, _instance=None)
filter(value)
```

Compute posteriors over the multiplier and the final state given a sequence of observations. The posterior is a pair of Gamma and MultivariateNormal distributions (i.e. a `GammaGaussian` instance).

Parameters `value` (`Tensor`) – A sequence of observations.

Returns A pair of posterior distributions over the mixing and the latent state at the final time step.

Return type a tuple of `~pyro.distributions.Gamma` and `~pyro.distributions.MultivariateNormal`

```
log_prob(value)
support = IndependentConstraint(Real(), 2)
```

4.2.20 GammaPoisson

```
class GammaPoisson(*args, **kwargs)
Bases: pyro.distributions.torch_distribution.TorchDistribution
```

Compound distribution comprising of a gamma-poisson pair, also referred to as a gamma-poisson mixture. The `rate` parameter for the `Poisson` distribution is unknown and randomly drawn from a `Gamma` distribution.

Note: This can be treated as an alternate parametrization of the `NegativeBinomial` (`total_count`, `probs`) distribution, with `concentration = total_count` and `rate = (1 - probs) / probs`.

Parameters

- **concentration** (*float or torch.Tensor*) – shape parameter (alpha) of the Gamma distribution.
- **rate** (*float or torch.Tensor*) – rate parameter (beta) for the Gamma distribution.

```
arg_constraints = {'concentration': GreaterThan(lower_bound=0.0), 'rate': GreaterThan(lower_bound=0.0)}

property concentration
expand(batch_shape, _instance=None)
log_prob(value)

property mean
property rate
sample(sample_shape=())
support = IntegerGreaterThan(lower_bound=0)
property variance
```

4.2.21 GaussianHMM

```
class GaussianHMM(*args, **kwargs)
Bases: pyro.distributions.hmm.HiddenMarkovModel
```

Hidden Markov Model with Gaussians for initial, transition, and observation distributions. This adapts [1] to parallelize over time to achieve $O(\log(\text{time}))$ parallel complexity, however it differs in that it tracks the log normalizer to ensure `log_prob()` is differentiable.

This corresponds to the generative model:

```
z = initial_distribution.sample()
x = []
for t in range(num_events):
    z = z @ transition_matrix + transition_dist.sample()
    x.append(z @ observation_matrix + observation_dist.sample())
```

The event_shape of this distribution includes time on the left:

```
event_shape = (num_steps,) + observation_dist.event_shape
```

This distribution supports any combination of homogeneous/heterogeneous time dependency of `transition_dist` and `observation_dist`. However, because time is included in this distribution's `event_shape`, the homogeneous+homogeneous case will have a broadcastable `event_shape` with `num_steps = 1`, allowing `log_prob()` to work with arbitrary length data:

```
event_shape = (1, obs_dim) # homogeneous + homogeneous case
```

References:

- [1] Simo Sarkka, Angel F. Garcia-Fernandez (2019) “Temporal Parallelization of Bayesian Filters and Smoothers” <https://arxiv.org/pdf/1905.13002.pdf>

Variables

- **hidden_dim** (`int`) – The dimension of the hidden state.
- **obs_dim** (`int`) – The dimension of the observed state.

Parameters

- **initial_dist** (`MultivariateNormal`) – A distribution over initial states. This should have batch_shape broadcastable to `self.batch_shape`. This should have event_shape (`hidden_dim`,).
- **transition_matrix** (`Tensor`) – A linear transformation of hidden state. This should have shape broadcastable to `self.batch_shape + (num_steps, hidden_dim, hidden_dim)` where the rightmost dims are ordered (old, new).
- **transition_dist** (`MultivariateNormal`) – A process noise distribution. This should have batch_shape broadcastable to `self.batch_shape + (num_steps,)`. This should have event_shape (`hidden_dim`,).
- **observation_matrix** (`Tensor`) – A linear transformation from hidden to observed state. This should have shape broadcastable to `self.batch_shape + (num_steps, hidden_dim, obs_dim)`.
- **observation_dist** (`MultivariateNormal or Normal`) – An observation noise distribution. This should have batch_shape broadcastable to `self.batch_shape + (num_steps,)`. This should have event_shape (`obs_dim`,).
- **duration** (`int`) – Optional size of the time axis event_shape[0]. This is required when sampling from homogeneous HMMs whose parameters are not expanded along the time axis.

arg_constraints = {}**conjugate_update(other)**

EXPERIMENTAL Creates an updated `GaussianHMM` fusing information from another compatible distribution.

This should satisfy:

```
fg, log_normalizer = f.conjugate_update(g)
assert f.log_prob(x) + g.log_prob(x) == fg.log_prob(x) + log_normalizer
```

Parameters other (`MultivariateNormal or Normal`) – A distribution representing $p(\text{data}|\text{self.probs})$ but normalized over `self.probs` rather than `data`.

Returns a pair (`updated,log_normalizer`) where `updated` is an updated `GaussianHMM` , and `log_normalizer` is a `Tensor` representing the normalization factor.

expand(batch_shape, _instance=None)**filter(value)**

Compute posterior over final state given a sequence of observations.

Parameters value (`Tensor`) – A sequence of observations.

Returns A posterior distribution over latent states at the final time step. `result` can then be used as `initial_dist` in a sequential Pyro model for prediction.

Return type `MultivariateNormal`

has_rsample = True**log_prob(value)**

```
prefix_condition(data)
EXPERIMENTAL Given self has event_shape == (t+f, d) and data x of shape batch_shape + (t,
d), compute a conditional distribution of event_shape (f, d). Typically t is the number of training time
steps, f is the number of forecast time steps, and d is the data dimension.

Parameters data (Tensor) – data of dimension at least 2.

rsample(sample_shape=torch.Size([]))
rsample_posterior(value, sample_shape=torch.Size([]))
EXPERIMENTAL Sample from the latent state conditioned on observation.

support = IndependentConstraint(Real(), 2)
```

4.2.22 GaussianMRF

```
class GaussianMRF(*args, **kwargs)
Bases: pyro.distributions.torch_distribution.TorchDistribution
```

Temporal Markov Random Field with Gaussian factors for initial, transition, and observation distributions. This adapts [1] to parallelize over time to achieve $O(\log(\text{time}))$ parallel complexity, however it differs in that it tracks the log normalizer to ensure `log_prob()` is differentiable.

The event_shape of this distribution includes time on the left:

```
event_shape = (num_steps,) + observation_dist.event_shape
```

This distribution supports any combination of homogeneous/heterogeneous time dependency of `transition_dist` and `observation_dist`. However, because time is included in this distribution's `event_shape`, the homogeneous+homogeneous case will have a broadcastable `event_shape` with `num_steps = 1`, allowing `log_prob()` to work with arbitrary length data:

```
event_shape = (1, obs_dim) # homogeneous + homogeneous case
```

References:

- [1] Simo Sarkka, Angel F. Garcia-Fernandez (2019) “Temporal Parallelization of Bayesian Filters and Smoothers” <https://arxiv.org/pdf/1905.13002.pdf>

Variables

- `hidden_dim` (*int*) – The dimension of the hidden state.
- `obs_dim` (*int*) – The dimension of the observed state.

Parameters

- `initial_dist` (*MultivariateNormal*) – A distribution over initial states. This should have `batch_shape` broadcastable to `self.batch_shape`. This should have `event_shape` (`hidden_dim`,).
- `transition_dist` (*MultivariateNormal*) – A joint distribution factor over a pair of successive time steps. This should have `batch_shape` broadcastable to `self.batch_shape + (num_steps,)`. This should have `event_shape` (`hidden_dim + hidden_dim`,) (old+new).
- `observation_dist` (*MultivariateNormal*) – A joint distribution factor over a hidden and an observed state. This should have `batch_shape` broadcastable to `self.batch_shape + (num_steps,)`. This should have `event_shape` (`hidden_dim + obs_dim`,).

```
arg_constraints = {}
expand(batch_shape, _instance=None)
log_prob(value)
property support
```

4.2.23 GaussianScaleMixture

```
class GaussianScaleMixture(*args, **kwargs)
Bases: pyro.distributions.torch_distribution.TorchDistribution
```

Mixture of Normal distributions with zero mean and diagonal covariance matrices.

That is, this distribution is a mixture with K components, where each component distribution is a D-dimensional Normal distribution with zero mean and a D-dimensional diagonal covariance matrix. The K different covariance matrices are controlled by the parameters *coord_scale* and *component_scale*. That is, the covariance matrix of the k'th component is given by

$$\Sigma_{ii} = (\text{component_scale}_k * \text{coord_scale}_i)^2 \quad (i = 1, \dots, D)$$

where *component_scale_k* is a positive scale factor and *coord_scale_i* are positive scale parameters shared between all K components. The mixture weights are controlled by a K-dimensional vector of softmax logits, *component_logits*. This distribution implements pathwise derivatives for samples from the distribution. This distribution does not currently support batched parameters.

See reference [1] for details on the implementations of the pathwise derivative. Please consider citing this reference if you use the pathwise derivative in your research.

[1] Pathwise Derivatives for Multivariate Distributions, Martin Jankowiak & Theofanis Karaletsos. arXiv:1806.01856

Note that this distribution supports both even and odd dimensions, but the former should be more a bit higher precision, since it doesn't use any erfs in the backward call. Also note that this distribution does not support D = 1.

Parameters

- **coord_scale** (`torch.tensor`) – D-dimensional vector of scales
- **component_logits** (`torch.tensor`) – K-dimensional vector of logits
- **component_scale** (`torch.tensor`) – K-dimensional vector of scale multipliers

```
arg_constraints = {'component_logits': Real(), 'component_scale': GreaterThan(lower_bound=0.0), 'coord_scale': GreaterThan(lower_bound=0.0)}
has_rsample = True
log_prob(value)
rsample(sample_shape=torch.Size([]))
```

4.2.24 ImproperUniform

```
class ImproperUniform(*args, **kwargs)
    Bases: pyro.distributions.torch_distribution.TorchDistribution
```

Improper distribution with zero `log_prob()` and undefined `sample()`.

This is useful for transforming a model from generative dag form to factor graph form for use in HMC. For example the following are equal in distribution:

```
# Version 1. a generative dag
x = pyro.sample("x", Normal(0, 1))
y = pyro.sample("y", Normal(x, 1))
z = pyro.sample("z", Normal(y, 1))

# Version 2. a factor graph
xyz = pyro.sample("xyz", ImproperUniform(constraints.real, (), (3,)))
x, y, z = xyz.unbind(-1)
pyro.sample("x", Normal(0, 1), obs=x)
pyro.sample("y", Normal(x, 1), obs=y)
pyro.sample("z", Normal(y, 1), obs=z)
```

Note this distribution errors when `sample()` is called. To create a similar distribution that instead samples from a specified distribution consider using `.mask(False)` as in:

```
xyz = dist.Normal(0, 1).expand([3]).to_event(1).mask(False)
```

Parameters

- `support (Constraint)` – The support of the distribution.
- `batch_shape (torch.Size)` – The batch shape.
- `event_shape (torch.Size)` – The event shape.

```
arg_constraints = {}
expand(batch_shape, _instance=None)
log_prob(value)
sample(sample_shape=torch.Size([]))
property support
```

4.2.25 IndependentHMM

```
class IndependentHMM(*args, **kwargs)
    Bases: pyro.distributions.torch_distribution.TorchDistribution
```

Wrapper class to treat a batch of independent univariate HMMs as a single multivariate distribution. This converts distribution shapes as follows:

	<code>.batch_shape</code>	<code>.event_shape</code>
<code>base_dist</code>	<code>shape + (obs_dim,)</code>	<code>(duration, 1)</code>
<code>result</code>	<code>shape</code>	<code>(duration, obs_dim)</code>

Parameters **base_dist** (*HiddenMarkovModel*) – A base hidden Markov model instance.

```
arg_constraints = {}
property duration
expand(batch_shape, _instance=None)
property has_rsample
log_prob(value)
rsample(sample_shape=torch.Size([]))
property support
```

4.2.26 InverseGamma

```
class InverseGamma(*args, **kwargs)
```

Bases: *pyro.distributions.torch.TransformedDistribution*

Creates an inverse-gamma distribution parameterized by *concentration* and *rate*.

$X \sim \text{Gamma}(\text{concentration}, \text{rate})$ $Y = 1/X \sim \text{InverseGamma}(\text{concentration}, \text{rate})$

Parameters

- **concentration** (*torch.Tensor*) – the concentration parameter (i.e. alpha).
- **rate** (*torch.Tensor*) – the rate parameter (i.e. beta).

```
arg_constraints: Dict[str, torch.distributions.constraints.Constraint] =
{'concentration': GreaterThan(lower_bound=0.0), 'rate':
GreaterThan(lower_bound=0.0)}
```

property concentration

expand(batch_shape, _instance=None)

has_rsample = True

property rate

support = GreaterThan(lower_bound=0.0)

4.2.27 LinearHMM

```
class LinearHMM(*args, **kwargs)
```

Bases: *pyro.distributions.hmm.HiddenMarkovModel*

Hidden Markov Model with linear dynamics and observations and arbitrary noise for initial, transition, and observation distributions. Each of those distributions can be e.g. *MultivariateNormal* or *Independent* of *Normal*, *StudentT*, or *Stable*. Additionally the observation distribution may be constrained, e.g. *LogNormal*

This corresponds to the generative model:

```
z = initial_distribution.sample()
x = []
for t in range(num_events):
    z = z @ transition_matrix + transition_dist.sample()
```

(continues on next page)

(continued from previous page)

```
y = z @ observation_matrix + obs_base_dist.sample()
x.append(obs_transform(y))
```

where `observation_dist` is split into `obs_base_dist` and an optional `obs_transform` (defaulting to the identity).

This implements a reparameterized `rsample()` method but does not implement a `log_prob()` method. Derived classes may implement `log_prob()`.

Inference without `log_prob()` can be performed using either reparameterization with `LinearHMMReparam` or likelihood-free algorithms such as `EnergyDistance`. Note that while stable processes generally require a common shared stability parameter α , this distribution and the above inference algorithms allow heterogeneous stability parameters.

The event_shape of this distribution includes time on the left:

```
event_shape = (num_steps,) + observation_dist.event_shape
```

This distribution supports any combination of homogeneous/heterogeneous time dependency of `transition_dist` and `observation_dist`. However at least one of the distributions or matrices must be expanded to contain the time dimension.

Variables

- `hidden_dim (int)` – The dimension of the hidden state.
- `obs_dim (int)` – The dimension of the observed state.

Parameters

- `initial_dist` – A distribution over initial states. This should have batch_shape broadcastable to `self.batch_shape`. This should have event_shape (`hidden_dim`,).
- `transition_matrix (Tensor)` – A linear transformation of hidden state. This should have shape broadcastable to `self.batch_shape + (num_steps, hidden_dim, hidden_dim)` where the rightmost dims are ordered (old, new).
- `transition_dist` – A distribution over process noise. This should have batch_shape broadcastable to `self.batch_shape + (num_steps,)`. This should have event_shape (`hidden_dim`,).
- `observation_matrix (Tensor)` – A linear transformation from hidden to observed state. This should have shape broadcastable to `self.batch_shape + (num_steps, hidden_dim, obs_dim)`.
- `observation_dist` – A observation noise distribution. This should have batch_shape broadcastable to `self.batch_shape + (num_steps,)`. This should have event_shape (`obs_dim`,).
- `duration (int)` – Optional size of the time axis `event_shape[0]`. This is required when sampling from homogeneous HMMs whose parameters are not expanded along the time axis.

```
arg_constraints = {}
expand(batch_shape, _instance=None)
has_rsample = True
log_prob(value)
rsample(sample_shape=torch.Size([]))
```

property support

4.2.28 LKJ

```
class LKJ(*args, **kwargs)
Bases: pyro.distributions.torch.TransformedDistribution
```

LKJ distribution for correlation matrices. The distribution is controlled by `concentration` parameter η to make the probability of the correlation matrix M proportional to $\det(M)^{\eta-1}$. Because of that, when `concentration` == 1, we have a uniform distribution over correlation matrices.

When `concentration` > 1, the distribution favors samples with large large determinant. This is useful when we know a priori that the underlying variables are not correlated. When `concentration` < 1, the distribution favors samples with small determinant. This is useful when we know a priori that some underlying variables are correlated.

Parameters

- `dimension` (`int`) – dimension of the matrices
- `concentration` (`ndarray`) – concentration/shape parameter of the distribution (often referred to as eta)

References

[1] *Generating random correlation matrices based on vines and extended onion method*, Daniel Lewandowski, Dorota Kurowicka, Harry Joe

```
arg_constraints: Dict[str, torch.distributions.constraints.Constraint] =
{'concentration': GreaterThan(lower_bound=0.0)}

expand(batch_shape, _instance=None)

property mean

support = CorrMatrix()
```

4.2.29 LKJCorrCholesky

```
class LKJCorrCholesky(*args, **kwargs)
Bases: pyro.distributions.torch.LKJCholesky
```

4.2.30 Logistic

```
class Logistic(*args, **kwargs)
Bases: pyro.distributions.torch_distribution.TorchDistribution
```

Logistic distribution.

This is a smooth distribution with symmetric asymptotically exponential tails and a concave log density. For standard `loc=0`, `scale=1`, the density is given by

$$p(x) = \frac{e^{-x}}{(1 + e^{-x})^2}$$

Like the `Laplace` density, this density has the heaviest possible tails (asymptotically) while still being log-convex. Unlike the `Laplace` distribution, this distribution is infinitely differentiable everywhere, and is thus suitable for constructing Laplace approximations.

Parameters

- **loc** – Location parameter.
- **scale** – Scale parameter.

```
arg_constraints = {'loc': Real(), 'scale': GreaterThan(lower_bound=0.0)}

cdf(value)

entropy()

expand(batch_shape, _instance=None)

has_rsample = True

icdf(value)

log_prob(value)

property mean

rsample(sample_shape=torch.Size([]))

support = Real()

property variance
```

4.2.31 MaskedDistribution

```
class MaskedDistribution(*args, **kwargs)
Bases: pyro.distributions.torch_distribution.TorchDistribution

Masks a distribution by a boolean tensor that is broadcastable to the distribution's batch_shape.  

In the special case mask is False, computation of log_prob(), score_parts(), and kl_divergence() is skipped, and constant zero values are returned instead.
```

Parameters `mask (torch.Tensor or bool)` – A boolean or boolean-valued tensor.

```
arg_constraints = {}

conjugate_update(other)
    EXPERIMENTAL.

enumerate_support(expand=True)

expand(batch_shape, _instance=None)

property has_enumerate_support

property has_rsample

log_prob(value)

property mean

rsample(sample_shape=torch.Size([]))

sample(sample_shape=torch.Size([]))

score_parts(value)

property support

property variance
```

4.2.32 MaskedMixture

```
class MaskedMixture(*args, **kwargs)
    Bases: pyro.distributions.torch_distribution.TorchDistribution
```

A masked deterministic mixture of two distributions.

This is useful when the mask is sampled from another distribution, possibly correlated across the batch. Often the mask can be marginalized out via enumeration.

Example:

```
change_point = pyro.sample("change_point",
                           dist.Categorical(torch.ones(len(data) + 1)),
                           infer={'enumerate': 'parallel'})
mask = torch.arange(len(data), dtype=torch.long) >= changepoint
with pyro.plate("data", len(data)):
    pyro.sample("obs", MaskedMixture(mask, dist1, dist2), obs=data)
```

Parameters

- **mask** (`torch.Tensor`) – A boolean tensor toggling between `component0` and `component1`.
- **component0** (`pyro.distributions.TorchDistribution`) – a distribution for batch elements `mask == False`.
- **component1** (`pyro.distributions.TorchDistribution`) – a distribution for batch elements `mask == True`.

```
arg_constraints = {}
expand(batch_shape)
property has_rsample
log_prob(value)
mean()
rsample(sample_shape=torch.Size([]))
sample(sample_shape=torch.Size([]))
property support
variance()
```

4.2.33 MixtureOfDiagNormals

```
class MixtureOfDiagNormals(*args, **kwargs)
    Bases: pyro.distributions.torch_distribution.TorchDistribution
```

Mixture of Normal distributions with arbitrary means and arbitrary diagonal covariance matrices.

That is, this distribution is a mixture with K components, where each component distribution is a D-dimensional Normal distribution with a D-dimensional mean parameter and a D-dimensional diagonal covariance matrix. The K different component means are gathered into the K x D dimensional parameter `locs` and the K different scale parameters are gathered into the K x D dimensional parameter `coord_scale`. The mixture weights are controlled by a K-dimensional vector of softmax logits, `component_logits`. This distribution implements pathwise derivatives for samples from the distribution.

See reference [1] for details on the implementations of the pathwise derivative. Please consider citing this reference if you use the pathwise derivative in your research. Note that this distribution does not support dimension $D = 1$.

[1] Pathwise Derivatives for Multivariate Distributions, Martin Jankowiak & Theofanis Karaletsos. arXiv:1806.01856

Parameters

- **locs** (`torch.Tensor`) – $K \times D$ mean matrix
 - **coord_scale** (`torch.Tensor`) – $K \times D$ scale matrix
 - **component_logits** (`torch.Tensor`) – K -dimensional vector of softmax logits
- ```
arg_constraints = {'component_logits': Real(), 'coord_scale': GreaterThan(lower_bound=0.0), 'locs': Real()}

expand(batch_shape, _instance=None)
has_rsample = True
log_prob(value)
rsample(sample_shape=torch.Size([]))
```

### 4.2.34 MixtureOfDiagNormalsSharedCovariance

```
class MixtureOfDiagNormalsSharedCovariance(*args, **kwargs)
 Bases: pyro.distributions.torch_distribution.TorchDistribution
```

Mixture of Normal distributions with diagonal covariance matrices.

That is, this distribution is a mixture with  $K$  components, where each component distribution is a  $D$ -dimensional Normal distribution with a  $D$ -dimensional mean parameter *loc* and a  $D$ -dimensional diagonal covariance matrix specified by a scale parameter *coord\_scale*. The  $K$  different component means are gathered into the parameter *locs* and the scale parameter is shared between all  $K$  components. The mixture weights are controlled by a  $K$ -dimensional vector of softmax logits, *component\_logits*. This distribution implements pathwise derivatives for samples from the distribution.

See reference [1] for details on the implementations of the pathwise derivative. Please consider citing this reference if you use the pathwise derivative in your research. Note that this distribution does not support dimension  $D = 1$ .

[1] Pathwise Derivatives for Multivariate Distributions, Martin Jankowiak & Theofanis Karaletsos. arXiv:1806.01856

#### Parameters

- **locs** (`torch.Tensor`) –  $K \times D$  mean matrix
  - **coord\_scale** (`torch.Tensor`) – shared  $D$ -dimensional scale vector
  - **component\_logits** (`torch.Tensor`) –  $K$ -dimensional vector of softmax logits
- ```
arg_constraints = {'component_logits': Real(), 'coord_scale': GreaterThan(lower_bound=0.0), 'locs': Real()}

expand(batch_shape, _instance=None)
has_rsample = True
log_prob(value)
```

```
rsample(sample_shape=torch.Size([]))
```

4.2.35 MultivariateStudentT

```
class MultivariateStudentT(*args, **kwargs)
    Bases: pyro.distributions.torch_distribution.TorchDistribution
Creates a multivariate Student's t-distribution parameterized by degree of freedom df, mean loc and scale
scale_tril.

Parameters
• df (Tensor) – degrees of freedom
• loc (Tensor) – mean of the distribution
• scale_tril (Tensor) – scale of the distribution, which is a lower triangular matrix with
positive diagonal entries

arg_constraints = {'df': GreaterThan(lower_bound=0.0), 'loc':
IndependentConstraint(Real(), 1), 'scale_tril': LowerCholesky()}

covariance_matrix()
expand(batch_shape, _instance=None)
has_rsample = True
static infer_shapes(df, loc, scale_tril)
log_prob(value)
property mean
precision_matrix()
rsample(sample_shape=torch.Size([]))
scale_tril()
support = IndependentConstraint(Real(), 1)
property variance
```

4.2.36 OMTMultivariateNormal

```
class OMTMultivariateNormal(*args, **kwargs)
    Bases: pyro.distributions.torch.MultivariateNormal
Multivariate normal (Gaussian) distribution with OMT gradients w.r.t. both parameters. Note the gradient com-
putation w.r.t. the Cholesky factor has cost O(D^3), although the resulting gradient variance is generally expected
to be lower.

A distribution over vectors in which all the elements have a joint Gaussian density.

Parameters
• loc (torch.Tensor) – Mean.
• scale_tril (torch.Tensor) – Cholesky of Covariance matrix.

arg_constraints = {'loc': Real(), 'scale_tril': LowerTriangular()}

rsample(sample_shape=torch.Size([]))
```

4.2.37 OneOneMatching

```
class OneOneMatching(*args, **kwargs)
    Bases: pyro.distributions.torch_distribution.TorchDistribution
```

Random perfect matching from N sources to N destinations where each source matches exactly **one** destination and each destination matches exactly **one** source.

Samples are represented as long tensors of shape (N,) taking values in {0, ..., N-1} and satisfying the above one-one constraint. The log probability of a sample v is the sum of edge logits, up to the log partition function $\log Z$:

$$\log p(v) = \sum_s \text{logits}[s, v[s]] - \log Z$$

Exact computations are expensive. To enable tractable approximations, set a number of belief propagation iterations via the `bp_iters` argument. The `log_partition_function()` and `log_prob()` methods use a Bethe approximation [1,2,3,4].

References:

- [1] Michael Chertkov, Lukas Kroc, Massimo Vergassola (2008) “Belief propagation and beyond for particle tracking” <https://arxiv.org/pdf/0806.1199.pdf>
- [2] Bert Huang, Tony Jebara (2009) “Approximating the Permanent with Belief Propagation” <https://arxiv.org/pdf/0908.1769.pdf>
- [3] Pascal O. Vontobel (2012) “The Bethe Permanent of a Non-Negative Matrix” <https://arxiv.org/pdf/1107.4196.pdf>
- [4] M Chertkov, AB Yedidia (2013) “Approximating the permanent with fractional belief propagation” <http://www.jmlr.org/papers/volume14/chertkov13a/chertkov13a.pdf>

Parameters

- `logits` (`Tensor`) – An (N, N)-shaped tensor of edge logits.
- `bp_iters` (`int`) – Optional number of belief propagation iterations. If unspecified or `None` expensive exact algorithms will be used.

```
arg_constraints = {'logits': Real()}
enumerate_support(expand=True)
has_enumerate_support = True
log_partition_function()
log_prob(value)
mode()
```

Computes a maximum probability matching.

Note: This requires the `lap` package and runs on CPU.

```
sample(sample_shape=torch.Size([]))
property support
```

4.2.38 OneTwoMatching

```
class OneTwoMatching(*args, **kwargs)
    Bases: pyro.distributions.torch_distribution.TorchDistribution
```

Random matching from 2^N sources to N destinations where each source matches exactly **one** destination and each destination matches exactly **two** sources.

Samples are represented as long tensors of shape $(2^N,)$ taking values in $\{0, \dots, N-1\}$ and satisfying the above one-two constraint. The log probability of a sample v is the sum of edge logits, up to the log partition function $\log Z$:

$$\log p(v) = \sum_s \text{logits}[s, v[s]] - \log Z$$

Exact computations are expensive. To enable tractable approximations, set a number of belief propagation iterations via the `bp_iters` argument. The `log_partition_function()` and `log_prob()` methods use a Bethe approximation [1,2,3,4].

References:

- [1] Michael Chertkov, Lukas Kroc, Massimo Vergassola (2008) “Belief propagation and beyond for particle tracking” <https://arxiv.org/pdf/0806.1199.pdf>
- [2] Bert Huang, Tony Jebara (2009) “Approximating the Permanent with Belief Propagation” <https://arxiv.org/pdf/0908.1769.pdf>
- [3] Pascal O. Vontobel (2012) “The Bethe Permanent of a Non-Negative Matrix” <https://arxiv.org/pdf/1107.4196.pdf>
- [4] M Chertkov, AB Yedidia (2013) “Approximating the permanent with fractional belief propagation” <http://www.jmlr.org/papers/volume14/chertkov13a/chertkov13a.pdf>

Parameters

- `logits` (`Tensor`) – An $(2^N, N)$ -shaped tensor of edge logits.
- `bp_iters` (`int`) – Optional number of belief propagation iterations. If unspecified or `None` expensive exact algorithms will be used.

```
arg_constraints = {'logits': Real()}
enumerate_support(expand=True)
has_enumerate_support = True
log_partition_function()
log_prob(value)
mode()
Computes a maximum probability matching.
```

Note: This requires the `lap` package and runs on CPU.

```
sample(sample_shape=torch.Size([]))
property support
```

4.2.39 OrderedLogistic

```
class OrderedLogistic(*args, **kwargs)
    Bases: pyro.distributions.torch.Categorical
```

Alternative parametrization of the distribution over a categorical variable.

Instead of the typical parametrization of a categorical variable in terms of the probability mass of the individual categories p , this provides an alternative that is useful in specifying ordered categorical models. This accepts a vector of `cutpoints` which are an ordered vector of real numbers denoting baseline cumulative log-odds of the individual categories, and a model vector `predictor` which modifies the baselines for each sample individually.

These cumulative log-odds are then transformed into a discrete cumulative probability distribution, that is finally differenced to return the probability mass matrix p that specifies the categorical distribution.

Parameters

- **`predictor`** (`Tensor`) – A tensor of predictor variables of arbitrary shape. The output shape of non-batched samples from this distribution will be the same shape as `predictor`.
- **`cutpoints`** (`Tensor`) – A tensor of cutpoints that are used to determine the cumulative probability of each entry in `predictor` belonging to a given category. The first `cutpoints.ndim-1` dimensions must be broadcastable to `predictor`, and the -1 dimension is monotonically increasing.

```
arg_constraints = {'cutpoints': OrderedVector(), 'predictor': Real()}

expand(batch_shape, _instance=None)
```

4.2.40 ProjectedNormal

```
class ProjectedNormal(*args, **kwargs)
    Bases: pyro.distributions.torch_distribution.TorchDistribution
```

Projected isotropic normal distribution of arbitrary dimension.

This distribution over directional data is qualitatively similar to the von Mises and von Mises-Fisher distributions, but permits tractable variational inference via reparametrized gradients.

To use this distribution with autoguides, use `poutine.reparam` with a `ProjectedNormalReparam` reparametrizer in the model, e.g.:

```
@poutine.reparam(config={"direction": ProjectedNormalReparam()})
def model():
    direction = pyro.sample("direction",
                           ProjectedNormal(torch.zeros(3)))
    ...
```

or simply wrap in `MinimalReparam` or `AutoReparam`, e.g.:

```
@MinimalReparam()
def model():
    ...
```

Note: This implements `log_prob()` only for dimensions {2,3}.

[1] D. Hernandez-Stumpfhauser, F.J. Breidt, M.J. van der Woerd (2017) “The General Projected Normal Distribution of Arbitrary Dimension: Modeling and Bayesian Inference” <https://projecteuclid.org/euclid.ba/1453211962>

```
arg_constraints = {'concentration': IndependentConstraint(Real(), 1)}
expand(batch_shape, _instance=None)
has_rsample = True
static infer_shapes(concentration)
log_prob(value)

property mean
    Note this is the mean in the sense of a centroid in the submanifold that minimizes expected squared geodesic distance.

property mode
rsample(sample_shape=torch.Size([]))
support = Sphere
```

4.2.41 RelaxedBernoulliStraightThrough

```
class RelaxedBernoulliStraightThrough(*args, **kwargs)
Bases: pyro.distributions.torch.RelaxedBernoulli
```

An implementation of `RelaxedBernoulli` with a straight-through gradient estimator.

This distribution has the following properties:

- The samples returned by the `rsample()` method are discrete/quantized.
- The `log_prob()` method returns the log probability of the relaxed/unquantized sample using the Gumbel-Softmax distribution.
- In the backward pass the gradient of the sample with respect to the parameters of the distribution uses the relaxed/unquantized sample.

References:

[1] **The Concrete Distribution: A Continuous Relaxation of Discrete Random Variables**, Chris J. Maddison, Andriy Mnih, Yee Whye Teh

[2] **Categorical Reparameterization with Gumbel-Softmax**, Eric Jang, Shixiang Gu, Ben Poole

`log_prob(value)`

See `pyro.distributions.torch.RelaxedBernoulli.log_prob()`

`rsample(sample_shape=torch.Size([]))`

See `pyro.distributions.torch.RelaxedBernoulli.rsample()`

4.2.42 RelaxedOneHotCategoricalStraightThrough

```
class RelaxedOneHotCategoricalStraightThrough(*args, **kwargs)
    Bases: pyro.distributions.torch.RelaxedOneHotCategorical
```

An implementation of [RelaxedOneHotCategorical](#) with a straight-through gradient estimator.

This distribution has the following properties:

- The samples returned by the [rsample\(\)](#) method are discrete/quantized.
- The [log_prob\(\)](#) method returns the log probability of the relaxed/unquantized sample using the Gumbel-Softmax distribution.
- In the backward pass the gradient of the sample with respect to the parameters of the distribution uses the relaxed/unquantized sample.

References:

[1] **The Concrete Distribution: A Continuous Relaxation of Discrete Random Variables**, Chris J. Maddison, Andriy Mnih, Yee Whye Teh

[2] **Categorical Reparameterization with Gumbel-Softmax**, Eric Jang, Shixiang Gu, Ben Poole

log_prob(value)

See [pyro.distributions.torch.RelaxedOneHotCategorical.log_prob\(\)](#)

rsample(sample_shape=torch.Size([]))

See [pyro.distributions.torch.RelaxedOneHotCategorical.rsample\(\)](#)

4.2.43 Rejected

```
class Rejected(*args, **kwargs)
```

Bases: [pyro.distributions.torch_distribution.TorchDistribution](#)

Rejection sampled distribution given an acceptance rate function.

Parameters

- **propose (Distribution)** – A proposal distribution that samples batched proposals via `propose()`. [rsample\(\)](#) supports a `sample_shape` arg only if `propose()` supports a `sample_shape` arg.
- **log_prob_accept (callable)** – A callable that inputs a batch of proposals and returns a batch of log acceptance probabilities.
- **log_scale** – Total log probability of acceptance.

arg_constraints = {}

has_rsample = True

log_prob(x)

rsample(sample_shape=torch.Size([]))

score_parts(x)

4.2.44 SineBivariateVonMises

```
class SineBivariateVonMises(*args, **kwargs)
    Bases: pyro.distributions.torch_distribution.TorchDistribution
```

Unimodal distribution of two dependent angles on the 2-torus ($S^1 \times S^1$) given by

$$C^{-1} \exp(\kappa_1 \cos(x - \mu_1) + \kappa_2 \cos(x_2 - \mu_2) + \rho \sin(x_1 - \mu_1) \sin(x_2 - \mu_2))$$

and

$$C = (2\pi)^2 \sum_{i=0}^{\infty} \binom{2i}{i} \left(\frac{\rho^2}{4\kappa_1 \kappa_2} \right)^i I_i(\kappa_1) I_i(\kappa_2),$$

where I_i is the modified bessel function of first kind, μ 's are the locations of the distribution, κ 's are the concentration and ρ gives the correlation between angles x_1 and x_2 .

This distribution is a submodel of the Bivariate von Mises distribution, called the Sine Distribution [2] in directional statistics.

This distribution is helpful for modeling coupled angles such as torsion angles in peptide chains. To infer parameters, use NUTS or HMC with priors that avoid parameterizations where the distribution becomes bimodal; see note below.

Note: Sample efficiency drops as

$$\frac{\rho}{\kappa_1 \kappa_2} \rightarrow 1$$

because the distribution becomes increasingly bimodal. To avoid bimodality use the *weighted_correlation* parameter with a skew away from one (e.g., Beta(1,3)). The *weighted_correlation* should be in [0,1].

Note: The correlation and weighted_correlation params are mutually exclusive.

Note: In the context of SVI, this distribution can be used as a likelihood but not for latent variables.

** References: **

1. Probabilistic model for two dependent circular variables Singh, H., Hnizdo, V., and Demchuk, E. (2002)
2. Protein Bioinformatics and Mixtures of Bivariate von Mises Distributions for Angular Data, Mardia, K. V, Taylor, T. C., and Subramaniam, G. (2007)

Parameters

- **phi_loc** (`torch.Tensor`) – location of first angle
- **psi_loc** (`torch.Tensor`) – location of second angle
- **phi_concentration** (`torch.Tensor`) – concentration of first angle
- **psi_concentration** (`torch.Tensor`) – concentration of second angle
- **correlation** (`torch.Tensor`) – correlation between the two angles

- **weighted_correlation** (`torch.Tensor`) – set correlation to `weightd_corr * sqrt(phi_conc*psi_conc)` to avoid bimodality (see note). The `weightd_correlation` should be in [0,1].

```
arg_constraints = {'correlation': Real(), 'phi_concentration':
GreaterThan(lower_bound=0.0), 'phi_loc': Real(), 'psi_concentration':
GreaterThan(lower_bound=0.0), 'psi_loc': Real()}

expand(batch_shape, _instance=None)

classmethod infer_shapes(**arg_shapes)

log_prob(value)

max_sample_iter = 1000

property mean

norm_const()

sample(sample_shape=torch.Size([]))


```

** References: **

1. A New Unified Approach for the Simulation of aWide Class of Directional Distributions John T. Kent, Asaad M. Ganeiber & Kanti V. Mardia (2018)

```
support = IndependentConstraint(Real(), 1)
```

4.2.45 SineSkewed

```
class SineSkewed(*args, **kwargs)
Bases: pyro.distributions.torch_distribution.TorchDistribution
```

Sine Skewing [1] is a procedure for producing a distribution that breaks pointwise symmetry on a torus distribution. The new distribution is called the Sine Skewed X distribution, where X is the name of the (symmetric) base distribution.

Torus distributions are distributions with support on products of circles (i.e., $\wedge^d S^1$ where $S^1=[-\pi,\pi]$). So, a 0-torus is a point, the 1-torus is a circle, and the 2-torus is commonly associated with the donut shape.

The Sine Skewed X distribution is parameterized by a weight parameter for each dimension of the event of X. For example with a von Mises distribution over a circle (1-torus), the Sine Skewed von Mises Distribution has one skew parameter. The skewness parameters can be inferred using HMC or NUTS. For example, the following will produce a uniform prior over skewness for the 2-torus,:

```
def model(obs):
    # Sine priors
    phi_loc = pyro.sample('phi_loc', VonMises(pi, 2.))
    psi_loc = pyro.sample('psi_loc', VonMises(-pi / 2, 2.))
    phi_conc = pyro.sample('phi_conc', Beta(halpha_phi, beta_prec_phi - halpha_phi))
    psi_conc = pyro.sample('psi_conc', Beta(halpha_psi, beta_prec_psi - halpha_psi))
    corr_scale = pyro.sample('corr_scale', Beta(2., 5.))

    # SS prior
    skew_phi = pyro.sample('skew_phi', Uniform(-1., 1.))
    psi_bound = 1 - skew_phi.abs()
    skew_psi = pyro.sample('skew_psi', Uniform(-1., 1.))
```

(continues on next page)

(continued from previous page)

```

skewness = torch.stack((skew_phi, psi_bound * skew_psi), dim=-1)
assert skewness.shape == (num_mix_comp, 2)

with pyro.plate('obs_plate'):
    sine = SineBivariateVonMises(phi_loc=phi_loc, psi_loc=psi_loc,
                                  phi_concentration=1000 * phi_conc,
                                  psi_concentration=1000 * psi_conc,
                                  weighted_correlation=corr_scale)
return pyro.sample('phi_psi', SineSkewed(sine, skewness), obs=obs)

```

To ensure the skewing does not alter the normalization constant of the (Sine Bivariate von Mises) base distribution the skewness parameters are constraint. The constraint requires the sum of the absolute values of skewness to be less than or equal to one. So for the above snippet it must hold that:

```
skew_phi.abs() + skew_psi.abs() <= 1
```

We handle this in the prior by computing psi_bound and use it to scale skew_psi. We do **not** use psi_bound as:

```
skew_psi = pyro.sample('skew_psi', Uniform(-psi_bound, psi_bound))
```

as it would make the support for the Uniform distribution dynamic.

In the context of SVI, this distribution can freely be used as a likelihood, but use as latent variables it will lead to slow inference for 2 and higher dim toruses. This is because the base_dist cannot be reparameterized.

Note: An event in the base distribution must be on a d-torus, so the event_shape must be (d,).

Note: For the skewness parameter, it must hold that the sum of the absolute value of its weights for an event must be less than or equal to one. See eq. 2.1 in [1].

** References: **

1. Sine-skewed toroidal distributions and their application in protein bioinformatics Ameijeiras-Alonso, J., Ley, C. (2019)

Parameters

- **base_dist** (`torch.distributions.Distribution`) – base density on a d-dimensional torus. Supported base distributions include: 1D `VonMises`, `SineBivariateVonMises`, 1D `ProjectedNormal`, and `Uniform` (-pi, pi).
- **skewness** (`torch.tensor`) – skewness of the distribution.

```

arg_constraints = {'skewness': IndependentConstraint(Interval(lower_bound=-1.0,
                                                               upper_bound=1.0), 1)}

expand(batch_shape, _instance=None)

log_prob(value)

sample(sample_shape=torch.Size([]))

support = IndependentConstraint(Real(), 1)

```

4.2.46 SkewLogistic

```
class SkewLogistic(*args, **kwargs)
    Bases: pyro.distributions.torch\_distribution.TorchDistribution
```

Skewed generalization of the Logistic distribution (Type I in [1]).

This is a smooth distribution with asymptotically exponential tails and a concave log density. For standard `loc=0`, `scale=1`, `asymmetry`= the density is given by

$$p(x; \alpha) = \frac{\alpha e^{-x}}{(1 + e^{-x})^{\alpha+1}}$$

Like the [AsymmetricLaplace](#) density, this density has the heaviest possible tails (asymptotically) while still being log-convex. Unlike the [AsymmetricLaplace](#) distribution, this distribution is infinitely differentiable everywhere, and is thus suitable for constructing Laplace approximations.

References

[1] Generalized logistic distribution https://en.wikipedia.org/wiki/Generalized_logistic_distribution

Parameters

- `loc` – Location parameter.
- `scale` – Scale parameter.
- `asymmetry` – Asymmetry parameter (positive). The distribution skews right when `asymmetry > 1` and left when `asymmetry < 1`. Defaults to `asymmetry = 1` corresponding to the standard Logistic distribution.

```
arg_constraints = {'asymmetry': GreaterThan(lower_bound=0.0), 'loc': Real(),
'scale': GreaterThan(lower_bound=0.0)}

cdf(value)
expand(batch_shape, _instance=None)
has_rsample = True
icdf(value)
log_prob(value)
rsample(sample_shape=torch.Size([]))
support = Real()
```

4.2.47 SoftAsymmetricLaplace

```
class SoftAsymmetricLaplace(*args, **kwargs)
    Bases: pyro.distributions.torch\_distribution.TorchDistribution
```

Soft asymmetric version of the [Laplace](#) distribution.

This has a smooth (infinitely differentiable) density with two asymmetric asymptotically exponential tails, one on the left and one on the right. In the limit of `softness` $\rightarrow 0$, this converges in distribution to the [AsymmetricLaplace](#) distribution.

This is equivalent to the sum of three random variables $z - u + v$ where:

```

z ~ Normal(loc, scale * softness)
u ~ Exponential(1 / (scale * asymmetry))
v ~ Exponential(asymmetry / scale)

```

This is also equivalent the sum of two random variables $z + a$ where:

```

z ~ Normal(loc, scale * softness)
a ~ AsymmetricLaplace(0, scale, asymmetry)

```

Parameters

- **loc** – Location parameter, i.e. the mode.
- **scale** – Scale parameter = geometric mean of left and right scales.
- **asymmetry** – Square of ratio of left to right scales. Defaults to 1.
- **softness** – Scale parameter of the Gaussian smoother. Defaults to 1.

```

arg_constraints = {'asymmetry': GreaterThan(lower_bound=0.0), 'loc': Real(),
'scale': GreaterThan(lower_bound=0.0), 'softness': GreaterThan(lower_bound=0.0)}

expand(batch_shape, _instance=None)

has_rsample = True

left_scale()

log_prob(value)

property mean

right_scale()

rsample(sample_shape=torch.Size([]))

soft_scale()

support = Real()

property variance

```

4.2.48 SoftLaplace

```

class SoftLaplace(*args, **kwargs)
Bases: pyro.distributions.torch_distribution.TorchDistribution

```

Smooth distribution with Laplace-like tail behavior.

This distribution corresponds to the log-convex density:

```

z = (value - loc) / scale
log_prob = log(2 / pi) - log(scale) - logaddexp(z, -z)

```

Like the Laplace density, this density has the heaviest possible tails (asymptotically) while still being log-convex. Unlike the Laplace distribution, this distribution is infinitely differentiable everywhere, and is thus suitable for constructing Laplace approximations.

Parameters

- **loc** – Location parameter.

- **scale** – Scale parameter.

```
arg_constraints = {'loc': Real(), 'scale': GreaterThan(lower_bound=0.0)}
cdf(value)
expand(batch_shape, _instance=None)
has_rsample = True
icdf(value)
log_prob(value)
property mean
rsample(sample_shape=torch.Size([]))
support = Real()
property variance
```

4.2.49 SpanningTree

```
class SpanningTree(*args, **kwargs)
    Bases: pyro.distributions.torch_distribution.TorchDistribution
    Distribution over spanning trees on a fixed number V of vertices.

    A tree is represented as torch.LongTensor edges of shape (V-1, 2) satisfying the following properties:
        1. The edges constitute a tree, i.e. are connected and cycle free.
        2. Each edge (v1,v2) = edges[e] is sorted, i.e. v1 < v2.
        3. The entire tensor is sorted in colexicographic order.
```

Use `validate_edges()` to verify `edges` are correctly formed.

The `edge_logits` tensor has one entry for each of the $V^*(V-1)/2$ edges in the complete graph on V vertices, where edges are each sorted and the edge order is colexicographic:

```
(0,1), (0,2), (1,2), (0,3), (1,3), (2,3), (0,4), (1,4), (2,4), ...
```

This ordering corresponds to the size-independent pairing function:

```
k = v1 + v2 * (v2 - 1) // 2
```

where k is the rank of the edge (v_1, v_2) in the complete graph. To convert a matrix of edge logits to the linear representation used here:

```
assert my_matrix.shape == (V, V)
i, j = make_complete_graph(V)
edge_logits = my_matrix[i, j]
```

Parameters

- **edge_logits** (`torch.Tensor`) – A tensor of length $V^*(V-1)/2$ containing logits (aka negative energies) of all edges in the complete graph on V vertices. See above comment for edge ordering.

- **sampler_options** (`dict`) – An optional dict of sampler options including: `mcmc_steps` defaulting to a single MCMC step (which is pretty good); `initial_edges` defaulting to a cheap approximate sample; backend one of “python” or “cpp”, defaulting to “python”.

```
arg_constraints = {'edge_logits': Real()}

property edge_mean
```

Computes marginal probabilities of each edge being active.

Note: This is similar to other distributions’ `.mean()` method, but with a different shape because this distribution’s values are not encoded as binary matrices.

Returns A symmetric square (V, V) -shaped matrix with values in $[0, 1]$ denoting the marginal probability of each edge being in a sampled value.

Return type Tensor

```
enumerate_support(expand=True)
```

This is implemented for trees with up to 6 vertices (and 5 edges).

```
has_enumerate_support = True
```

```
log_partition_function()
```

```
log_prob(edges)
```

```
property mode
```

Returns The maximum weight spanning tree.

Return type Tensor

```
sample(sample_shape=torch.Size([]))
```

This sampler is implemented using MCMC run for a small number of steps after being initialized by a cheap approximate sampler. This sampler is approximate and cubic time. This is faster than the classic Aldous-Broder sampler [1,2], especially for graphs with large mixing time. Recent research [3,4] proposes samplers that run in sub-matrix-multiply time but are more complex to implement.

References

[1] *Generating random spanning trees* Andrei Broder (1989)

[2] *The Random Walk Construction of Uniform Spanning Trees and Uniform Labelled Trees*, David J. Aldous (1990)

[3] *Sampling Random Spanning Trees Faster than Matrix Multiplication*, David Durfee, Rasmus Kyng, John Peebles, Anup B. Rao, Sushant Sachdeva (2017) <https://arxiv.org/abs/1611.07451>

[4] *An almost-linear time algorithm for uniform random spanning tree generation*, Aaron Schild (2017) <https://arxiv.org/abs/1711.06455>

```
support = IntegerGreaterThanOrEqual(lower_bound=0)
```

```
validate_edges(edges)
```

Validates a batch of `edges` tensors, as returned by `sample()` or `enumerate_support()` or as input to `log_prob()`.

Parameters `edges` (`torch.LongTensor`) – A batch of edges.

Raises ValueError

Returns None

4.2.50 Stable

```
class Stable(*args, **kwargs)
    Bases: pyro.distributions.torch_distribution.TorchDistribution
```

Levy α -stable distribution. See [1] for a review.

This uses Nolan's parametrization [2] of the `loc` parameter, which is required for continuity and differentiability. This corresponds to the notation $S_\alpha^0(\beta, \sigma, \mu_0)$ of [1], where α = stability, β = skew, σ = scale, and μ_0 = loc. To instead use the S parameterization as in scipy, pass `coords="S"`, but BEWARE this is discontinuous at `stability=1` and has poor geometry for inference.

This implements a reparametrized sampler `rsample()`, but does not implement `log_prob()`. Inference can be performed using either likelihood-free algorithms such as `EnergyDistance`, or reparameterization via the `reparam()` handler with one of the reparameterizers `LatentStableReparam`, `SymmetricStableReparam`, or `StableReparam` e.g.:

```
with poutine.reparam(config={"x": StableReparam()}):
    pyro.sample("x", Stable(stability, skew, scale, loc))
```

or simply wrap in `MinimalReparam` or `AutoReparam`, e.g.:

```
@MinimalReparam()
def model():
    ...
```

[1] S. Borak, W. Hardle, R. Weron (2005). Stable distributions. <https://edoc.hu-berlin.de/bitstream/handle/18452/4526/8.pdf>

[2] J.P. Nolan (1997). Numerical calculation of stable densities and distribution functions.

[3] Rafal Weron (1996). On the Chambers-Mallows-Stuck Method for Simulating Skewed Stable Random Variables.

[4] J.P. Nolan (2017). Stable Distributions: Models for Heavy Tailed Data. <http://fs2.american.edu/jpnolan/www/stable/chap1.pdf>

Parameters

- **stability** (`Tensor`) – Levy stability parameter $\alpha \in (0, 2]$.
- **skew** (`Tensor`) – Skewness $\beta \in [-1, 1]$.
- **scale** (`Tensor`) – Scale $\sigma > 0$. Defaults to 1.
- **loc** (`Tensor`) – Location μ_0 when using Nolan's S0 parametrization [2], or μ when using the S parameterization. Defaults to 0.
- **coords** (`str`) – Either "S0" (default) to use Nolan's continuous S0 parametrization, or "S" to use the discontinuous parameterization.

```
arg_constraints = {'loc': Real(), 'scale': GreaterThan(lower_bound=0.0), 'skew': Interval(lower_bound=-1, upper_bound=1), 'stability': Interval(lower_bound=0, upper_bound=2)}

expand(batch_shape, _instance=None)
has_rsample = True
log_prob(value)
```

```
property mean
rsample(sample_shape=torch.Size([]))
support = Real()
property variance
```

4.2.51 TruncatedPolyaGamma

```
class TruncatedPolyaGamma(*args, **kwargs)
Bases: pyro.distributions.torch_distribution.TorchDistribution
```

This is a PolyaGamma(1, 0) distribution truncated to have finite support in the interval (0, 2.5). See [1] for details. As a consequence of the truncation the *log_prob* method is only accurate to about six decimal places. In addition the provided sampler is a rough approximation that is only meant to be used in contexts where sample accuracy is not important (e.g. in initialization). Broadly, this implementation is only intended for usage in cases where good approximations of the *log_prob* are sufficient, as is the case e.g. in HMC.

Parameters **prototype** (*tensor*) – A prototype tensor of arbitrary shape used to determine the *dtype* and *device* returned by *sample* and *log_prob*.

References

[1] ‘Bayesian inference for logistic models using Polya-Gamma latent variables’ Nicholas G. Polson, James G. Scott, Jesse Windle.

```
arg_constraints = {}
expand(batch_shape, _instance=None)
has_rsample = False
log_prob(value)
num_gamma_variates = 8
num_log_prob_terms = 7
sample(sample_shape=())
support = Interval(lower_bound=0.0, upper_bound=2.5)
truncation_point = 2.5
```

4.2.52 Unit

```
class Unit(*args, **kwargs)
Bases: pyro.distributions.torch_distribution.TorchDistribution
```

Trivial nonnormalized distribution representing the unit type.

The unit type has a single value with no data, i.e. *value.numel()* == 0.

This is used for *pyro.factor()* statements.

```
arg_constraints = {'log_factor': Real()}
expand(batch_shape, _instance=None)
log_prob(value)
rsample(sample_shape=torch.Size([]))
```

```
sample(sample_shape=torch.Size([]))  
support = Real()
```

4.2.53 VonMises3D

```
class VonMises3D(*args, **kwargs)  
Bases: pyro.distributions.torch_distribution.TorchDistribution
```

Spherical von Mises distribution.

This implementation combines the direction parameter and concentration parameter into a single combined parameter that contains both direction and magnitude. The *value* arg is represented in cartesian coordinates: it must be a normalized 3-vector that lies on the 2-sphere.

See [VonMises](#) for a 2D polar coordinate cousin of this distribution. See [projected_normal](#) for a qualitatively similar distribution but implementing more functionality.

Currently only [*log_prob*](#) is implemented.

Parameters **concentration** (*torch.Tensor*) – A combined location-and-concentration vector.
The direction of this vector is the location, and its magnitude is the concentration.

```
arg_constraints = {'concentration': Real()}  
expand(batch_shape)  
log_prob(value)  
support = Sphere
```

4.2.54 ZeroInflatedDistribution

```
class ZeroInflatedDistribution(*args, **kwargs)  
Bases: pyro.distributions.torch_distribution.TorchDistribution
```

Generic Zero Inflated distribution.

This can be used directly or can be used as a base class as e.g. for [ZeroInflatedPoisson](#) and [ZeroInflatedNegativeBinomial](#).

Parameters

- **base_dist** (*TorchDistribution*) – the base distribution.
- **gate** (*torch.Tensor*) – probability of extra zeros given via a Bernoulli distribution.
- **gate_logits** (*torch.Tensor*) – logits of extra zeros given via a Bernoulli distribution.

```
arg_constraints = {'gate': Interval(lower_bound=0.0, upper_bound=1.0),  
'gate_logits': Real()}
```

```
expand(batch_shape, _instance=None)  
gate()  
gate_logits()  
log_prob(value)  
mean()  
sample(sample_shape=torch.Size([]))
```

property support

variance()

4.2.55 ZeroInflatedNegativeBinomial

class ZeroInflatedNegativeBinomial(*args, **kwargs)

Bases: `pyro.distributions.zero_inflated.ZeroInflatedDistribution`

A Zero Inflated Negative Binomial distribution.

Parameters

- **total_count** (`float or torch.Tensor`) – non-negative number of negative Bernoulli trials.
- **probs** (`torch.Tensor`) – Event probabilities of success in the half open interval [0, 1).
- **logits** (`torch.Tensor`) – Event log-odds for probabilities of success.
- **gate** (`torch.Tensor`) – probability of extra zeros.
- **gate_logits** (`torch.Tensor`) – logits of extra zeros.

`arg_constraints = {'gate': Interval(lower_bound=0.0, upper_bound=1.0),
'gate_logits': Real(), 'logits': Real(), 'probs':
HalfOpenInterval(lower_bound=0.0, upper_bound=1.0), 'total_count':
GreaterThanEq(lower_bound=0)}}`

property logits

property probs

support = IntegerGreaterThan(lower_bound=0)

property total_count

4.2.56 ZeroInflatedPoisson

class ZeroInflatedPoisson(*args, **kwargs)

Bases: `pyro.distributions.zero_inflated.ZeroInflatedDistribution`

A Zero Inflated Poisson distribution.

Parameters

- **rate** (`torch.Tensor`) – rate of poisson distribution.
- **gate** (`torch.Tensor`) – probability of extra zeros.
- **gate_logits** (`torch.Tensor`) – logits of extra zeros.

`arg_constraints = {'gate': Interval(lower_bound=0.0, upper_bound=1.0),
'gate_logits': Real(), 'rate': GreaterThan(lower_bound=0.0)}}`

property rate

support = IntegerGreaterThan(lower_bound=0)

4.3 Transforms

4.3.1 ConditionalTransform

```
class ConditionalTransform
    Bases: abc.ABC
    abstract condition(context)
```

Return type torch.distributions.Transform

4.3.2 CholeskyTransform

```
class CholeskyTransform(cache_size=0)
    Bases: torch.distributions.transforms.Transform
    Transform via the mapping  $y = \text{cholesky}(x)$ , where  $x$  is a positive definite matrix.
    bijective = True
    codomain: torch.distributions.constraints.Constraint = LowerCholesky()
    domain: torch.distributions.constraints.Constraint = PositiveDefinite()
    log_abs_det_jacobian(x, y)
```

4.3.3 CorrLCholeskyTransform

```
class CorrLCholeskyTransform(cache_size=0)
    Bases: torch.distributions.transforms.Transform
    Transforms a vector into the cholesky factor of a correlation matrix.
    The input should have shape [batch_shape] + [d * (d-1)/2]. The output will have shape [batch_shape] + [d, d].
    References:
    [1] Cholesky Factors of Correlation Matrices. Stan Reference Manual v2.18, Section 10.12.
    bijective = True
    codomain: torch.distributions.constraints.Constraint = CorrCholesky()
    domain: torch.distributions.constraints.Constraint = IndependentConstraint(Real(), 1)
    log_abs_det_jacobian(x, y)
```

4.3.4 CorrMatrixCholeskyTransform

```
class CorrMatrixCholeskyTransform(cache_size=0)
    Bases: pyro.distributions.transforms.cholesky.CholeskyTransform
    Transform via the mapping  $y = \text{cholesky}(x)$ , where  $x$  is a correlation matrix.

    bijective = True
    codomain: torch.distributions.constraints.Constraint = CorrCholesky()
    domain: torch.distributions.constraints.Constraint = CorrMatrix()
    log_abs_det_jacobian(x, y)
```

4.3.5 DiscreteCosineTransform

```
class DiscreteCosineTransform(dim=-1, smooth=0.0, cache_size=0)
    Bases: torch.distributions.transforms.Transform
    Discrete Cosine Transform of type-II.

    This uses dct() and idct() to compute orthonormal DCT and inverse DCT transforms. The jacobian is 1.
```

Parameters

- **dim** (`int`) – Dimension along which to transform. Must be negative. This is an absolute dim counting from the right.
- **smooth** (`float`) – Smoothing parameter. When 0, this transforms white noise to white noise; when 1 this transforms Brownian noise to white noise; when -1 this transforms violet noise to white noise; etc. Any real number is allowed. https://en.wikipedia.org/wiki/Colors_of_noise.

```
bijective = True
property codomain
property domain
forward_shape(shape)
inverse_shape(shape)
log_abs_det_jacobian(x, y)
with_cache(cache_size=1)
```

4.3.6 ELUTransform

```
class ELUTransform(cache_size=0)
    Bases: torch.distributions.transforms.Transform
    Bijective transform via the mapping  $y = \text{ELU}(x)$ .

    bijective = True
    codomain: torch.distributions.constraints.Constraint = GreaterThan(lower_bound=0.0)
    domain: torch.distributions.constraints.Constraint = Real()
    log_abs_det_jacobian(x, y)
```

```
sign = 1
```

4.3.7 HaarTransform

```
class HaarTransform(dim=-1, flip=False, cache_size=0)
Bases: torch.distributions.transforms.Transform
```

Discrete Haar transform.

This uses `haar_transform()` and `inverse_haar_transform()` to compute (orthonormal) Haar and inverse Haar transforms. The jacobian is 1. For sequences with length T not a power of two, this implementation is equivalent to a block-structured Haar transform in which block sizes decrease by factors of one half from left to right.

Parameters

- `dim` (`int`) – Dimension along which to transform. Must be negative. This is an absolute dim counting from the right.
- `flip` (`bool`) – Whether to flip the time axis before applying the Haar transform. Defaults to false.

```
bijection = True
property codomain
property domain
forward_shape(shape)
inverse_shape(shape)
log_abs_det_jacobian(x, y)
with_cache(cache_size=1)
```

4.3.8 LeakyReLUTransform

```
class LeakyReLUTransform(cache_size=0)
Bases: torch.distributions.transforms.Transform
```

Bijective transform via the mapping $y = \text{LeakyReLU}(x)$.

```
bijection = True
codomain: torch.distributions.constraints.Constraint = GreaterThan(lower_bound=0.0)
domain: torch.distributions.constraints.Constraint = Real()
log_abs_det_jacobian(x, y)
sign = 1
```

4.3.9 LowerCholeskyAffine

```
class LowerCholeskyAffine(loc, scale_tril, cache_size=0)
    Bases: torch.distributions.transforms.Transform
```

A bijection of the form,

$$\mathbf{y} = \mathbf{L}\mathbf{x} + \mathbf{r}$$

where \mathbf{L} is a lower triangular matrix and \mathbf{r} is a vector.

Parameters

- **loc** (`torch.tensor`) – the fixed D-dimensional vector to shift the input by.
- **scale_tril** (`torch.tensor`) – the D x D lower triangular matrix used in the transformation.

bijection = `True`

codomain: `torch.distributions.constraints.Constraint` =
`IndependentConstraint(Real(), 1)`

domain: `torch.distributions.constraints.Constraint` = `IndependentConstraint(Real(), 1)`

log_abs_det_jacobian(x, y)

Calculates the elementwise determinant of the log Jacobian, i.e. $\log(\text{abs}(\text{dy}/\text{dx}))$.

volume_preserving = `False`

with_cache(`cache_size=1`)

4.3.10 Normalize

```
class Normalize(p=2, cache_size=0)
    Bases: torch.distributions.transforms.Transform
```

Safely project a vector onto the sphere wrt the p norm. This avoids the singularity at zero by mapping to the vector [1, 0, 0, ..., 0].

bijection = `False`

codomain: `torch.distributions.constraints.Constraint` = `Sphere`

domain: `torch.distributions.constraints.Constraint` = `IndependentConstraint(Real(), 1)`

with_cache(`cache_size=1`)

4.3.11 OrderedTransform

```
class OrderedTransform(cache_size=0)
    Bases: torch.distributions.transforms.Transform
```

Transforms a real vector into an ordered vector.

Specifically, enforces monotonically increasing order on the last dimension of a given tensor via the transformation $y_0 = x_0, y_i = \sum_{1 \leq j \leq i} \exp(x_j)$

bijection = `True`

```

codomain: torch.distributions.constraints.Constraint = OrderedVector()
domain: torch.distributions.constraints.Constraint = IndependentConstraint(Real(), 1)
log_abs_det_jacobian(x, y)

```

4.3.12 Permute

```

class Permute(permuation, *, dim=-1, cache_size=1)
Bases: torch.distributions.transforms.Transform

```

A bijection that reorders the input dimensions, that is, multiplies the input by a permutation matrix. This is useful in between `AffineAutoregressive` transforms to increase the flexibility of the resulting distribution and stabilize learning. Whilst not being an autoregressive transform, the log absolute determinate of the Jacobian is easily calculable as 0. Note that reordering the input dimension between two layers of `AffineAutoregressive` is not equivalent to reordering the dimension inside the MADE networks that those IAFs use; using a `Permute` transform results in a distribution with more flexibility.

Example usage:

```

>>> from pyro.nn import AutoRegressiveNN
>>> from pyro.distributions.transforms import AffineAutoregressive, Permute
>>> base_dist = dist.Normal(torch.zeros(10), torch.ones(10))
>>> iaf1 = AffineAutoregressive(AutoRegressiveNN(10, [40]))
>>> ff = Permute(torch.randperm(10, dtype=torch.long))
>>> iaf2 = AffineAutoregressive(AutoRegressiveNN(10, [40]))
>>> flow_dist = dist.TransformedDistribution(base_dist, [iaf1, ff, iaf2])
>>> flow_dist.sample()

```

Parameters

- `permuation (torch.LongTensor)` – a permutation ordering that is applied to the inputs.
- `dim (int)` – the tensor dimension to permute. This value must be negative and defines the event dim as `abs(dim)`.

```

bijective = True
property codomain
property domain
inv_permutation()
log_abs_det_jacobian(x, y)
    Calculates the elementwise determinant of the log Jacobian, i.e. log(abs([dy_0/dx_0, ..., dy_{N-1}/dx_{N-1}])). Note that this type of transform is not autoregressive, so the log Jacobian is not the sum of the previous expression. However, it turns out it's always 0 (since the determinant is -1 or +1), and so returning a vector of zeros works.
volume_preserving = True
with_cache(cache_size=1)

```

4.3.13 PositivePowerTransform

```
class PositivePowerTransform(exponent, *, cache_size=0, validate_args=None)
```

Bases: `torch.distributions.transforms.Transform`

Transform via the mapping $y = \text{sign}(x)|x|^{\text{exponent}}$.

Whereas `PowerTransform` allows arbitrary exponent and restricts domain and codomain to positive values, this class restricts `exponent > 0` and allows real domain and codomain.

Warning: The Jacobian is typically zero or infinite at the origin.

```
bijective = True
codomain: torch.distributions.constraints.Constraint = Real()
domain: torch.distributions.constraints.Constraint = Real()
forward_shape(shape)
inverse_shape(shape)
log_abs_det_jacobian(x, y)
sign = 1
with_cache(cache_size=1)
```

4.3.14 SoftplusLowerCholeskyTransform

```
class SoftplusLowerCholeskyTransform(cache_size=0)
```

Bases: `torch.distributions.transforms.Transform`

Transform from unconstrained matrices to lower-triangular matrices with nonnegative diagonal entries. This is useful for parameterizing positive definite matrices in terms of their Cholesky factorization.

```
codomain: torch.distributions.constraints.Constraint = LowerCholesky()
```

```
domain: torch.distributions.constraints.Constraint = IndependentConstraint(Real(), 2)
```

4.3.15 SoftplusTransform

```
class SoftplusTransform(cache_size=0)
```

Bases: `torch.distributions.transforms.Transform`

Transform via the mapping $\text{Softplus}(x) = \log(1 + \exp(x))$.

```
bijective = True
```

```
codomain: torch.distributions.constraints.Constraint = GreaterThan(lower_bound=0.0)
```

```
domain: torch.distributions.constraints.Constraint = Real()
```

```
log_abs_det_jacobian(x, y)
```

```
sign = 1
```

4.3.16 UnitLowerCholeskyTransform

```
class UnitLowerCholeskyTransform(cache_size=0)
    Bases: torch.distributions.transforms.Transform
    Transform from unconstrained matrices to lower-triangular matrices with all ones diagonals.
    codomain: torch.distributions.constraints.Constraint = UnitLowerCholesky()
    domain: torch.distributions.constraints.Constraint = IndependentConstraint(Real(), 2)
```

4.4 TransformModules

4.4.1 AffineAutoregressive

```
class AffineAutoregressive(autoregressive_nn, log_scale_min_clip=-5.0, log_scale_max_clip=3.0,
                           sigmoid_bias=2.0, stable=False)
    Bases: pyro.distributions.torch_transform.TransformModule
```

An implementation of the bijective transform of Inverse Autoregressive Flow (IAF), using by default Eq (10) from Kingma Et Al., 2016,

$$\mathbf{y} = \mu_t + \sigma_t \odot \mathbf{x}$$

where \mathbf{x} are the inputs, \mathbf{y} are the outputs, μ_t, σ_t are calculated from an autoregressive network on \mathbf{x} , and $\sigma_t > 0$.

If the stable keyword argument is set to True then the transformation used is,

$$\mathbf{y} = \sigma_t \odot \mathbf{x} + (1 - \sigma_t) \odot \mu_t$$

where σ_t is restricted to $(0, 1)$. This variant of IAF is claimed by the authors to be more numerically stable than one using Eq (10), although in practice it leads to a restriction on the distributions that can be represented, presumably since the input is restricted to rescaling by a number on $(0, 1)$.

Together with `TransformedDistribution` this provides a way to create richer variational approximations.

Example usage:

```
>>> from pyro.nn import AutoRegressiveNN
>>> base_dist = dist.Normal(torch.zeros(10), torch.ones(10))
>>> transform = AffineAutoregressive(AutoRegressiveNN(10, [40]))
>>> pyro.module("my_transform", transform)
>>> flow_dist = dist.TransformedDistribution(base_dist, [transform])
>>> flow_dist.sample()
```

The inverse of the Bijector is required when, e.g., scoring the log density of a sample with `TransformedDistribution`. This implementation caches the inverse of the Bijector when its forward operation is called, e.g., when sampling from `TransformedDistribution`. However, if the cached value isn't available, either because it was overwritten during sampling a new value or an arbitrary value is being scored, it will calculate it manually. Note that this is an operation that scales as $O(D)$ where D is the input dimension, and so should be avoided for large dimensional uses. So in general, it is cheap to sample from IAF and score a value that was sampled by IAF, but expensive to score an arbitrary value.

Parameters

- **autoregressive_nn** (*callable*) – an autoregressive neural network whose forward call returns a real-valued mean and logit-scale as a tuple

- **log_scale_min_clip** (*float*) – The minimum value for clipping the log(scale) from the autoregressive NN
- **log_scale_max_clip** (*float*) – The maximum value for clipping the log(scale) from the autoregressive NN
- **sigmoid_bias** (*float*) – A term to add the logit of the input when using the stable transform.
- **stable** (*bool*) – When true, uses the alternative “stable” version of the transform (see above).

References:

[1] Diederik P. Kingma, Tim Salimans, Rafal Jozefowicz, Xi Chen, Ilya Sutskever, Max Welling. Improving Variational Inference with Inverse Autoregressive Flow. [arXiv:1606.04934]

[2] Danilo Jimenez Rezende, Shakir Mohamed. Variational Inference with Normalizing Flows. [arXiv:1505.05770]

[3] Mathieu Germain, Karol Gregor, Iain Murray, Hugo Larochelle. MADE: Masked Autoencoder for Distribution Estimation. [arXiv:1502.03509]

```
autoregressive = True
bijective = True
codomain: torch.distributions.constraints.Constraint =
IndependentConstraint(Real(), 1)
domain: torch.distributions.constraints.Constraint = IndependentConstraint(Real(), 1)
log_abs_det_jacobian(x, y)
    Calculates the elementwise determinant of the log Jacobian
sign = 1
```

4.4.2 AffineCoupling

```
class AffineCoupling(split_dim, hypernet, *, dim=-1, log_scale_min_clip=-5.0, log_scale_max_clip=3.0)
Bases: pyro.distributions.torch_transform.TransformModule
```

An implementation of the affine coupling layer of RealNVP (Dinh et al., 2017) that uses the bijective transform,

$$\mathbf{y}_{1:d} = \mathbf{x}_{1:d}, \mathbf{y}_{(d+1):D} = \mu + \sigma \odot \mathbf{x}_{(d+1):D}$$

where \mathbf{x} are the inputs, \mathbf{y} are the outputs, e.g. $\mathbf{x}_{1:d}$ represents the first d elements of the inputs, and μ, σ are shift and translation parameters calculated as the output of a function inputting only $\mathbf{x}_{1:d}$.

That is, the first d components remain unchanged, and the subsequent $D - d$ are shifted and translated by a function of the previous components.

Together with *TransformedDistribution* this provides a way to create richer variational approximations.

Example usage:

```
>>> from pyro.nn import DenseNN
>>> input_dim = 10
>>> split_dim = 6
>>> base_dist = dist.Normal(torch.zeros(input_dim), torch.ones(input_dim))
>>> param_dims = [input_dim-split_dim, input_dim-split_dim]
>>> hypernet = DenseNN(split_dim, [10*input_dim], param_dims)
```

(continues on next page)

(continued from previous page)

```
>>> transform = AffineCoupling(split_dim, hypernet)
>>> pyro.module("my_transform", transform)
>>> flow_dist = dist.TransformedDistribution(base_dist, [transform])
>>> flow_dist.sample()
```

The inverse of the Bijector is required when, e.g., scoring the log density of a sample with [TransformedDistribution](#). This implementation caches the inverse of the Bijector when its forward operation is called, e.g., when sampling from [TransformedDistribution](#). However, if the cached value isn't available, either because it was overwritten during sampling a new value or an arbitrary value is being scored, it will calculate it manually.

This is an operation that scales as O(1), i.e. constant in the input dimension. So in general, it is cheap to sample *and* score (an arbitrary value) from [AffineCoupling](#).

Parameters

- **split_dim** (`int`) – Zero-indexed dimension d upon which to perform input/ output split for transformation.
- **hypernet** (`callable`) – a neural network whose forward call returns a real-valued mean and logit-scale as a tuple. The input should have final dimension `split_dim` and the output final dimension `input_dim-split_dim` for each member of the tuple.
- **dim** (`int`) – the tensor dimension on which to split. This value must be negative and defines the event dim as $\text{abs}(dim)$.
- **log_scale_min_clip** (`float`) – The minimum value for clipping the log(scale) from the autoregressive NN
- **log_scale_max_clip** (`float`) – The maximum value for clipping the log(scale) from the autoregressive NN

References:

[1] Laurent Dinh, Jascha Sohl-Dickstein, and Samy Bengio. Density estimation using Real NVP. ICLR 2017.

```
bijection = True
property codomain
property domain
log_abs_det_jacobian(x, y)
    Calculates the elementwise determinant of the log jacobian
```

4.4.3 BatchNorm

```
class BatchNorm(input_dim, momentum=0.1, epsilon=1e-05)
Bases: pyro.distributions.torch\_transform.TransformModule
```

A type of batch normalization that can be used to stabilize training in normalizing flows. The inverse operation is defined as

$$x = (y - \hat{\mu}) \odot \sqrt{\hat{\sigma}^2} \otimes \gamma + \beta$$

that is, the standard batch norm equation, where x is the input, y is the output, γ, β are learnable parameters, and $\hat{\mu}/\hat{\sigma}^2$ are smoothed running averages of the sample mean and variance, respectively. The constraint $\gamma > 0$ is enforced to ease calculation of the log-det-Jacobian term.

This is an element-wise transform, and when applied to a vector, learns two parameters (γ, β) for each dimension of the input.

When the module is set to training mode, the moving averages of the sample mean and variance are updated every time the inverse operator is called, e.g., when a normalizing flow scores a minibatch with the `log_prob` method.

Also, when the module is set to training mode, the sample mean and variance on the current minibatch are used in place of the smoothed averages, $\hat{\mu}$ and $\hat{\sigma}^2$, for the inverse operator. For this reason it is not the case that $x = g(g^{-1}(x))$ during training, i.e., that the inverse operation is the inverse of the forward one.

Example usage:

```
>>> from pyro.nn import AutoRegressiveNN
>>> from pyro.distributions.transforms import AffineAutoregressive
>>> base_dist = dist.Normal(torch.zeros(10), torch.ones(10))
>>> iafs = [AffineAutoregressive(AutoRegressiveNN(10, [40])) for _ in range(2)]
>>> bn = BatchNorm(10)
>>> flow_dist = dist.TransformedDistribution(base_dist, [iafs[0], bn, iafs[1]])
>>> flow_dist.sample()
```

Parameters

- `input_dim` (`int`) – the dimension of the input
- `momentum` (`float`) – momentum parameter for updating moving averages
- `epsilon` (`float`) – small number to add to variances to ensure numerical stability

References:

[1] Sergey Ioffe and Christian Szegedy. Batch Normalization: Accelerating Deep Network Training by Reducing Internal Covariate Shift. In International Conference on Machine Learning, 2015. <https://arxiv.org/abs/1502.03167>

[2] Laurent Dinh, Jascha Sohl-Dickstein, and Samy Bengio. Density Estimation using Real NVP. In International Conference on Learning Representations, 2017. <https://arxiv.org/abs/1605.08803>

[3] George Papamakarios, Theo Pavlakou, and Iain Murray. Masked Autoregressive Flow for Density Estimation. In Neural Information Processing Systems, 2017. <https://arxiv.org/abs/1705.07057>

```
bijective = True
codomain: torch.distributions.constraints.Constraint = Real()
property constrained_gamma
domain: torch.distributions.constraints.Constraint = Real()
log_abs_det_jacobian(x, y)
    Calculates the elementwise determinant of the log Jacobian, dx/dy
```

4.4.4 BlockAutoregressive

```
class BlockAutoregressive(input_dim, hidden_factors=[8, 8], activation='tanh', residual=None)
Bases: pyro.distributions.torch\_transform.TransformModule
```

An implementation of Block Neural Autoregressive Flow (block-NAF) (De Cao et al., 2019) bijective transform. Block-NAF uses a similar transformation to deep dense NAF, building the autoregressive NN into the structure of the transform, in a sense.

Together with [TransformedDistribution](#) this provides a way to create richer variational approximations.

Example usage:

```
>>> base_dist = dist.Normal(torch.zeros(10), torch.ones(10))
>>> naf = BlockAutoregressive(input_dim=10)
>>> pyro.module("my_naf", naf)
>>> naf_dist = dist.TransformedDistribution(base_dist, [naf])
>>> naf_dist.sample()
```

The inverse operation is not implemented. This would require numerical inversion, e.g., using a root finding method - a possibility for a future implementation.

Parameters

- **input_dim** (*int*) – The dimensionality of the input and output variables.
- **hidden_factors** (*list*) – Hidden layer i has $\text{hidden_factors}[i]$ hidden units per input dimension. This corresponds to both a and b in De Cao et al. (2019). The elements of hidden_factors must be integers.
- **activation** (*string*) – Activation function to use. One of ‘ELU’, ‘LeakyReLU’, ‘sigmoid’, or ‘tanh’.
- **residual** (*string*) – Type of residual connections to use. Choices are “None”, “normal” for $y + f(y)$, and “gated” for $\alpha y + (1 - \alpha)y$ for learnable parameter α .

References:

[1] Nicola De Cao, Ivan Titov, Wilker Aziz. Block Neural Autoregressive Flow. [arXiv:1904.04676]

```
autoregressive = True
bijective = True
codomain: torch.distributions.constraints.Constraint =
IndependentConstraint(Real(), 1)
domain: torch.distributions.constraints.Constraint = IndependentConstraint(Real(),
1)
log_abs_det_jacobian(x, y)
    Calculates the elementwise determinant of the log jacobian
```

4.4.5 ConditionalAffineAutoregressive

```
class ConditionalAffineAutoregressive(autoregressive_nn, **kwargs)
    Bases: pyro.distributions.conditional.ConditionalTransformModule
```

An implementation of the bijective transform of Inverse Autoregressive Flow (IAF) that conditions on an additional context variable and uses, by default, Eq (10) from Kingma Et Al., 2016,

$$\mathbf{y} = \mu_t + \sigma_t \odot \mathbf{x}$$

where \mathbf{x} are the inputs, \mathbf{y} are the outputs, μ_t, σ_t are calculated from an autoregressive network on \mathbf{x} and context $\mathbf{z} \in \mathbb{R}^M$, and $\sigma_t > 0$.

If the stable keyword argument is set to True then the transformation used is,

$$\mathbf{y} = \sigma_t \odot \mathbf{x} + (1 - \sigma_t) \odot \mu_t$$

where σ_t is restricted to $(0, 1)$. This variant of IAF is claimed by the authors to be more numerically stable than one using Eq (10), although in practice it leads to a restriction on the distributions that can be represented, presumably since the input is restricted to rescaling by a number on $(0, 1)$.

Together with `ConditionalTransformedDistribution` this provides a way to create richer variational approximations.

Example usage:

```
>>> from pyro.nn import ConditionalAutoRegressiveNN
>>> input_dim = 10
>>> context_dim = 4
>>> batch_size = 3
>>> hidden_dims = [10*input_dim, 10*input_dim]
>>> base_dist = dist.Normal(torch.zeros(input_dim), torch.ones(input_dim))
>>> hypernet = ConditionalAutoRegressiveNN(input_dim, context_dim, hidden_dims)
>>> transform = ConditionalAffineAutoregressive(hypernet)
>>> pyro.module("my_transform", transform)
>>> z = torch.rand(batch_size, context_dim)
>>> flow_dist = dist.ConditionalTransformedDistribution(base_dist,
... [transform]).condition(z)
>>> flow_dist.sample(sample_shape=torch.Size([batch_size]))
```

The inverse of the Bijector is required when, e.g., scoring the log density of a sample with `TransformedDistribution`. This implementation caches the inverse of the Bijector when its forward operation is called, e.g., when sampling from `TransformedDistribution`. However, if the cached value isn't available, either because it was overwritten during sampling a new value or an arbitrary value is being scored, it will calculate it manually. Note that this is an operation that scales as $O(D)$ where D is the input dimension, and so should be avoided for large dimensional uses. So in general, it is cheap to sample from IAF and score a value that was sampled by IAF, but expensive to score an arbitrary value.

Parameters

- **autoregressive_nn** (`nn.Module`) – an autoregressive neural network whose forward call returns a real-valued mean and logit-scale as a tuple
- **log_scale_min_clip** (`float`) – The minimum value for clipping the log(scale) from the autoregressive NN
- **log_scale_max_clip** (`float`) – The maximum value for clipping the log(scale) from the autoregressive NN
- **sigmoid_bias** (`float`) – A term to add the logit of the input when using the stable transform.

- **stable** (`bool`) – When true, uses the alternative “stable” version of the transform (see above).

References:

[1] Diederik P. Kingma, Tim Salimans, Rafal Jozefowicz, Xi Chen, Ilya Sutskever, Max Welling. Improving Variational Inference with Inverse Autoregressive Flow. [arXiv:1606.04934]

[2] Danilo Jimenez Rezende, Shakir Mohamed. Variational Inference with Normalizing Flows. [arXiv:1505.05770]

[3] Mathieu Germain, Karol Gregor, Iain Murray, Hugo Larochelle. MADE: Masked Autoencoder for Distribution Estimation. [arXiv:1502.03509]

```
bijection = True
codomain = IndependentConstraint(Real(), 1)
condition(context)
    Conditions on a context variable, returning a non-conditional transform of type
    AffineAutoregressive.
domain = IndependentConstraint(Real(), 1)
training: bool
```

4.4.6 ConditionalAffineCoupling

```
class ConditionalAffineCoupling(split_dim, hypernet, **kwargs)
Bases: pyro.distributions.conditional.ConditionalTransformModule
```

An implementation of the affine coupling layer of RealNVP (Dinh et al., 2017) that conditions on an additional context variable and uses the bijective transform,

$$\mathbf{y}_{1:d} = \mathbf{x}_{1:d} \quad \mathbf{y}_{(d+1):D} = \mu + \sigma \odot \mathbf{x}_{(d+1):D}$$

where \mathbf{x} are the inputs, \mathbf{y} are the outputs, e.g. $\mathbf{x}_{1:d}$ represents the first d elements of the inputs, and μ, σ are shift and translation parameters calculated as the output of a function input $\mathbf{x}_{1:d}$ and a context variable $\mathbf{z} \in \mathbb{R}^M$.

That is, the first d components remain unchanged, and the subsequent $D - d$ are shifted and translated by a function of the previous components.

Together with `ConditionalTransformedDistribution` this provides a way to create richer variational approximations.

Example usage:

```
>>> from pyro.nn import ConditionalDenseNN
>>> input_dim = 10
>>> split_dim = 6
>>> context_dim = 4
>>> batch_size = 3
>>> base_dist = dist.Normal(torch.zeros(input_dim), torch.ones(input_dim))
>>> param_dims = [input_dim-split_dim, input_dim-split_dim]
>>> hypernet = ConditionalDenseNN(split_dim, context_dim, [10*input_dim],
... param_dims)
>>> transform = ConditionalAffineCoupling(split_dim, hypernet)
>>> pyro.module("my_transform", transform)
>>> z = torch.rand(batch_size, context_dim)
>>> flow_dist = dist.ConditionalTransformedDistribution(base_dist,
```

(continues on next page)

(continued from previous page)

```
... [transform]).condition(z)
>>> flow_dist.sample(sample_shape=torch.Size([batch_size]))
```

The inverse of the Bijector is required when, e.g., scoring the log density of a sample with [ConditionalTransformedDistribution](#). This implementation caches the inverse of the Bijector when its forward operation is called, e.g., when sampling from [ConditionalTransformedDistribution](#). However, if the cached value isn't available, either because it was overwritten during sampling a new value or an arbitrary value is being scored, it will calculate it manually.

This is an operation that scales as $O(1)$, i.e. constant in the input dimension. So in general, it is cheap to sample and score (an arbitrary value) from [ConditionalAffineCoupling](#).

Parameters

- **split_dim** (`int`) – Zero-indexed dimension d upon which to perform input/ output split for transformation.
- **hypernet** (`callable`) – A neural network whose forward call returns a real-valued mean and logit-scale as a tuple. The input should have final dimension `split_dim` and the output final dimension `input_dim-split_dim` for each member of the tuple. The network also inputs a context variable as a keyword argument in order to condition the output upon it.
- **log_scale_min_clip** (`float`) – The minimum value for clipping the log(scale) from the NN
- **log_scale_max_clip** (`float`) – The maximum value for clipping the log(scale) from the NN

References:

Laurent Dinh, Jascha Sohl-Dickstein, and Samy Bengio. Density estimation using Real NVP. ICLR 2017.

```
bijection = True
codomain = IndependentConstraint(Real(), 1)
condition(context)
    See pyro.distributions.conditional.CConditionalTransformModule.condition()
domain = IndependentConstraint(Real(), 1)
training: bool
```

4.4.7 ConditionalGeneralizedChannelPermute

```
class ConditionalGeneralizedChannelPermute(nn, channels=3, permutation=None)
Bases: pyro.distributions.conditional.CConditionalTransformModule
```

A bijection that generalizes a permutation on the channels of a batch of 2D image in $[\dots, C, H, W]$ format conditioning on an additional context variable. Specifically this transform performs the operation,

$$\mathbf{y} = \text{torch.nn.functional.conv2d}(\mathbf{x}, W)$$

where \mathbf{x} are the inputs, \mathbf{y} are the outputs, and $W \sim C \times C \times 1 \times 1$ is the filter matrix for a 1x1 convolution with C input and output channels.

Ignoring the final two dimensions, W is restricted to be the matrix product,

$$W = PLU$$

where $P \sim C \times C$ is a permutation matrix on the channel dimensions, and $LU \sim C \times C$ is an invertible product of a lower triangular and an upper triangular matrix that is the output of an NN with input $z \in \mathbb{R}^M$ representing the context variable to condition on.

The input x and output y both have shape \dots, C, H, W , where C is the number of channels set at initialization.

This operation was introduced in [1] for Glow normalizing flow, and is also known as 1x1 invertible convolution. It appears in other notable work such as [2,3], and corresponds to the class `tfp.bijectors.MatvecLU` of TensorFlow Probability.

Example usage:

```
>>> from pyro.nn.dense_nn import DenseNN
>>> context_dim = 5
>>> batch_size = 3
>>> channels = 3
>>> base_dist = dist.Normal(torch.zeros(channels, 32, 32),
... torch.ones(channels, 32, 32))
>>> hidden_dims = [context_dim*10, context_dim*10]
>>> nn = DenseNN(context_dim, hidden_dims, param_dims=[channels*channels])
>>> transform = ConditionalGeneralizedChannelPermute(nn, channels=channels)
>>> z = torch.rand(batch_size, context_dim)
>>> flow_dist = dist.ConditionalTransformedDistribution(base_dist,
... [transform]).condition(z)
>>> flow_dist.sample(sample_shape=torch.Size([batch_size]))
```

Parameters

- **nn** – a function inputting the context variable and outputting real-valued parameters of dimension C^2 .
- **channels** (`int`) – Number of channel dimensions in the input.

[1] Diederik P. Kingma, Prafulla Dhariwal. Glow: Generative Flow with Invertible 1x1 Convolutions. [arXiv:1807.03039]

[2] Ryan Prenger, Rafael Valle, Bryan Catanzaro. WaveGlow: A Flow-based Generative Network for Speech Synthesis. [arXiv:1811.00002]

[3] Conor Durkan, Artur Bekasov, Iain Murray, George Papamakarios. Neural Spline Flows. [arXiv:1906.04032]

```
bijective = True
codomain = IndependentConstraint(Real(), 3)
condition(context)
    See pyro.distributions.conditional.ConditionalTransformModule.condition()
domain = IndependentConstraint(Real(), 3)
training: bool
```

4.4.8 ConditionalHouseholder

```
class ConditionalHouseholder(input_dim, nn, count_transforms=1)
    Bases: pyro.distributions.conditional.ConditionalTransformModule
```

Represents multiple applications of the Householder bijective transformation conditioning on an additional context. A single Householder transformation takes the form,

$$\mathbf{y} = (\mathbf{I} - 2 * \frac{\mathbf{u}\mathbf{u}^T}{\|\mathbf{u}\|^2})\mathbf{x}$$

where \mathbf{x} are the inputs with dimension D , \mathbf{y} are the outputs, and $\mathbf{u} \in \mathbb{R}^D$ is the output of a function, e.g. a NN, with input $z \in \mathbb{R}^M$ representing the context variable to condition on.

The transformation represents the reflection of \mathbf{x} through the plane passing through the origin with normal \mathbf{u} .

D applications of this transformation are able to transform standard i.i.d. standard Gaussian noise into a Gaussian variable with an arbitrary covariance matrix. With $K < D$ transformations, one is able to approximate a full-rank Gaussian distribution using a linear transformation of rank K .

Together with `ConditionalTransformedDistribution` this provides a way to create richer variational approximations.

Example usage:

```
>>> from pyro.nn.dense_nn import DenseNN
>>> input_dim = 10
>>> context_dim = 5
>>> batch_size = 3
>>> base_dist = dist.Normal(torch.zeros(input_dim), torch.ones(input_dim))
>>> param_dims = [input_dim]
>>> hypernet = DenseNN(context_dim, [50, 50], param_dims)
>>> transform = ConditionalHouseholder(input_dim, hypernet)
>>> z = torch.rand(batch_size, context_dim)
>>> flow_dist = dist.ConditionalTransformedDistribution(base_dist,
... [transform]).condition(z)
>>> flow_dist.sample(sample_shape=torch.Size([batch_size]))
```

Parameters

- `input_dim` (`int`) – the dimension of the input (and output) variable.
- `nn` (`callable`) – a function inputting the context variable and outputting a triplet of real-valued parameters of dimensions $(1, D, D)$.
- `count_transforms` (`int`) – number of applications of Householder transformation to apply.

References:

[1] Jakub M. Tomczak, Max Welling. Improving Variational Auto-Encoders using Householder Flow. [arXiv:1611.09630]

```
bijective = True
codomain = IndependentConstraint(Real(), 1)
condition(context)
    See pyro.distributions.conditional.ConditionalTransformModule.condition()
domain = IndependentConstraint(Real(), 1)
```

`training: bool`

4.4.9 ConditionalMatrixExponential

```
class ConditionalMatrixExponential(input_dim, nn, iterations=8, normalization='none', bound=None)
Bases: pyro.distributions.conditional.ConditionalTransformModule
```

A dense matrix exponential bijective transform (Hoogeboom et al., 2020) that conditions on an additional context variable with equation,

$$\mathbf{y} = \exp(M)\mathbf{x}$$

where \mathbf{x} are the inputs, \mathbf{y} are the outputs, $\exp(\cdot)$ represents the matrix exponential, and $M \in \mathbb{R}^D \times \mathbb{R}^D$ is the output of a neural network conditioning on a context variable \mathbf{z} for input dimension D . In general, M is not required to be invertible.

Due to the favourable mathematical properties of the matrix exponential, the transform has an exact inverse and a log-determinate-Jacobian that scales in time-complexity as $O(D)$. Both the forward and reverse operations are approximated with a truncated power series. For numerical stability, the norm of M can be restricted with the `normalization` keyword argument.

Example usage:

```
>>> from pyro.nn.dense_nn import DenseNN
>>> input_dim = 10
>>> context_dim = 5
>>> batch_size = 3
>>> base_dist = dist.Normal(torch.zeros(input_dim), torch.ones(input_dim))
>>> param_dims = [input_dim*input_dim]
>>> hypernet = DenseNN(context_dim, [50, 50], param_dims)
>>> transform = ConditionalMatrixExponential(input_dim, hypernet)
>>> z = torch.rand(batch_size, context_dim)
>>> flow_dist = dist.ConditionalTransformedDistribution(base_dist,
... [transform]).condition(z)
>>> flow_dist.sample(sample_shape=torch.Size([batch_size]))
```

Parameters

- `input_dim` (`int`) – the dimension of the input (and output) variable.
- `iterations` (`int`) – the number of terms to use in the truncated power series that approximates matrix exponentiation.
- `normalization` (`string`) – One of [`'none'`, `'weight'`, `'spectral'`] normalization that selects what type of normalization to apply to the weight matrix. `weight` corresponds to weight normalization (Salimans and Kingma, 2016) and `spectral` to spectral normalization (Miyato et al, 2018).
- `bound` (`float`) – a bound on either the weight or spectral norm, when either of those two types of regularization are chosen by the `normalization` argument. A lower value for this results in fewer required terms of the truncated power series to closely approximate the exact value of the matrix exponential.

References:

- [1] Emiel Hoogeboom, Victor Garcia Satorras, Jakub M. Tomczak, Max Welling. The Convolution Exponential and Generalized Sylvester Flows. [arXiv:2006.01910]

[2] Tim Salimans, Diederik P. Kingma. Weight Normalization: A Simple Reparameterization to Accelerate Training of Deep Neural Networks. [arXiv:1602.07868]

[3] Takeru Miyato, Toshiki Kataoka, Masanori Koyama, Yuichi Yoshida. Spectral Normalization for Generative Adversarial Networks. ICLR 2018.

```
bijection = True
codomain = IndependentConstraint(Real(), 1)
condition(context)
    See pyro.distributions.conditional.ConditionalTransformModule.condition()
domain = IndependentConstraint(Real(), 1)
training: bool
```

4.4.10 ConditionalNeuralAutoregressive

```
class ConditionalNeuralAutoregressive(autoregressive_nn, **kwargs)
Bases: pyro.distributions.conditional.ConditionalTransformModule
```

An implementation of the deep Neural Autoregressive Flow (NAF) bijective transform of the “IAF flavour” conditioning on an additional context variable that can be used for sampling and scoring samples drawn from it (but not arbitrary ones).

Example usage:

```
>>> from pyro.nn import ConditionalAutoRegressiveNN
>>> input_dim = 10
>>> context_dim = 5
>>> batch_size = 3
>>> base_dist = dist.Normal(torch.zeros(input_dim), torch.ones(input_dim))
>>> arn = ConditionalAutoRegressiveNN(input_dim, context_dim, [40],
... param_dims=[16]*3)
>>> transform = ConditionalNeuralAutoregressive(arn, hidden_units=16)
>>> pyro.module("my_transform", transform)
>>> z = torch.rand(batch_size, context_dim)
>>> flow_dist = dist.ConditionalTransformedDistribution(base_dist,
... [transform]).condition(z)
>>> flow_dist.sample(sample_shape=torch.Size([batch_size]))
```

The inverse operation is not implemented. This would require numerical inversion, e.g., using a root finding method - a possibility for a future implementation.

Parameters

- **autoregressive_nn** (*nn.Module*) – an autoregressive neural network whose forward call returns a tuple of three real-valued tensors, whose last dimension is the input dimension, and whose penultimate dimension is equal to `hidden_units`.
- **hidden_units** (*int*) – the number of hidden units to use in the NAF transformation (see Eq (8) in reference)
- **activation** (*string*) – Activation function to use. One of ‘ELU’, ‘LeakyReLU’, ‘sigmoid’, or ‘tanh’.

Reference:

[1] Chin-Wei Huang, David Krueger, Alexandre Lacoste, Aaron Courville. Neural Autoregressive Flows. [arXiv:1804.00779]

```
bijection = True
codomain = IndependentConstraint(Real(), 1)
condition(context)
    Conditions on a context variable, returning a non-conditional transform of type
    NeuralAutoregressive.
domain = IndependentConstraint(Real(), 1)
training: bool
```

4.4.11 ConditionalPlanar

```
class ConditionalPlanar(nn)
    Bases: pyro.distributions.conditional.ConditionalTransformModule
```

A conditional ‘planar’ bijective transform using the equation,

$$\mathbf{y} = \mathbf{x} + \mathbf{u} \tanh(\mathbf{w}^T \mathbf{z} + b)$$

where \mathbf{x} are the inputs with dimension D , \mathbf{y} are the outputs, and the pseudo-parameters $b \in \mathbb{R}$, $\mathbf{u} \in \mathbb{R}^D$, and $\mathbf{w} \in \mathbb{R}^D$ are the output of a function, e.g. a NN, with input $z \in \mathbb{R}^M$ representing the context variable to condition on. For this to be an invertible transformation, the condition $\mathbf{w}^T \mathbf{u} > -1$ is enforced.

Together with *ConditionalTransformedDistribution* this provides a way to create richer variational approximations.

Example usage:

```
>>> from pyro.nn.dense_nn import DenseNN
>>> input_dim = 10
>>> context_dim = 5
>>> batch_size = 3
>>> base_dist = dist.Normal(torch.zeros(input_dim), torch.ones(input_dim))
>>> param_dims = [1, input_dim, input_dim]
>>> hypernet = DenseNN(context_dim, [50, 50], param_dims)
>>> transform = ConditionalPlanar(hypernet)
>>> z = torch.rand(batch_size, context_dim)
>>> flow_dist = dist.ConditionalTransformedDistribution(base_dist,
... [transform]).condition(z)
>>> flow_dist.sample(sample_shape=torch.Size([batch_size]))
```

The inverse of this transform does not possess an analytical solution and is left unimplemented. However, the inverse is cached when the forward operation is called during sampling, and so samples drawn using the planar transform can be scored.

Parameters nn (callable) – a function inputting the context variable and outputting a triplet of real-valued parameters of dimensions $(1, D, D)$.

References: [1] Variational Inference with Normalizing Flows [arXiv:1505.05770] Danilo Jimenez Rezende, Shakir Mohamed

```
bijection = True
codomain = IndependentConstraint(Real(), 1)
```

```
condition(context)
    See pyro.distributions.conditional.ConditionalTransformModule.condition()

domain = IndependentConstraint(Real(), 1)
training: bool
```

4.4.12 ConditionalRadial

```
class ConditionalRadial(nn)
    Bases: pyro.distributions.conditional.ConditionalTransformModule
```

A conditional ‘radial’ bijective transform context using the equation,

$$\mathbf{y} = \mathbf{x} + \beta h(\alpha, r)(\mathbf{x} - \mathbf{x}_0)$$

where \mathbf{x} are the inputs, \mathbf{y} are the outputs, and $\alpha \in \mathbb{R}^+$, $\beta \in \mathbb{R}$, and $\mathbf{x}_0 \in \mathbb{R}^D$, are the output of a function, e.g. a NN, with input $z \in \mathbb{R}^M$ representing the context variable to condition on. The input dimension is D , $r = \|\mathbf{x} - \mathbf{x}_0\|_2$, and $h(\alpha, r) = 1/(\alpha + r)$. For this to be an invertible transformation, the condition $\beta > -\alpha$ is enforced.

Example usage:

```
>>> from pyro.nn.dense_nn import DenseNN
>>> input_dim = 10
>>> context_dim = 5
>>> batch_size = 3
>>> base_dist = dist.Normal(torch.zeros(input_dim), torch.ones(input_dim))
>>> param_dims = [input_dim, 1, 1]
>>> hypernet = DenseNN(context_dim, [50, 50], param_dims)
>>> transform = ConditionalRadial(hypernet)
>>> z = torch.rand(batch_size, context_dim)
>>> flow_dist = dist.ConditionalTransformedDistribution(base_dist,
... [transform]).condition(z)
>>> flow_dist.sample(sample_shape=torch.Size([batch_size]))
```

The inverse of this transform does not possess an analytical solution and is left unimplemented. However, the inverse is cached when the forward operation is called during sampling, and so samples drawn using the radial transform can be scored.

Parameters `input_dim` (`int`) – the dimension of the input (and output) variable.

References:

[1] Danilo Jimenez Rezende, Shakir Mohamed. Variational Inference with Normalizing Flows. [arXiv:1505.05770]

```
bijection = True
codomain = IndependentConstraint(Real(), 1)
condition(context)
    See pyro.distributions.conditional.ConditionalTransformModule.condition()
domain = IndependentConstraint(Real(), 1)
training: bool
```

4.4.13 ConditionalSpline

```
class ConditionalSpline(nn, input_dim, count_bins, bound=3.0, order='linear')
    Bases: pyro.distributions.conditional.ConditionalTransformModule
```

An implementation of the element-wise rational spline bijections of linear and quadratic order (Durkan et al., 2019; Dolatabadi et al., 2020) conditioning on an additional context variable.

Rational splines are functions that are comprised of segments that are the ratio of two polynomials. For instance, for the d -th dimension and the k -th segment on the spline, the function will take the form,

$$y_d = \frac{\alpha^{(k)}(x_d)}{\beta^{(k)}(x_d)},$$

where $\alpha^{(k)}$ and $\beta^{(k)}$ are two polynomials of order d whose parameters are the output of a function, e.g. a NN, with input z

in

$mathbb{R}^M$ representing the context variable to condition on.. For $d = 1$, we say that the spline is linear, and for $d = 2$, quadratic. The spline is constructed on the specified bounding box, $[-K, K] \times [-K, K]$, with the identity function used elsewhere.

Rational splines offer an excellent combination of functional flexibility whilst maintaining a numerically stable inverse that is of the same computational and space complexities as the forward operation. This element-wise transform permits the accurate representation of complex univariate distributions.

Example usage:

```
>>> from pyro.nn.dense_nn import DenseNN
>>> input_dim = 10
>>> context_dim = 5
>>> batch_size = 3
>>> count_bins = 8
>>> base_dist = dist.Normal(torch.zeros(input_dim), torch.ones(input_dim))
>>> param_dims = [input_dim * count_bins, input_dim * count_bins,
...     input_dim * (count_bins - 1), input_dim * count_bins]
>>> hypernet = DenseNN(context_dim, [50, 50], param_dims)
>>> transform = ConditionalSpline(hypernet, input_dim, count_bins)
>>> z = torch.rand(batch_size, context_dim)
>>> flow_dist = dist.ConditionalTransformedDistribution(base_dist,
...     [transform]).condition(z)
>>> flow_dist.sample(sample_shape=torch.Size([batch_size]))
```

Parameters

- **input_dim** (`int`) – Dimension of the input vector. This is required so we know how many parameters to store.
- **count_bins** (`int`) – The number of segments comprising the spline.
- **bound** (`float`) – The quantity K determining the bounding box, $[-K, K] \times [-K, K]$, of the spline.
- **order** (`string`) – One of ['linear', 'quadratic'] specifying the order of the spline.

References:

Conor Durkan, Artur Bekasov, Iain Murray, George Papamakarios. Neural Spline Flows. NeurIPS 2019.

Hadi M. Dolatabadi, Sarah Erfani, Christopher Leckie. Invertible Generative Modeling using Linear Rational Splines. AISTATS 2020.

```

bijection = True
codomain = Real()
condition(context)
    See pyro.distributions.conditional.ConditionalTransformModule.condition()
domain = Real()
training: bool

```

4.4.14 ConditionalSplineAutoregressive

```

class ConditionalSplineAutoregressive(input_dim, autoregressive_nn, **kwargs)
    Bases: pyro.distributions.conditional.ConditionalTransformModule

```

An implementation of the autoregressive layer with rational spline bijections of linear and quadratic order (Durkan et al., 2019; Dolatabadi et al., 2020) that conditions on an additional context variable. Rational splines are functions that are comprised of segments that are the ratio of two polynomials (see [Spline](#)).

The autoregressive layer uses the transformation,

$$y_d = g_{\theta_d}(x_d) \quad d = 1, 2, \dots, D$$

where $\mathbf{x} = (x_1, x_2, \dots, x_D)$ are the inputs, $\mathbf{y} = (y_1, y_2, \dots, y_D)$ are the outputs, g_{θ_d} is an elementwise rational monotonic spline with parameters θ_d , and $\theta = (\theta_1, \theta_2, \dots, \theta_D)$ is the output of a conditional autoregressive NN inputting \mathbf{x} and conditioning on the context variable \mathbf{z} .

Example usage:

```

>>> from pyro.nn import ConditionalAutoRegressiveNN
>>> input_dim = 10
>>> count_bins = 8
>>> context_dim = 5
>>> batch_size = 3
>>> base_dist = dist.Normal(torch.zeros(input_dim), torch.ones(input_dim))
>>> hidden_dims = [input_dim * 10, input_dim * 10]
>>> param_dims = [count_bins, count_bins, count_bins - 1, count_bins]
>>> hypernet = ConditionalAutoRegressiveNN(input_dim, context_dim, hidden_dims,
... param_dims=param_dims)
>>> transform = ConditionalSplineAutoregressive(input_dim, hypernet,
... count_bins=count_bins)
>>> pyro.module("my_transform", transform)
>>> z = torch.rand(batch_size, context_dim)
>>> flow_dist = dist.ConditionalTransformedDistribution(base_dist,
... [transform]).condition(z)
>>> flow_dist.sample(sample_shape=torch.Size([batch_size]))

```

Parameters

- ***input_dim*** (*int*) – Dimension of the input vector. Despite operating element-wise, this is required so we know how many parameters to store.
- ***autoregressive_nn*** (*callable*) – an autoregressive neural network whose forward call returns tuple of the spline parameters
- ***count_bins*** (*int*) – The number of segments comprising the spline.

- **bound** (`float`) – The quantity K determining the bounding box, $[-K, K] \times [-K, K]$, of the spline.
- **order** (`string`) – One of ['linear', 'quadratic'] specifying the order of the spline.

References:

Conor Durkan, Artur Bekasov, Iain Murray, George Papamakarios. Neural Spline Flows. NeurIPS 2019.
Hadi M. Dolatabadi, Sarah Erfani, Christopher Leckie. Invertible Generative Modeling using Linear Rational Splines. AISTATS 2020.

```
bijective = True
codomain = IndependentConstraint(Real(), 1)
condition(context)
    Conditions on a context variable, returning a non-conditional transform of type
    SplineAutoregressive.
domain = IndependentConstraint(Real(), 1)
training: bool
```

4.4.15 ConditionalTransformModule

```
class ConditionalTransformModule(*args, **kwargs)
Bases: pyro.distributions.conditional.ConditionalTransform, torch.nn.modules.module.Module
Conditional transforms with learnable parameters such as normalizing flows should inherit from this class rather than ConditionalTransform so they are also a subclass of Module and inherit all the useful methods of that class.
training: bool
```

4.4.16 GeneralizedChannelPermute

```
class GeneralizedChannelPermute(channels=3, permutation=None)
Bases: pyro.distributions.transforms.generalized_channel_permute.GeneralizedChannelPermute, pyro.distributions.torch_transform.TransformModule
```

A bijection that generalizes a permutation on the channels of a batch of 2D image in $[\dots, C, H, W]$ format. Specifically this transform performs the operation,

$$\mathbf{y} = \text{torch.nn.functional.conv2d}(\mathbf{x}, W)$$

where \mathbf{x} are the inputs, \mathbf{y} are the outputs, and $W \sim C \times C \times 1 \times 1$ is the filter matrix for a 1x1 convolution with C input and output channels.

Ignoring the final two dimensions, W is restricted to be the matrix product,

$$W = PLU$$

where $P \sim C \times C$ is a permutation matrix on the channel dimensions, $L \sim C \times C$ is a lower triangular matrix with ones on the diagonal, and $U \sim C \times C$ is an upper triangular matrix. W is initialized to a random orthogonal matrix. Then, P is fixed and the learnable parameters set to L, U .

The input \mathbf{x} and output \mathbf{y} both have shape $[\dots, C, H, W]$, where C is the number of channels set at initialization.

This operation was introduced in [1] for Glow normalizing flow, and is also known as 1x1 invertible convolution. It appears in other notable work such as [2,3], and corresponds to the class `tfp.bijectors.MatvecLU` of TensorFlow Probability.

Example usage:

```
>>> channels = 3
>>> base_dist = dist.Normal(torch.zeros(channels, 32, 32),
... torch.ones(channels, 32, 32))
>>> inv_conv = GeneralizedChannelPermute(channels=channels)
>>> flow_dist = dist.TransformedDistribution(base_dist, [inv_conv])
>>> flow_dist.sample()
```

Parameters `channels` (`int`) – Number of channel dimensions in the input.

[1] Diederik P. Kingma, Prafulla Dhariwal. Glow: Generative Flow with Invertible 1x1 Convolutions. [arXiv:1807.03039]

[2] Ryan Prenger, Rafael Valle, Bryan Catanzaro. WaveGlow: A Flow-based Generative Network for Speech Synthesis. [arXiv:1811.00002]

[3] Conor Durkan, Artur Bekasov, Iain Murray, George Papamakarios. Neural Spline Flows. [arXiv:1906.04032]

```
bijective = True
codomain: torch.distributions.constraints.Constraint =
IndependentConstraint(Real(), 3)
domain: torch.distributions.constraints.Constraint = IndependentConstraint(Real(),
3)
```

4.4.17 Householder

```
class Householder(input_dim, count_transforms=1)
Bases:      pyro.distributions.transforms.householder.ConditionedHouseholder,      pyro.
distributions.torch_transform.TransformModule
```

Represents multiple applications of the Householder bijective transformation. A single Householder transformation takes the form,

$$\mathbf{y} = (I - 2 * \frac{\mathbf{u}\mathbf{u}^T}{\|\mathbf{u}\|^2})\mathbf{x}$$

where \mathbf{x} are the inputs, \mathbf{y} are the outputs, and the learnable parameters are $\mathbf{u} \in \mathbb{R}^D$ for input dimension D .

The transformation represents the reflection of \mathbf{x} through the plane passing through the origin with normal \mathbf{u} .

D applications of this transformation are able to transform standard i.i.d. standard Gaussian noise into a Gaussian variable with an arbitrary covariance matrix. With $K < D$ transformations, one is able to approximate a full-rank Gaussian distribution using a linear transformation of rank K .

Together with `TransformedDistribution` this provides a way to create richer variational approximations.

Example usage:

```
>>> base_dist = dist.Normal(torch.zeros(10), torch.ones(10))
>>> transform = Householder(10, count_transforms=5)
>>> pyro.module("my_transform", p)
```

(continues on next page)

(continued from previous page)

```
>>> flow_dist = dist.TransformedDistribution(base_dist, [transform])
>>> flow_dist.sample()
```

Parameters

- **input_dim** (`int`) – the dimension of the input (and output) variable.
- **count_transforms** (`int`) – number of applications of Householder transformation to apply.

References:

[1] Jakub M. Tomczak, Max Welling. Improving Variational Auto-Encoders using Householder Flow. [arXiv:1611.09630]

```
bijective = True
codomain: torch.distributions.constraints.Constraint =
IndependentConstraint(Real(), 1)
domain: torch.distributions.constraints.Constraint = IndependentConstraint(Real(),
1)
reset_parameters()
volume_preserving = True
```

4.4.18 MatrixExponential

```
class MatrixExponential(input_dim, iterations=8, normalization='none', bound=None)
Bases: pyro.distributions.transforms.matrix_exponential.ConditionedMatrixExponential,
pyro.distributions.torch_transform.TransformModule
```

A dense matrix exponential bijective transform (Hoogeboom et al., 2020) with equation,

$$\mathbf{y} = \exp(M)\mathbf{x}$$

where \mathbf{x} are the inputs, \mathbf{y} are the outputs, $\exp(\cdot)$ represents the matrix exponential, and the learnable parameters are $M \in \mathbb{R}^D \times \mathbb{R}^D$ for input dimension D . In general, M is not required to be invertible.

Due to the favourable mathematical properties of the matrix exponential, the transform has an exact inverse and a log-determinate-Jacobian that scales in time-complexity as $O(D)$. Both the forward and reverse operations are approximated with a truncated power series. For numerical stability, the norm of M can be restricted with the *normalization* keyword argument.

Example usage:

```
>>> base_dist = dist.Normal(torch.zeros(10), torch.ones(10))
>>> transform = MatrixExponential(10)
>>> pyro.module("my_transform", transform)
>>> flow_dist = dist.TransformedDistribution(base_dist, [transform])
>>> flow_dist.sample()
```

Parameters

- **input_dim** (`int`) – the dimension of the input (and output) variable.

- **iterations** (*int*) – the number of terms to use in the truncated power series that approximates matrix exponentiation.
- **normalization** (*string*) – One of [*'none'*, *'weight'*, *'spectral'*] normalization that selects what type of normalization to apply to the weight matrix. *weight* corresponds to weight normalization (Salimans and Kingma, 2016) and *spectral* to spectral normalization (Miyato et al, 2018).
- **bound** (*float*) – a bound on either the weight or spectral norm, when either of those two types of regularization are chosen by the *normalization* argument. A lower value for this results in fewer required terms of the truncated power series to closely approximate the exact value of the matrix exponential.

References:

- [1] Emiel Hoogeboom, Victor Garcia Satorras, Jakub M. Tomczak, Max Welling. The Convolution Exponential and Generalized Sylvester Flows. [arXiv:2006.01910]
- [2] Tim Salimans, Diederik P. Kingma. Weight Normalization: A Simple Reparameterization to Accelerate Training of Deep Neural Networks. [arXiv:1602.07868]
- [3] Takeru Miyato, Toshiki Kataoka, Masanori Koyama, Yuichi Yoshida. Spectral Normalization for Generative Adversarial Networks. ICLR 2018.

```
bijection = True
codomain: torch.distributions.constraints.Constraint =
IndependentConstraint(Real(), 1)
domain: torch.distributions.constraints.Constraint = IndependentConstraint(Real(),
1)
reset_parameters()
```

4.4.19 NeuralAutoregressive

```
class NeuralAutoregressive(autoregressive_nn, hidden_units=16, activation='sigmoid')
Bases: pyro.distributions.torch_transform.TransformModule
```

An implementation of the deep Neural Autoregressive Flow (NAF) bijective transform of the “IAF flavour” that can be used for sampling and scoring samples drawn from it (but not arbitrary ones).

Example usage:

```
>>> from pyro.nn import AutoRegressiveNN
>>> base_dist = dist.Normal(torch.zeros(10), torch.ones(10))
>>> arn = AutoRegressiveNN(10, [40], param_dims=[16]*3)
>>> transform = NeuralAutoregressive(arn, hidden_units=16)
>>> pyro.module("my_transform", transform)
>>> flow_dist = dist.TransformedDistribution(base_dist, [transform])
>>> flow_dist.sample()
```

The inverse operation is not implemented. This would require numerical inversion, e.g., using a root finding method - a possibility for a future implementation.

Parameters

- **autoregressive_nn** (*nn.Module*) – an autoregressive neural network whose forward call returns a tuple of three real-valued tensors, whose last dimension is the input dimension, and whose penultimate dimension is equal to *hidden_units*.

- **hidden_units** (`int`) – the number of hidden units to use in the NAF transformation (see Eq (8) in reference)
- **activation** (`string`) – Activation function to use. One of ‘ELU’, ‘LeakyReLU’, ‘sigmoid’, or ‘tanh’.

Reference:

[1] Chin-Wei Huang, David Krueger, Alexandre Lacoste, Aaron Courville. Neural Autoregressive Flows. [arXiv:1804.00779]

```
autoregressive = True
bijection = True
codomain: torch.distributions.constraints.Constraint =
IndependentConstraint(Real(), 1)
domain: torch.distributions.constraints.Constraint = IndependentConstraint(Real(),
1)
eps = 1e-08
log_abs_det_jacobian(x, y)
    Calculates the elementwise determinant of the log Jacobian
```

4.4.20 Planar

```
class Planar(input_dim)
Bases: pyro.distributions.transforms.planar.ConditionedPlanar, pyro.distributions.
torch_transform.TransformModule
```

A ‘planar’ bijective transform with equation,

$$\mathbf{y} = \mathbf{x} + \mathbf{u} \tanh(\mathbf{w}^T \mathbf{z} + b)$$

where \mathbf{x} are the inputs, \mathbf{y} are the outputs, and the learnable parameters are $b \in \mathbb{R}$, $\mathbf{u} \in \mathbb{R}^D$, $\mathbf{w} \in \mathbb{R}^D$ for input dimension D . For this to be an invertible transformation, the condition $\mathbf{w}^T \mathbf{u} > -1$ is enforced.

Together with `TransformedDistribution` this provides a way to create richer variational approximations.

Example usage:

```
>>> base_dist = dist.Normal(torch.zeros(10), torch.ones(10))
>>> transform = Planar(10)
>>> pyro.module("my_transform", transform)
>>> flow_dist = dist.TransformedDistribution(base_dist, [transform])
>>> flow_dist.sample()
```

The inverse of this transform does not possess an analytical solution and is left unimplemented. However, the inverse is cached when the forward operation is called during sampling, and so samples drawn using the planar transform can be scored.

Parameters `input_dim` (`int`) – the dimension of the input (and output) variable.

References:

[1] Danilo Jimenez Rezende, Shakir Mohamed. Variational Inference with Normalizing Flows. [arXiv:1505.05770]

```
bijection = True
```

```

codomain: torch.distributions.constraints.Constraint =
IndependentConstraint(Real(), 1)
domain: torch.distributions.constraints.Constraint = IndependentConstraint(Real(),
1)
reset_parameters()

```

4.4.21 Polynomial

class Polynomial(autoregressive_nn, input_dim, count_degree, count_sum)
Bases: `pyro.distributions.torch_transform.TransformModule`

An autoregressive bijective transform as described in Jaini et al. (2019) applying following equation element-wise,

$$y_n = c_n + \int_0^{x_n} \sum_{k=1}^K \left(\sum_{r=0}^R a_{r,k}^{(n)} u^r \right) du$$

where x_n is the n is the n , $\{a_{r,k}^{(n)} \in \mathbb{R}\}$ are learnable parameters that are the output of an autoregressive NN inputting $x_{\prec n} = x_1, x_2, \dots, x_{n-1}$.

Together with `TransformedDistribution` this provides a way to create richer variational approximations.

Example usage:

```

>>> from pyro.nn import AutoRegressiveNN
>>> input_dim = 10
>>> count_degree = 4
>>> count_sum = 3
>>> base_dist = dist.Normal(torch.zeros(input_dim), torch.ones(input_dim))
>>> param_dims = [(count_degree + 1)*count_sum]
>>> arn = AutoRegressiveNN(input_dim, [input_dim*10], param_dims)
>>> transform = Polynomial(arn, input_dim=input_dim, count_degree=count_degree,
... count_sum=count_sum)
>>> pyro.module("my_transform", transform)
>>> flow_dist = dist.TransformedDistribution(base_dist, [transform])
>>> flow_dist.sample()

```

The inverse of this transform does not possess an analytical solution and is left unimplemented. However, the inverse is cached when the forward operation is called during sampling, and so samples drawn using a polynomial transform can be scored.

Parameters

- **autoregressive_nn** (`nn.Module`) – an autoregressive neural network whose forward call returns a tensor of real-valued numbers of size $(batch_size, (count_degree+1)*count_sum, input_dim)$
- **count_degree** (`int`) – The degree of the polynomial to use for each element-wise transformation.
- **count_sum** (`int`) – The number of polynomials to sum in each element-wise transformation.

References:

[1] Priyank Jaini, Kira A. Shelby, Yaoliang Yu. Sum-of-squares polynomial flow. [arXiv:1905.02325]

`autoregressive = True`

`bijection = True`

```

codomain: torch.distributions.constraints.Constraint =
IndependentConstraint(Real(), 1)

domain: torch.distributions.constraints.Constraint = IndependentConstraint(Real(),
1)

log_abs_det_jacobian(x, y)
    Calculates the elementwise determinant of the log Jacobian

reset_parameters()

```

4.4.22 Radial

```

class Radial(input_dim)
Bases: pyro.distributions.transforms.radial.ConditionedRadial, pyro.distributions.
torch_transform.TransformModule

```

A ‘radial’ bijective transform using the equation,

$$\mathbf{y} = \mathbf{x} + \beta h(\alpha, r)(\mathbf{x} - \mathbf{x}_0)$$

where \mathbf{x} are the inputs, \mathbf{y} are the outputs, and the learnable parameters are $\alpha \in \mathbb{R}^+$, $\beta \in \mathbb{R}$, $\mathbf{x}_0 \in \mathbb{R}^D$, for input dimension D , $r = \|\mathbf{x} - \mathbf{x}_0\|_2$, $h(\alpha, r) = 1/(\alpha + r)$. For this to be an invertible transformation, the condition $\beta > -\alpha$ is enforced.

Example usage:

```

>>> base_dist = dist.Normal(torch.zeros(10), torch.ones(10))
>>> transform = Radial(10)
>>> pyro.module("my_transform", transform)
>>> flow_dist = dist.TransformedDistribution(base_dist, [transform])
>>> flow_dist.sample()

```

The inverse of this transform does not possess an analytical solution and is left unimplemented. However, the inverse is cached when the forward operation is called during sampling, and so samples drawn using the radial transform can be scored.

Parameters `input_dim` (`int`) – the dimension of the input (and output) variable.

References:

[1] Danilo Jimenez Rezende, Shakir Mohamed. Variational Inference with Normalizing Flows. [arXiv:1505.05770]

```

bijection = True

codomain: torch.distributions.constraints.Constraint =
IndependentConstraint(Real(), 1)

domain: torch.distributions.constraints.Constraint = IndependentConstraint(Real(),
1)

reset_parameters()

```

4.4.23 Spline

```
class Spline(input_dim, count_bins=8, bound=3.0, order='linear')
    Bases: pyro.distributions.transforms.spline.ConditionedSpline, pyro.distributions.
            torch_transform.TransformModule
```

An implementation of the element-wise rational spline bijections of linear and quadratic order (Durkan et al., 2019; Dolatabadi et al., 2020). Rational splines are functions that are comprised of segments that are the ratio of two polynomials. For instance, for the d -th dimension and the k -th segment on the spline, the function will take the form,

$$y_d = \frac{\alpha^{(k)}(x_d)}{\beta^{(k)}(x_d)},$$

where $\alpha^{(k)}$ and $\beta^{(k)}$ are two polynomials of order d . For $d = 1$, we say that the spline is linear, and for $d = 2$, quadratic. The spline is constructed on the specified bounding box, $[-K, K] \times [-K, K]$, with the identity function used elsewhere.

Rational splines offer an excellent combination of functional flexibility whilst maintaining a numerically stable inverse that is of the same computational and space complexities as the forward operation. This element-wise transform permits the accurate representation of complex univariate distributions.

Example usage:

```
>>> base_dist = dist.Normal(torch.zeros(10), torch.ones(10))
>>> transform = Spline(10, count_bins=4, bound=3.)
>>> pyro.module("my_transform", transform)
>>> flow_dist = dist.TransformedDistribution(base_dist, [transform])
>>> flow_dist.sample()
```

Parameters

- **input_dim** (`int`) – Dimension of the input vector. This is required so we know how many parameters to store.
- **count_bins** (`int`) – The number of segments comprising the spline.
- **bound** (`float`) – The quantity K determining the bounding box, $[-K, K] \times [-K, K]$, of the spline.
- **order** (`string`) – One of ['linear', 'quadratic'] specifying the order of the spline.

References:

Conor Durkan, Artur Bekasov, Iain Murray, George Papamakarios. Neural Spline Flows. NeurIPS 2019.

Hadi M. Dolatabadi, Sarah Erfani, Christopher Leckie. Invertible Generative Modeling using Linear Rational Splines. AISTATS 2020.

```
bijection = True
codomain: torch.distributions.constraints.Constraint = Real()
domain: torch.distributions.constraints.Constraint = Real()
```

4.4.24 SplineAutoregressive

```
class SplineAutoregressive(input_dim, autoregressive_nn, count_bins=8, bound=3.0, order='linear')
    Bases: pyro.distributions.torch_transform.TransformModule
```

An implementation of the autoregressive layer with rational spline bijections of linear and quadratic order (Durkan et al., 2019; Dolatabadi et al., 2020). Rational splines are functions that are comprised of segments that are the ratio of two polynomials (see [Spline](#)).

The autoregressive layer uses the transformation,

$$y_d = g_{\theta_d}(x_d) \quad d = 1, 2, \dots, D$$

where $\mathbf{x} = (x_1, x_2, \dots, x_D)$ are the inputs, $\mathbf{y} = (y_1, y_2, \dots, y_D)$ are the outputs, g_{θ_d} is an elementwise rational monotonic spline with parameters θ_d , and $\theta = (\theta_1, \theta_2, \dots, \theta_D)$ is the output of an autoregressive NN inputting \mathbf{x} .

Example usage:

```
>>> from pyro.nn import AutoRegressiveNN
>>> input_dim = 10
>>> count_bins = 8
>>> base_dist = dist.Normal(torch.zeros(input_dim), torch.ones(input_dim))
>>> hidden_dims = [input_dim * 10, input_dim * 10]
>>> param_dims = [count_bins, count_bins, count_bins - 1, count_bins]
>>> hypernet = AutoRegressiveNN(input_dim, hidden_dims, param_dims=param_dims)
>>> transform = SplineAutoregressive(input_dim, hypernet, count_bins=count_bins)
>>> pyro.module("my_transform", transform)
>>> flow_dist = dist.TransformedDistribution(base_dist, [transform])
>>> flow_dist.sample()
```

Parameters

- **input_dim** (`int`) – Dimension of the input vector. Despite operating element-wise, this is required so we know how many parameters to store.
- **autoregressive_nn** (`callable`) – an autoregressive neural network whose forward call returns tuple of the spline parameters
- **count_bins** (`int`) – The number of segments comprising the spline.
- **bound** (`float`) – The quantity K determining the bounding box, $[-K, K] \times [-K, K]$, of the spline.
- **order** (`string`) – One of ['linear', 'quadratic'] specifying the order of the spline.

References:

Conor Durkan, Artur Bekasov, Iain Murray, George Papamakarios. Neural Spline Flows. NeurIPS 2019.

Hadi M. Dolatabadi, Sarah Erfani, Christopher Leckie. Invertible Generative Modeling using Linear Rational Splines. AISTATS 2020.

```
autoregressive = True
bijective = True
codomain: torch.distributions.constraints.Constraint =
IndependentConstraint(Real(), 1)
domain: torch.distributions.constraints.Constraint = IndependentConstraint(Real(),
1)
```

log_abs_det_jacobian(*x, y*)
 Calculates the elementwise determinant of the log Jacobian

4.4.25 SplineCoupling

```
class SplineCoupling(input_dim, split_dim, hypernet, count_bins=8, bound=3.0, order='linear',
                      identity=False)
Bases: pyro.distributions.torch_transform.TransformModule
```

An implementation of the coupling layer with rational spline bijections of linear and quadratic order (Durkan et al., 2019; Dolatabadi et al., 2020). Rational splines are functions that are comprised of segments that are the ratio of two polynomials (see [Spline](#)).

The spline coupling layer uses the transformation,

$$\mathbf{y}_{1:d} = g_\theta(\mathbf{x}_{1:d}) \quad \mathbf{y}_{(d+1):D} = h_\phi(\mathbf{x}_{(d+1):D}; \mathbf{x}_{1:d})$$

where \mathbf{x} are the inputs, \mathbf{y} are the outputs, e.g. $\mathbf{x}_{1:d}$ represents the first d elements of the inputs, g_θ is either the identity function or an elementwise rational monotonic spline with parameters θ , and h_ϕ is a conditional elementwise spline spline, conditioning on the first d elements.

Example usage:

```
>>> from pyro.nn import DenseNN
>>> input_dim = 10
>>> split_dim = 6
>>> count_bins = 8
>>> base_dist = dist.Normal(torch.zeros(input_dim), torch.ones(input_dim))
>>> param_dims = [(input_dim - split_dim) * count_bins,
...     (input_dim - split_dim) * count_bins,
...     (input_dim - split_dim) * (count_bins - 1),
...     (input_dim - split_dim) * count_bins]
>>> hypernet = DenseNN(split_dim, [10*input_dim], param_dims)
>>> transform = SplineCoupling(input_dim, split_dim, hypernet)
>>> pyro.module("my_transform", transform)
>>> flow_dist = dist.TransformedDistribution(base_dist, [transform])
>>> flow_dist.sample()
```

Parameters

- **input_dim** (*int*) – Dimension of the input vector. Despite operating element-wise, this is required so we know how many parameters to store.
- **split_dim** – Zero-indexed dimension d upon which to perform input/ output split for transformation.
- **hypernet** (*callable*) – a neural network whose forward call returns a tuple of spline parameters (see [ConditionalSpline](#)).
- **count_bins** (*int*) – The number of segments comprising the spline.
- **bound** (*float*) – The quantity K determining the bounding box, $[-K, K] \times [-K, K]$, of the spline.
- **order** (*string*) – One of ['linear', 'quadratic'] specifying the order of the spline.

References:

Conor Durkan, Artur Bekasov, Iain Murray, George Papamakarios. Neural Spline Flows. NeurIPS 2019.

Hadi M. Dolatabadi, Sarah Erfani, Christopher Leckie. Invertible Generative Modeling using Linear Rational Splines. AISTATS 2020.

```
bijection = True
codomain: torch.distributions.constraints.Constraint =
IndependentConstraint(Real(), 1)
domain: torch.distributions.constraints.Constraint = IndependentConstraint(Real(), 1)
log_abs_det_jacobian(x, y)
    Calculates the elementwise determinant of the log jacobian
```

4.4.26 Sylvester

```
class Sylvester(input_dim, count_transforms=1)
Bases: pyro.distributions.transforms.householder.Householder
```

An implementation of the Sylvester bijective transform of the Householder variety (Van den Berg Et Al., 2018),

$$\mathbf{y} = \mathbf{x} + Q R \tanh(S Q^T \mathbf{x} + \mathbf{b})$$

where \mathbf{x} are the inputs, \mathbf{y} are the outputs, $R, S \sim D \times D$ are upper triangular matrices for input dimension D , $Q \sim D \times D$ is an orthogonal matrix, and $\mathbf{b} \sim D$ is learnable bias term.

The Sylvester transform is a generalization of [Planar](#). In the Householder type of the Sylvester transform, the orthogonality of Q is enforced by representing it as the product of Householder transformations.

Together with [TransformedDistribution](#) it provides a way to create richer variational approximations.

Example usage:

```
>>> base_dist = dist.Normal(torch.zeros(10), torch.ones(10))
>>> transform = Sylvester(10, count_transforms=4)
>>> pyro.module("my_transform", transform)
>>> flow_dist = dist.TransformedDistribution(base_dist, [transform])
>>> flow_dist.sample()
tensor([-0.4071, -0.5030,  0.7924, -0.2366, -0.2387, -0.1417,  0.0868,
        0.1389, -0.4629,  0.0986])
```

The inverse of this transform does not possess an analytical solution and is left unimplemented. However, the inverse is cached when the forward operation is called during sampling, and so samples drawn using the Sylvester transform can be scored.

References:

[1] Rianne van den Berg, Leonard Hasenclever, Jakub M. Tomczak, Max Welling. Sylvester Normalizing Flows for Variational Inference. UAI 2018.

```
Q(x)
R()
S()
bijection = True
codomain: torch.distributions.constraints.Constraint =
IndependentConstraint(Real(), 1)
```

```
domain: torch.distributions.constraints.Constraint = IndependentConstraint(Real(),  
1)  
  
dtanh_dx(x)  
  
log_abs_det_jacobian(x, y)  
    Calculates the elementwise determinant of the log Jacobian  
  
reset_parameters()  
  
training: bool
```

4.4.27 TransformModule

```
class TransformModule(*args, **kwargs)  
Bases: torch.distributions.transforms.Transform, torch.nn.modules.module.Module  
  
Transforms with learnable parameters such as normalizing flows should inherit from this class rather than Transform so they are also a subclass of nn.Module and inherit all the useful methods of that class.  
  
codomain: torch.distributions.constraints.Constraint  
domain: torch.distributions.constraints.Constraint
```

4.4.28 ComposeTransformModule

```
class ComposeTransformModule(parts)  
Bases: torch.distributions.transforms.ComposeTransform, torch.nn.modules.container.  
ModuleList  
  
This allows us to use a list of TransformModule in the same way as ComposeTransform. This is needed so that transform parameters are automatically registered by Pyro's param store when used in PyroModule instances.
```

4.5 Transform Factories

Each *Transform* and *TransformModule* includes a corresponding helper function in lower case that inputs, at minimum, the input dimensions of the transform, and possibly additional arguments to customize the transform in an intuitive way. The purpose of these helper functions is to hide from the user whether or not the transform requires the construction of a hypernet, and if so, the input and output dimensions of that hypernet.

4.5.1 iterated

```
iterated(repeats, base_fn, *args, **kwargs)  
Helper function to compose a sequence of bijective transforms with potentially learnable parameters using ComposeTransformModule.
```

Parameters

- **repeats** – number of repeated transforms.
- **base_fn** – function to construct the bijective transform.
- **args** – arguments taken by *base_fn*.
- **kwargs** – keyword arguments taken by *base_fn*.

Returns instance of `TransformModule`.

4.5.2 affine_autoregressive

affine_autoregressive(*input_dim*, *hidden_dims*=None, ***kwargs*)

A helper function to create an `AffineAutoregressive` object that takes care of constructing an autoregressive network with the correct input/output dimensions.

Parameters

- **input_dim** (`int`) – Dimension of input variable
- **hidden_dims** (`list[int]`) – The desired hidden dimensions of the autoregressive network. Defaults to using [3**input_dim* + 1]
- **log_scale_min_clip** (`float`) – The minimum value for clipping the log(scale) from the autoregressive NN
- **log_scale_max_clip** (`float`) – The maximum value for clipping the log(scale) from the autoregressive NN
- **sigmoid_bias** (`float`) – A term to add the logit of the input when using the stable transform.
- **stable** (`bool`) – When true, uses the alternative “stable” version of the transform (see above).

4.5.3 affine_coupling

affine_coupling(*input_dim*, *hidden_dims*=None, *split_dim*=None, *dim*=-1, ***kwargs*)

A helper function to create an `AffineCoupling` object that takes care of constructing a dense network with the correct input/output dimensions.

Parameters

- **input_dim** (`int`) – Dimension(s) of input variable to permute. Note that when *dim* < -1 this must be a tuple corresponding to the event shape.
- **hidden_dims** (`list[int]`) – The desired hidden dimensions of the dense network. Defaults to using [10**input_dim*]
- **split_dim** (`int`) – The dimension to split the input on for the coupling transform. Defaults to using *input_dim* // 2
- **dim** (`int`) – the tensor dimension on which to split. This value must be negative and defines the event dim as *abs(dim)*.
- **log_scale_min_clip** (`float`) – The minimum value for clipping the log(scale) from the autoregressive NN
- **log_scale_max_clip** (`float`) – The maximum value for clipping the log(scale) from the autoregressive NN

4.5.4 batchnorm

`batchnorm(input_dim, **kwargs)`

A helper function to create a `BatchNorm` object for consistency with other helpers.

Parameters

- `input_dim` (`int`) – Dimension of input variable
- `momentum` (`float`) – momentum parameter for updating moving averages
- `epsilon` (`float`) – small number to add to variances to ensure numerical stability

4.5.5 block_autoregressive

`block_autoregressive(input_dim, **kwargs)`

A helper function to create a `BlockAutoregressive` object for consistency with other helpers.

Parameters

- `input_dim` (`int`) – Dimension of input variable
- `hidden_factors` (`list`) – Hidden layer i has `hidden_factors[i]` hidden units per input dimension. This corresponds to both a and b in De Cao et al. (2019). The elements of `hidden_factors` must be integers.
- `activation` (`string`) – Activation function to use. One of ‘ELU’, ‘LeakyReLU’, ‘sigmoid’, or ‘tanh’.
- `residual` (`string`) – Type of residual connections to use. Choices are “None”, “normal” for $\mathbf{y} + f(\mathbf{y})$, and “gated” for $\alpha\mathbf{y} + (1 - \alpha)\mathbf{y}$ for learnable parameter α .

4.5.6 conditional_affine_autoregressive

`conditional_affine_autoregressive(input_dim, context_dim, hidden_dims=None, **kwargs)`

A helper function to create an `ConditionalAffineAutoregressive` object that takes care of constructing a dense network with the correct input/output dimensions.

Parameters

- `input_dim` (`int`) – Dimension of input variable
- `context_dim` (`int`) – Dimension of context variable
- `hidden_dims` (`list[int]`) – The desired hidden dimensions of the dense network. Defaults to using [10*`input_dim`]
- `log_scale_min_clip` (`float`) – The minimum value for clipping the log(scale) from the autoregressive NN
- `log_scale_max_clip` (`float`) – The maximum value for clipping the log(scale) from the autoregressive NN
- `sigmoid_bias` (`float`) – A term to add the logit of the input when using the stable transform.
- `stable` (`bool`) – When true, uses the alternative “stable” version of the transform (see above).

4.5.7 conditional_affine_coupling

`conditional_affine_coupling(input_dim, context_dim, hidden_dims=None, split_dim=None, dim=-1, **kwargs)`

A helper function to create an `ConditionalAffineCoupling` object that takes care of constructing a dense network with the correct input/output dimensions.

Parameters

- `input_dim (int)` – Dimension of input variable
- `context_dim (int)` – Dimension of context variable
- `hidden_dims (list[int])` – The desired hidden dimensions of the dense network. Defaults to using [10*input_dim]
- `split_dim (int)` – The dimension to split the input on for the coupling transform. Defaults to using `input_dim // 2`
- `dim (int)` – the tensor dimension on which to split. This value must be negative and defines the event dim as $\text{abs}(dim)$.
- `log_scale_min_clip (float)` – The minimum value for clipping the log(scale) from the autoregressive NN
- `log_scale_max_clip (float)` – The maximum value for clipping the log(scale) from the autoregressive NN

4.5.8 conditional_generalized_channel_permute

`conditional_generalized_channel_permute(context_dim, channels=3, hidden_dims=None)`

A helper function to create a `ConditionalGeneralizedChannelPermute` object for consistency with other helpers.

Parameters `channels (int)` – Number of channel dimensions in the input.

4.5.9 conditional_householder

`conditional_householder(input_dim, context_dim, hidden_dims=None, count_transforms=1)`

A helper function to create a `ConditionalHouseholder` object that takes care of constructing a dense network with the correct input/output dimensions.

Parameters

- `input_dim (int)` – Dimension of input variable
- `context_dim (int)` – Dimension of context variable
- `hidden_dims (list[int])` – The desired hidden dimensions of the dense network. Defaults to using [input_dim * 10, input_dim * 10]

4.5.10 conditional_matrix_exponential

```
conditional_matrix_exponential(input_dim, context_dim, hidden_dims=None, iterations=8,
                                normalization='none', bound=None)
```

A helper function to create a `ConditionalMatrixExponential` object for consistency with other helpers.

Parameters

- **input_dim** (`int`) – Dimension of input variable
- **context_dim** (`int`) – Dimension of context variable
- **hidden_dims** (`list[int]`) – The desired hidden dimensions of the dense network. Defaults to using [input_dim * 10, input_dim * 10]
- **iterations** (`int`) – the number of terms to use in the truncated power series that approximates matrix exponentiation.
- **normalization** (`string`) – One of [`'none'`, `'weight'`, `'spectral'`] normalization that selects what type of normalization to apply to the weight matrix. `weight` corresponds to weight normalization (Salimans and Kingma, 2016) and `spectral` to spectral normalization (Miyato et al, 2018).
- **bound** (`float`) – a bound on either the weight or spectral norm, when either of those two types of regularization are chosen by the `normalization` argument. A lower value for this results in fewer required terms of the truncated power series to closely approximate the exact value of the matrix exponential.

4.5.11 conditional_neural_autoregressive

```
conditional_neural_autoregressive(input_dim, context_dim, hidden_dims=None, activation='sigmoid',
                                   width=16)
```

A helper function to create a `ConditionalNeuralAutoregressive` object that takes care of constructing an autoregressive network with the correct input/output dimensions.

Parameters

- **input_dim** (`int`) – Dimension of input variable
- **context_dim** (`int`) – Dimension of context variable
- **hidden_dims** (`list[int]`) – The desired hidden dimensions of the autoregressive network. Defaults to using [3*input_dim + 1]
- **activation** (`string`) – Activation function to use. One of ‘ELU’, ‘LeakyReLU’, ‘sigmoid’, or ‘tanh’.
- **width** (`int`) – The width of the “multilayer perceptron” in the transform (see paper). Defaults to 16

4.5.12 conditional_planar

conditional_planar(*input_dim*, *context_dim*, *hidden_dims=None*)

A helper function to create a *ConditionalPlanar* object that takes care of constructing a dense network with the correct input/output dimensions.

Parameters

- **input_dim** (*int*) – Dimension of input variable
- **context_dim** (*int*) – Dimension of context variable
- **hidden_dims** (*list[int]*) – The desired hidden dimensions of the dense network. Defaults to using [*input_dim* * 10, *input_dim* * 10]

4.5.13 conditional_radial

conditional_radial(*input_dim*, *context_dim*, *hidden_dims=None*)

A helper function to create a *ConditionalRadial* object that takes care of constructing a dense network with the correct input/output dimensions.

Parameters

- **input_dim** (*int*) – Dimension of input variable
- **context_dim** (*int*) – Dimension of context variable
- **hidden_dims** (*list[int]*) – The desired hidden dimensions of the dense network. Defaults to using [*input_dim* * 10, *input_dim* * 10]

4.5.14 conditional_spline

conditional_spline(*input_dim*, *context_dim*, *hidden_dims=None*, *count_bins=8*, *bound=3.0*, *order='linear'*)

A helper function to create a *ConditionalSpline* object that takes care of constructing a dense network with the correct input/output dimensions.

Parameters

- **input_dim** (*int*) – Dimension of input variable
- **context_dim** (*int*) – Dimension of context variable
- **hidden_dims** (*list[int]*) – The desired hidden dimensions of the dense network. Defaults to using [*input_dim* * 10, *input_dim* * 10]
- **count_bins** (*int*) – The number of segments comprising the spline.
- **bound** (*float*) – The quantity K determining the bounding box, $[-K, K] \times [-K, K]$, of the spline.
- **order** (*string*) – One of ['linear', 'quadratic'] specifying the order of the spline.

4.5.15 conditional_spline_autoregressive

```
conditional_spline_autoregressive(input_dim, context_dim, hidden_dims=None, count_bins=8, bound=3.0,  
order='linear')
```

A helper function to create a `ConditionalSplineAutoregressive` object that takes care of constructing an autoregressive network with the correct input/output dimensions.

Parameters

- `input_dim` (`int`) – Dimension of input variable
- `context_dim` (`int`) – Dimension of context variable
- `hidden_dims` (`list[int]`) – The desired hidden dimensions of the autoregressive network. Defaults to using [input_dim * 10, input_dim * 10]
- `count_bins` (`int`) – The number of segments comprising the spline.
- `bound` (`float`) – The quantity K determining the bounding box, $[-K, K] \times [-K, K]$, of the spline.
- `order` (`string`) – One of ['linear', 'quadratic'] specifying the order of the spline.

4.5.16 elu

```
elu()
```

A helper function to create an `ELUTransform` object for consistency with other helpers.

4.5.17 generalized_channel_permute

```
generalized_channel_permute(**kwargs)
```

A helper function to create a `GeneralizedChannelPermute` object for consistency with other helpers.

Parameters `channels` (`int`) – Number of channel dimensions in the input.

4.5.18 householder

```
householder(input_dim, count_transforms=None)
```

A helper function to create a `Householder` object for consistency with other helpers.

Parameters

- `input_dim` (`int`) – Dimension of input variable
- `count_transforms` (`int`) – number of applications of Householder transformation to apply.

4.5.19 leaky_relu

`leaky_relu()`

A helper function to create a `LeakyReLUTransform` object for consistency with other helpers.

4.5.20 matrix_exponential

`matrix_exponential(input_dim, iterations=8, normalization='none', bound=None)`

A helper function to create a `MatrixExponential` object for consistency with other helpers.

Parameters

- **input_dim** (`int`) – Dimension of input variable
- **iterations** (`int`) – the number of terms to use in the truncated power series that approximates matrix exponentiation.
- **normalization** (`string`) – One of [`'none'`, `'weight'`, `'spectral'`] normalization that selects what type of normalization to apply to the weight matrix. `weight` corresponds to weight normalization (Salimans and Kingma, 2016) and `spectral` to spectral normalization (Miyato et al, 2018).
- **bound** (`float`) – a bound on either the weight or spectral norm, when either of those two types of regularization are chosen by the `normalization` argument. A lower value for this results in fewer required terms of the truncated power series to closely approximate the exact value of the matrix exponential.

4.5.21 neural_autoregressive

`neural_autoregressive(input_dim, hidden_dims=None, activation='sigmoid', width=16)`

A helper function to create a `NeuralAutoregressive` object that takes care of constructing an autoregressive network with the correct input/output dimensions.

Parameters

- **input_dim** (`int`) – Dimension of input variable
- **hidden_dims** (`list[int]`) – The desired hidden dimensions of the autoregressive network. Defaults to using [3*`input_dim` + 1]
- **activation** (`string`) – Activation function to use. One of ‘ELU’, ‘LeakyReLU’, ‘sigmoid’, or ‘tanh’.
- **width** (`int`) – The width of the “multilayer perceptron” in the transform (see paper). Defaults to 16

4.5.22 permute

`permute(input_dim, permutation=None, dim=-1)`

A helper function to create a `Permute` object for consistency with other helpers.

Parameters

- **input_dim** (`int`) – Dimension(s) of input variable to permute. Note that when `dim < -1` this must be a tuple corresponding to the event shape.

- **permutation** (`torch.LongTensor`) – Torch tensor of integer indices representing permutation. Defaults to a random permutation.
- **dim** (`int`) – the tensor dimension to permute. This value must be negative and defines the event dim as $abs(dim)$.

4.5.23 planar

planar(`input_dim`)

A helper function to create a `Planar` object for consistency with other helpers.

Parameters `input_dim` (`int`) – Dimension of input variable

4.5.24 polynomial

polynomial(`input_dim, hidden_dims=None`)

A helper function to create a `Polynomial` object that takes care of constructing an autoregressive network with the correct input/output dimensions.

Parameters

- **input_dim** (`int`) – Dimension of input variable
- **hidden_dims** – The desired hidden dimensions of the autoregressive network. Defaults to using [`input_dim * 10`]

4.5.25 radial

radial(`input_dim`)

A helper function to create a `Radial` object for consistency with other helpers.

Parameters `input_dim` (`int`) – Dimension of input variable

4.5.26 spline

spline(`input_dim, **kwargs`)

A helper function to create a `Spline` object for consistency with other helpers.

Parameters `input_dim` (`int`) – Dimension of input variable

4.5.27 spline_autoregressive

spline_autoregressive(`input_dim, hidden_dims=None, count_bins=8, bound=3.0, order='linear'`)

A helper function to create an `SplineAutoregressive` object that takes care of constructing an autoregressive network with the correct input/output dimensions.

Parameters

- **input_dim** (`int`) – Dimension of input variable
- **hidden_dims** (`list[int]`) – The desired hidden dimensions of the autoregressive network. Defaults to using [`3*input_dim + 1`]
- **count_bins** (`int`) – The number of segments comprising the spline.

- **bound** (*float*) – The quantity K determining the bounding box, $[-K, K] \times [-K, K]$, of the spline.
- **order** (*string*) – One of ['linear', 'quadratic'] specifying the order of the spline.

4.5.28 `spline_coupling`

`spline_coupling(input_dim, split_dim=None, hidden_dims=None, count_bins=8, bound=3.0)`

A helper function to create a *SplineCoupling* object for consistency with other helpers.

Parameters `input_dim` (*int*) – Dimension of input variable

4.5.29 `sylvester`

`sylvester(input_dim, count_transforms=None)`

A helper function to create a *Sylvester* object for consistency with other helpers.

Parameters

- `input_dim` (*int*) – Dimension of input variable
- `count_transforms` – Number of Sylvester operations to apply. Defaults to `input_dim // 2 + 1`. :type count_transforms: int

4.6 Constraints

Pyro's constraints library extends `torch.distributions.constraints`.

4.6.1 `Constraint`

alias of `torch.distributions.constraints.Constraint`

4.6.2 `boolean`

alias of `torch.distributions.constraints.boolean`

4.6.3 `cat`

alias of `torch.distributions.constraints.cat`

4.6.4 `corr_cholesky`

alias of `torch.distributions.constraints.corr_cholesky`

4.6.5 corr_cholesky_constraint

alias of `torch.distributions.constraints.corr_cholesky_constraint`

4.6.6 corr_matrix

`class _CorrMatrix`

Constrains to a correlation matrix.

4.6.7 dependent

alias of `torch.distributions.constraints.dependent`

4.6.8 dependent_property

alias of `torch.distributions.constraints.dependent_property`

4.6.9 greater_than

alias of `torch.distributions.constraints.greater_than`

4.6.10 greater_than_eq

alias of `torch.distributions.constraints.greater_than_eq`

4.6.11 half_open_interval

alias of `torch.distributions.constraints.half_open_interval`

4.6.12 independent

alias of `torch.distributions.constraints.independent`

4.6.13 integer

`class _Integer`

Constrain to integers.

4.6.14 integer_interval

alias of `torch.distributions.constraints.integer_interval`

4.6.15 interval

alias of `torch.distributions.constraints.interval`

4.6.16 is_dependent

alias of `torch.distributions.constraints.is_dependent`

4.6.17 less_than

alias of `torch.distributions.constraints.less_than`

4.6.18 lower_cholesky

alias of `torch.distributions.constraints.lower_cholesky`

4.6.19 lower_triangular

alias of `torch.distributions.constraints.lower_triangular`

4.6.20 multinomial

alias of `torch.distributions.constraints.multinomial`

4.6.21 nonnegative_integer

alias of `torch.distributions.constraints.nonnegative_integer`

4.6.22 ordered_vector

class _OrderedVector

Constrains to a real-valued tensor where the elements are monotonically increasing along the `event_shape` dimension.

4.6.23 positive

alias of `torch.distributions.constraints.positive`

4.6.24 positive_definite

alias of `torch.distributions.constraints.positive_definite`

4.6.25 positive_integer

alias of `torch.distributions.constraints.positive_integer`

4.6.26 positive_ordered_vector

`class _PositiveOrderedVector`

Constrains to a positive real-valued tensor where the elements are monotonically increasing along the `event_shape` dimension.

4.6.27 real

alias of `torch.distributions.constraints.real`

4.6.28 real_vector

alias of `torch.distributions.constraints.real_vector`

4.6.29 simplex

alias of `torch.distributions.constraints.simplex`

4.6.30 softplus_lower_cholesky

`class _SoftplusLowerCholesky`

4.6.31 softplus_positive

`class _SoftplusPositive`

4.6.32 `sphere`

class `_Sphere`

Constrain to the Euclidean sphere of any dimension.

4.6.33 `stack`

alias of `torch.distributions.constraints.stack`

4.6.34 `unit_interval`

alias of `torch.distributions.constraints.unit_interval`

4.6.35 `unit_lower_cholesky`

class `_UnitLowerCholesky`

Constrain to lower-triangular square matrices with all ones diagonals.

PARAMETERS

Parameters in Pyro are basically thin wrappers around PyTorch Tensors that carry unique names. As such Parameters are the primary stateful objects in Pyro. Users typically interact with parameters via the Pyro primitive `pyro.param`. Parameters play a central role in stochastic variational inference, where they are used to represent point estimates for the parameters in parameterized families of models and guides.

5.1 ParamStore

```
class ParamStoreDict  
    Bases: object
```

Global store for parameters in Pyro. This is basically a key-value store. The typical user interacts with the ParamStore primarily through the primitive `pyro.param`.

See [Introduction](#) for further discussion and [SVI Part I](#) for some examples.

Some things to bear in mind when using parameters in Pyro:

- parameters must be assigned unique names
- the `init_tensor` argument to `pyro.param` is only used the first time that a given (named) parameter is registered with Pyro.
- for this reason, a user may need to use the `clear()` method if working in a REPL in order to get the desired behavior. this method can also be invoked with `pyro.clear_param_store()`.
- the internal name of a parameter within a PyTorch `nn.Module` that has been registered with Pyro is prepended with the Pyro name of the module. so nothing prevents the user from having two different modules each of which contains a parameter named `weight`. by contrast, a user can only have one top-level parameter named `weight` (outside of any module).
- parameters can be saved and loaded from disk using `save` and `load`.
- in general parameters are associated with both *constrained* and *unconstrained* values. for example, under the hood a parameter that is constrained to be positive is represented as an unconstrained tensor in log space.

clear()

Clear the ParamStore

items()

Iterate over (name, constrained_param) pairs. Note that `constrained_param` is in the constrained (i.e. user-facing) space.

keys()

Iterate over param names.

values()

Iterate over constrained parameter values.

setdefault(name, init_constrained_value, constraint=Real())

Retrieve a *constrained* parameter value from the if it exists, otherwise set the initial value. Note that this is a little fancier than `dict.setdefault()`.

If the parameter already exists, `init_constrained_tensor` will be ignored. To avoid expensive creation of `init_constrained_tensor` you can wrap it in a `lambda` that will only be evaluated if the parameter does not already exist:

```
param_store.get("foo", lambda: (0.001 * torch.randn(1000, 1000)).exp(),  
                constraint=constraints.positive)
```

Parameters

- **name** (`str`) – parameter name
- **init_constrained_value** (`torch.Tensor` or callable returning a `torch.Tensor`) – initial constrained value
- **constraint** (`Constraint`) – torch constraint object

Returns constrained parameter value

Return type `torch.Tensor`

named_parameters()

Returns an iterator over `(name, unconstrained_value)` tuples for each parameter in the ParamStore. Note that, in the event the parameter is constrained, *unconstrained_value* is in the unconstrained space implicitly used by the constraint.

get_all_param_names()**replace_param(param_name, new_param, old_param)****get_param(name, init_tensor=None, constraint=Real(), event_dim=None)**

Get parameter from its name. If it does not yet exist in the ParamStore, it will be created and stored. The Pyro primitive `pyro.param` dispatches to this method.

Parameters

- **name** (`str`) – parameter name
- **init_tensor** (`torch.Tensor`) – initial tensor
- **constraint** (`torch.distributions.constraints.Constraint`) – torch constraint
- **event_dim** (`int`) – (ignored)

Returns parameter

Return type `torch.Tensor`

match(name)

Get all parameters that match regex. The parameter must exist.

Parameters **name** (`str`) – regular expression

Returns dict with key param name and value torch Tensor

param_name(p)

Get parameter name from parameter

Parameters **p** – parameter

Returns parameter name

get_state() → dict

Get the ParamStore state.

set_state(state: dict)

Set the ParamStore state using state from a previous `get_state()` call

save(filename)

Save parameters to file

Parameters `filename (str)` – file name to save to

load(filename, map_location=None)

Loads parameters from file

Note: If using `pyro.module()` on parameters loaded from disk, be sure to set the `update_module_params` flag:

```
pyro.get_param_store().load('saved_params.save')
pyro.module('module', nn, update_module_params=True)
```

Parameters

- `filename (str)` – file name to load from
- `map_location(function, torch.device, string or a dict)` – specifies how to remap storage locations

scope(state=None) → dict

Context manager for using multiple parameter stores within the same process.

This is a thin wrapper around `get_state()`, `clear()`, and `set_state()`. For large models where memory space is limiting, you may want to instead manually use `save()`, `clear()`, and `load()`.

Example usage:

```
param_store = pyro.get_param_store()

# Train multiple models, while avoiding param name conflicts.
with param_store.scope() as scope1:
    # ...Train one model, guide pair...
with param_store.scope() as scope2:
    # ...Train another model, guide pair...

# Now evaluate each, still avoiding name conflicts.
with param_store.scope(scope1): # loads the first model's scope
    # ...evaluate the first model...
with param_store.scope(scope2): # loads the second model's scope
    # ...evaluate the second model...
```

param_with_module_name(pyro_name, param_name)

module_from_param_with_module_name(param_name)

user_param_name(param_name)

normalize_param_name(name)

NEURAL NETWORKS

The module `pyro.nn` provides implementations of neural network modules that are useful in the context of deep probabilistic programming.

6.1 Pyro Modules

Pyro includes a class `PyroModule`, a subclass of `torch.nn.Module`, whose attributes can be modified by Pyro effects. To create a poutine-aware attribute, use either the `PyroParam` struct or the `PyroSample` struct:

```
my_module = PyroModule()
my_module.x = PyroParam(torch.tensor(1.), constraint=constraints.positive)
my_module.y = PyroSample(dist.Normal(0, 1))
```

```
class PyroParam(init_value=None, constraint=Real(), event_dim=None)
Bases: pyro.nn.module.PyroParam
```

Declares a Pyro-managed learnable attribute of a `PyroModule`, similar to `pyro.param`.

This can be used either to set attributes of `PyroModule` instances:

```
assert isinstance(my_module, PyroModule)
my_module.x = PyroParam(torch.zeros(4))                      # eager
my_module.y = PyroParam(lambda: torch.randn(4))              # lazy
my_module.z = PyroParam(torch.ones(4),
                       constraint=constraints.positive,
                       event_dim=1)                         # eager
```

or EXPERIMENTALLY as a decorator on lazy initialization properties:

```
class MyModule(PyroModule):
    @PyroParam
    def x(self):
        return torch.zeros(4)

    @PyroParam
    def y(self):
        return torch.randn(4)

    @PyroParam(constraint=constraints.real, event_dim=1)
    def z(self):
        return torch.ones(4)
```

(continues on next page)

(continued from previous page)

```
def forward(self):
    return self.x + self.y + self.z # accessed like a @property
```

Parameters

- **init_value** (`torch.Tensor` or callable returning a `torch.Tensor` or `None`)
 – Either a tensor for eager initialization, a callable for lazy initialization, or `None` for use as a decorator.
- **constraint** (`Constraint`) – torch constraint, defaults to `constraints.real`.
- **event_dim** (`int`) – (optional) number of rightmost dimensions unrelated to batching. Dimension to the left of this will be considered batch dimensions; if the param statement is inside a subsampled plate, then corresponding batch dimensions of the parameter will be correspondingly subsampled. If unspecified, all dimensions will be considered event dims and no subsampling will be performed.

class PyroSample(prior)Bases: `pyro.nn.module.PyroSample`Declares a Pyro-managed random attribute of a `PyroModule`, similar to `pyro.sample`.This can be used either to set attributes of `PyroModule` instances:

```
assert isinstance(my_module, PyroModule)
my_module.x = PyroSample(Normal(0, 1))           # independent
my_module.y = PyroSample(lambda self: Normal(self.x, 1)) # dependent
```

or EXPERIMENTALLY as a decorator on lazy initialization methods:

```
class MyModule(PyroModule):
    @PyroSample
    def x(self):
        return Normal(0, 1)           # independent

    @PyroSample
    def y(self):
        return Normal(self.x, 1)     # dependent

    def forward(self):
        return self.y                # accessed like a @property
```

Parameters prior – distribution object or function that inputs the `PyroModule` instance `self` and returns a distribution object.

class PyroModule(name= '')Bases: `torch.nn.modules.module.Module`Subclass of `torch.nn.Module` whose attributes can be modified by Pyro effects. Attributes can be set using helpers `PyroParam` and `PyroSample`, and methods can be decorated by `pyro_method()`.**Parameters**

To create a Pyro-managed parameter attribute, set that attribute using either `torch.nn.Parameter` (for unconstrained parameters) or `PyroParam` (for constrained parameters). Reading that attribute will then trigger a `pyro.param` statement. For example:

```
# Create Pyro-managed parameter attributes.
my_module = PyroModule()
my_module.loc = nn.Parameter(torch.tensor(0.))
my_module.scale = PyroParam(torch.tensor(1.),
                           constraint=constraints.positive)
# Read the attributes.
loc = my_module.loc # Triggers a pyro.param statement.
scale = my_module.scale # Triggers another pyro.param statement.
```

Note that, unlike normal `torch.nn.Module`s, `PyroModule`s should not be registered with `pyro.module` statements. `PyroModule`s can contain other `PyroModule`s and normal `torch.nn.Module`s. Accessing a normal `torch.nn.Module` attribute of a `PyroModule` triggers a `pyro.module` statement. If multiple `PyroModule`s appear in a single Pyro model or guide, they should be included in a single root `PyroModule` for that model.

`PyroModule`s synchronize data with the param store at each `setattr`, `getattr`, and `delattr` event, based on the nested name of an attribute:

- Setting `mod.x = x_init` tries to read `x` from the param store. If a value is found in the param store, that value is copied into `mod` and `x_init` is ignored; otherwise `x_init` is copied into both `mod` and the param store.
- Reading `mod.x` tries to read `x` from the param store. If a value is found in the param store, that value is copied into `mod`; otherwise `mod`'s value is copied into the param store. Finally `mod` and the param store agree on a single value to return.
- Deleting `del mod.x` removes a value from both `mod` and the param store.

Note two `PyroModule` of the same name will both synchronize with the global param store and thus contain the same data. When creating a `PyroModule`, then deleting it, then creating another with the same name, the latter will be populated with the former's data from the param store. To avoid this persistence, either `pyro.clear_param_store()` or call `clear()` before deleting a `PyroModule`.

`PyroModule`s can be saved and loaded either directly using `torch.save()` / `torch.load()` or indirectly using the param store's `save()` / `load()`. Note that `torch.load()` will be overridden by any values in the param store, so it is safest to `pyro.clear_param_store()` before loading.

Samples

To create a Pyro-managed random attribute, set that attribute using the `PyroSample` helper, specifying a prior distribution. Reading that attribute will then trigger a `pyro.sample` statement. For example:

```
# Create Pyro-managed random attributes.
my_module.x = PyroSample(dist.Normal(0, 1))
my_module.y = PyroSample(lambda self: dist.Normal(self.loc, self.scale))

# Sample the attributes.
x = my_module.x # Triggers a pyro.sample statement.
y = my_module.y # Triggers one pyro.sample + two pyro.param statements.
```

Sampling is cached within each invocation of `__call__()` or method decorated by `pyro_method()`. Because sample statements can appear only once in a Pyro trace, you should ensure that traced access to sample attributes is wrapped in a single invocation of `__call__()` or method decorated by `pyro_method()`.

To make an existing module probabilistic, you can create a subclass and overwrite some parameters with `PyroSample`s:

```
class RandomLinear(nn.Linear, PyroModule): # used as a mixin
    def __init__(self, in_features, out_features):
        super().__init__(in_features, out_features)
        self.weight = PyroSample(
            lambda self: dist.Normal(0, 1)
                .expand([self.out_features,
                         self.in_features])
                .to_event(2))
```

Mixin classes

`PyroModule` can be used as a mixin class, and supports simple syntax for dynamically creating mixins, for example the following are equivalent:

```
# Version 1. create a named mixin class
class PyroLinear(nn.Linear, PyroModule):
    pass

m.linear = PyroLinear(m, n)

# Version 2. create a dynamic mixin class
m.linear = PyroModule[nn.Linear](m, n)
```

This notation can be used recursively to create Bayesian modules, e.g.:

```
model = PyroModule[nn.Sequential](
    PyroModule[nn.Linear](28 * 28, 100),
    PyroModule[nn.Sigmoid](),
    PyroModule[nn.Linear](100, 100),
    PyroModule[nn.Sigmoid](),
    PyroModule[nn.Linear](100, 10),
)
assert isinstance(model, nn.Sequential)
assert isinstance(model, PyroModule)

# Now we can be Bayesian about weights in the first layer.
model[0].weight = PyroSample(
    prior=dist.Normal(0, 1).expand([28 * 28, 100]).to_event(2))
guide = AutoDiagonalNormal(model)
```

Note that `PyroModule[...]` does not recursively mix in `PyroModule` to submodules of the input Module; hence we needed to wrap each submodule of the `nn.Sequential` above.

Parameters `name (str)` – Optional name for a root PyroModule. This is ignored in sub-PyroModules of another PyroModule.

add_module(`name, module`)

Adds a child module to the current module.

named_pyro_params(`prefix='', recurse=True`)

Returns an iterator over PyroModule parameters, yielding both the name of the parameter as well as the parameter itself.

Parameters

- `prefix (str)` – prefix to prepend to all parameter names.

- **recurse** (`bool`) – if True, then yields parameters of this module and all submodules. Otherwise, yields only parameters that are direct members of this module.

Returns a generator which yields tuples containing the name and parameter

training: `bool`

pyro_method(*fn*)

Decorator for top-level methods of a `PyroModule` to enable pyro effects and cache `pyro.sample` statements.

This should be applied to all public methods that read Pyro-managed attributes, but is not needed for `.forward()`.

clear(*mod*)

Removes data from both a `PyroModule` and the param store.

Parameters `mod` (`PyroModule`) – A module to clear.

to_pyro_module_(*m*, *recurse=True*)

Converts an ordinary `torch.nn.Module` instance to a `PyroModule` **in-place**.

This is useful for adding Pyro effects to third-party modules: no third-party code needs to be modified. For example:

```
model = nn.Sequential(
    nn.Linear(28 * 28, 100),
    nn.Sigmoid(),
    nn.Linear(100, 100),
    nn.Sigmoid(),
    nn.Linear(100, 10),
)
to_pyro_module_(model)
assert isinstance(model, PyroModule[nn.Sequential])
assert isinstance(model[0], PyroModule[nn.Linear])

# Now we can attempt to be fully Bayesian:
for m in model.modules():
    for name, value in list(m.named_parameters(recurse=False)):
        setattr(m, name, PyroSample(prior=dist.Normal(0, 1)
                                    .expand(value.shape)
                                    .to_event(value.dim())))

guide = AutoDiagonalNormal(model)
```

Parameters

- `m` (`torch.nn.Module`) – A module instance.
- **recurse** (`bool`) – Whether to convert submodules to `PyroModules`.

6.2 AutoRegressiveNN

```
class AutoRegressiveNN(input_dim, hidden_dims, param_dims=[1, 1], permutation=None,
                       skip_connections=False, nonlinearity=ReLU())
Bases: pyro.nn.auto_reg_nn.ConditionalAutoRegressiveNN
```

An implementation of a MADE-like auto-regressive neural network.

Example usage:

```
>>> x = torch.randn(100, 10)
>>> arn = AutoRegressiveNN(10, [50], param_dims=[1])
>>> p = arn(x) # 1 parameters of size (100, 10)
>>> arn = AutoRegressiveNN(10, [50], param_dims=[1, 1])
>>> m, s = arn(x) # 2 parameters of size (100, 10)
>>> arn = AutoRegressiveNN(10, [50], param_dims=[1, 5, 3])
>>> a, b, c = arn(x) # 3 parameters of sizes, (100, 1, 10), (100, 5, 10), (100, 3, 10)
```

Parameters

- **input_dim** (`int`) – the dimensionality of the input variable
- **hidden_dims** (`list[int]`) – the dimensionality of the hidden units per layer
- **param_dims** (`list[int]`) – shape the output into parameters of dimension (p_n , `input_dim`) for p_n in `param_dims` when $p_n > 1$ and dimension (`input_dim`) when $p_n == 1$. The default is [1, 1], i.e. output two parameters of dimension (`input_dim`), which is useful for inverse autoregressive flow.
- **permutation** (`torch.LongTensor`) – an optional permutation that is applied to the inputs and controls the order of the autoregressive factorization. in particular for the identity permutation the autoregressive structure is such that the Jacobian is upper triangular. By default this is chosen at random.
- **skip_connections** (`bool`) – Whether to add skip connections from the input to the output.
- **nonlinearity** (`torch.nn.module`) – The nonlinearity to use in the feedforward network such as `torch.nn.ReLU()`. Note that no nonlinearity is applied to the final network output, so the output is an unbounded real number.

Reference:

MADE: Masked Autoencoder for Distribution Estimation [arXiv:1502.03509] Mathieu Germain, Karol Gregor, Iain Murray, Hugo Larochelle

`forward(x)`

`training: bool`

6.3 DenseNN

```
class DenseNN(input_dim, hidden_dims, param_dims=[1, 1], nonlinearity=ReLU())
Bases: pyro.nn.dense\_nn.ConditionalDenseNN
```

An implementation of a simple dense feedforward network, for use in, e.g., some conditional flows such as `pyro.distributions.transforms.ConditionalPlanarFlow` and other unconditional flows such as `pyro.distributions.transforms.AffineCoupling` that do not require an autoregressive network.

Example usage:

```
>>> input_dim = 10
>>> context_dim = 5
>>> z = torch.randn(100, context_dim)
>>> nn = DenseNN(context_dim, [50], param_dims=[1, input_dim, input_dim])
>>> a, b, c = nn(z) # parameters of size (100, 1), (100, 10), (100, 10)
```

Parameters

- `input_dim` (`int`) – the dimensionality of the input
- `hidden_dims` (`list[int]`) – the dimensionality of the hidden units per layer
- `param_dims` (`list[int]`) – shape the output into parameters of dimension (`p_n`) for `p_n` in `param_dims` when `p_n > 1` and dimension () when `p_n == 1`. The default is [1, 1], i.e. output two parameters of dimension ()�
- `nonlinearity` (`torch.nn.module`) – The nonlinearity to use in the feedforward network such as `torch.nn.ReLU()`. Note that no nonlinearity is applied to the final network output, so the output is an unbounded real number.

```
forward(x)
training: bool
```

6.4 ConditionalAutoRegressiveNN

```
class ConditionalAutoRegressiveNN(input_dim, context_dim, hidden_dims, param_dims=[1, 1],
                                     permutation=None, skip_connections=False, nonlinearity=ReLU())
Bases: torch.nn.modules.module.Module
```

An implementation of a MADE-like auto-regressive neural network that can input an additional context variable. (See Reference [2] Section 3.3 for an explanation of how the conditional MADE architecture works.)

Example usage:

```
>>> x = torch.randn(100, 10)
>>> y = torch.randn(100, 5)
>>> arn = ConditionalAutoRegressiveNN(10, 5, [50], param_dims=[1])
>>> p = arn(x, context=y) # 1 parameters of size (100, 10)
>>> arn = ConditionalAutoRegressiveNN(10, 5, [50], param_dims=[1, 1])
>>> m, s = arn(x, context=y) # 2 parameters of size (100, 10)
>>> arn = ConditionalAutoRegressiveNN(10, 5, [50], param_dims=[1, 5, 3])
>>> a, b, c = arn(x, context=y) # 3 parameters of sizes, (100, 1, 10), (100, 5, 10),
    ↵ (100, 3, 10)
```

Parameters

- `input_dim` (`int`) – the dimensionality of the input variable
- `context_dim` (`int`) – the dimensionality of the context variable
- `hidden_dims` (`list[int]`) – the dimensionality of the hidden units per layer
- `param_dims` (`list[int]`) – shape the output into parameters of dimension (`p_n`, `input_dim`) for `p_n` in `param_dims` when `p_n > 1` and dimension (`input_dim`) when `p_n == 1`. The default is [1, 1], i.e. output two parameters of dimension (`input_dim`), which is useful for inverse autoregressive flow.
- `permutation` (`torch.LongTensor`) – an optional permutation that is applied to the inputs and controls the order of the autoregressive factorization. in particular for the identity permutation the autoregressive structure is such that the Jacobian is upper triangular. By default this is chosen at random.
- `skip_connections` (`bool`) – Whether to add skip connections from the input to the output.
- `nonlinearity` (`torch.nn.module`) – The nonlinearity to use in the feedforward network such as `torch.nn.ReLU()`. Note that no nonlinearity is applied to the final network output, so the output is an unbounded real number.

Reference:

1. MADE: Masked Autoencoder for Distribution Estimation [arXiv:1502.03509] Mathieu Germain, Karol Gregor, Iain Murray, Hugo Larochelle
2. Inference Networks for Sequential Monte Carlo in Graphical Models [arXiv:1602.06701] Brooks Paige, Frank Wood

`forward`(`x, context=None`)

`get_permutation()`

Get the permutation applied to the inputs (by default this is chosen at random)

`training: bool`

6.5 ConditionalDenseNN

```
class ConditionalDenseNN(input_dim, context_dim, hidden_dims, param_dims=[1, 1], nonlinearity=ReLU())
Bases: torch.nn.modules.module.Module
```

An implementation of a simple dense feedforward network taking a context variable, for use in, e.g., some conditional flows such as `pyro.distributions.transforms.ConditionalAffineCoupling`.

Example usage:

```
>>> input_dim = 10
>>> context_dim = 5
>>> x = torch.rand(100, input_dim)
>>> z = torch.rand(100, context_dim)
>>> nn = ConditionalDenseNN(input_dim, context_dim, [50], param_dims=[1, input_dim, -input_dim])
>>> a, b, c = nn(x, context=z) # parameters of size (100, 1), (100, 10), (100, 10)
```

Parameters

- **input_dim** (`int`) – the dimensionality of the input
- **context_dim** (`int`) – the dimensionality of the context variable
- **hidden_dims** (`list[int]`) – the dimensionality of the hidden units per layer
- **param_dims** (`list[int]`) – shape the output into parameters of dimension (p_n,) for p_n in param_dims when p_n > 1 and dimension () when p_n == 1. The default is [1, 1], i.e. output two parameters of dimension ().
- **nonlinearity** (`torch.nn.Module`) – The nonlinearity to use in the feedforward network such as `torch.nn.ReLU()`. Note that no nonlinearity is applied to the final network output, so the output is an unbounded real number.

forward(*x, context*)

training: `bool`

OPTIMIZATION

The module `pyro.optim` provides support for optimization in Pyro. In particular it provides `PyroOptim`, which is used to wrap PyTorch optimizers and manage optimizers for dynamically generated parameters (see the tutorial [SVI Part I](#) for a discussion). Any custom optimization algorithms are also to be found here.

7.1 Pyro Optimizers

`is_scheduler(optimizer) → bool`

Helper method to determine whether a PyTorch object is either a PyTorch optimizer (return false) or a optimizer wrapped in an LRScheduler e.g. a ReduceLROnPlateau or subclasses of `_LRScheduler` (return true).

```
class PyroOptim(optim_constructor: Union[Callable, torch.optim.optimizer.Optimizer,
                                         Type[torch.optim.optimizer.Optimizer]], optim_args: Union[Dict, Callable[..., Dict]],
                                         clip_args: Optional[Union[Dict, Callable[..., Dict]]] = None)
```

Bases: `object`

A wrapper for `torch.optim.Optimizer` objects that helps with managing dynamically generated parameters.

Parameters

- `optim_constructor` – a `torch.optim.Optimizer`
- `optim_args` – a dictionary of learning arguments for the optimizer or a callable that returns such dictionaries
- `clip_args` – a dictionary of `clip_norm` and/or `clip_value` args or a callable that returns such dictionaries

```
__call__(params: Union[List, ValuesView], *args, **kwargs) → None
```

Parameters `params` (an iterable of strings) – a list of parameters

Do an optimization step for each param in params. If a given param has never been seen before, initialize an optimizer for it.

```
get_state() → Dict
```

Get state associated with all the optimizers in the form of a dictionary with key-value pairs (parameter name, optim state dicts)

```
set_state(state_dict: Dict) → None
```

Set the state associated with all the optimizers using the state obtained from a previous call to `get_state()`

```
save(filename: str) → None
```

Parameters `filename` (`str`) – file name to save to

Save optimizer state to disk

`load(filename: str, map_location=None) → None`

Parameters

- `filename (str)` – file name to load from
- `map_location (function, torch.device, string or a dict)` – torch.load() map_location parameter

Load optimizer state from disk

`AdagradRMSProp(optim_args: Dict) → pyro.optim.optim.PyroOptim`

Wraps `pyro.optim.adagrad_rmsprop.AdagradRMSProp` with `PyroOptim`.

`ClippedAdam(optim_args: Dict) → pyro.optim.optim.PyroOptim`

Wraps `pyro.optim.clipped_adam.ClippedAdam` with `PyroOptim`.

`DCTAdam(optim_args: Dict) → pyro.optim.optim.PyroOptim`

Wraps `pyro.optim.dct_adam.DCTAdam` with `PyroOptim`.

`class PyroLRScheduler(scheduler_constructor, optim_args: Dict, clip_args: Optional[Dict] = None)`

Bases: `pyro.optim.optim.PyroOptim`

A wrapper for lr_scheduler objects that adjusts learning rates for dynamically generated parameters.

Parameters

- `scheduler_constructor` – a lr_scheduler
- `optim_args` – a dictionary of learning arguments for the optimizer or a callable that returns such dictionaries. must contain the key ‘optimizer’ with pytorch optimizer value
- `clip_args` – a dictionary of clip_norm and/or clip_value args or a callable that returns such dictionaries.

Example:

```
optimizer = torch.optim.SGD
scheduler = pyro.optim.ExponentialLR({'optimizer': optimizer, 'optim_args': {'lr': 0.01}, 'gamma': 0.1})
svi = SVI(model, guide, scheduler, loss=TraceGraph_ELBO())
for i in range(epochs):
    for minibatch in DataLoader(dataset, batch_size):
        svi.step(minibatch)
    scheduler.step()
```

`__call__(params: Union[List, ValuesView], *args, **kwargs) → None`

`step(*args, **kwargs) → None`

Takes the same arguments as the PyTorch scheduler (e.g. optional loss for ReduceLROnPlateau)

`class AdagradRMSProp(params, eta: float = 1.0, delta: float = 1e-16, t: float = 0.1)`

Bases: `torch.optimizer.Optimizer`

Implements a mash-up of the Adagrad algorithm and RMSProp. For the precise update equation see equations 10 and 11 in reference [1].

References: [1] ‘Automatic Differentiation Variational Inference’, Alp Kucukelbir, Dustin Tran, Rajesh Ranganath, Andrew Gelman, David M. Blei URL: <https://arxiv.org/abs/1603.00788> [2] ‘Lecture 6.5 RmsProp: Divide the gradient by a running average of its recent magnitude’, Tieleman, T. and Hinton, G., COURSERA:

Neural Networks for Machine Learning. [3] ‘Adaptive subgradient methods for online learning and stochastic optimization’, Duchi, John, Hazan, E and Singer, Y.

Arguments:

Parameters

- **params** – iterable of parameters to optimize or dicts defining parameter groups
- **eta** (`float`) – sets the step size scale (optional; default: 1.0)
- **t** (`float`) – t, optional): momentum parameter (optional; default: 0.1)
- **delta** (`float`) – modulates the exponent that controls how the step size scales (optional; default: 1e-16)

`share_memory()` → `None`

`step(closure: Optional[Callable] = None)` → `Optional[Any]`

Performs a single optimization step.

Parameters closure – A (optional) closure that reevaluates the model and returns the loss.

class ClippedAdam(`params, lr: float = 0.001, betas: Tuple = (0.9, 0.999), eps: float = 1e-08, weight_decay=0, clip_norm: float = 10.0, lrd: float = 1.0)`

Bases: `torch.optim.optimizer.Optimizer`

Parameters

- **params** – iterable of parameters to optimize or dicts defining parameter groups
- **lr** – learning rate (default: 1e-3)
- **betas** (`Tuple`) – coefficients used for computing running averages of gradient and its square (default: (0.9, 0.999))
- **eps** – term added to the denominator to improve numerical stability (default: 1e-8)
- **weight_decay** – weight decay (L2 penalty) (default: 0)
- **clip_norm** – magnitude of norm to which gradients are clipped (default: 10.0)
- **lrd** – rate at which learning rate decays (default: 1.0)

Small modification to the Adam algorithm implemented in `torch.optim.Adam` to include gradient clipping and learning rate decay.

Reference

A Method for Stochastic Optimization, Diederik P. Kingma, Jimmy Ba <https://arxiv.org/abs/1412.6980>

`step(closure: Optional[Callable] = None)` → `Optional[Any]`

Parameters closure – An optional closure that reevaluates the model and returns the loss.

Performs a single optimization step.

class HorovodOptimizer(`pyro_optim: pyro.optim.optim.PyroOptim, **horovod_kwargs`)

Bases: `pyro.optim.optim.PyroOptim`

Distributed wrapper for a `PyroOptim` optimizer.

This class wraps a `PyroOptim` object similar to the way `horovod.torch.DistributedOptimizer()` wraps a `torch.optim.Optimizer`.

Note: This requires `horovod.torch` to be installed, e.g. via `pip install pyro[horovod]`. For details see <https://horovod.readthedocs.io/en/stable/install.html>

Param A Pyro optimizer instance.

Parameters `**horovod_kwarg`s – Extra parameters passed to `horovod.torch.DistributedOptimizer()`.

`__call__(params: Union[List, ValuesView], *args, **kwargs) → None`

7.2 PyTorch Optimizers

Adadelta(*optim_args*, *clip_args*=*None*)

Wraps `torch.optim.Adadelta` with `PyroOptim`.

Adagrad(*optim_args*, *clip_args*=*None*)

Wraps `torch.optim.Adagrad` with `PyroOptim`.

Adam(*optim_args*, *clip_args*=*None*)

Wraps `torch.optim.Adam` with `PyroOptim`.

AdamW(*optim_args*, *clip_args*=*None*)

Wraps `torch.optim.AdamW` with `PyroOptim`.

SparseAdam(*optim_args*, *clip_args*=*None*)

Wraps `torch.optim.SparseAdam` with `PyroOptim`.

Adamax(*optim_args*, *clip_args*=*None*)

Wraps `torch.optim.Adamax` with `PyroOptim`.

ASGD(*optim_args*, *clip_args*=*None*)

Wraps `torch.optim.ASGD` with `PyroOptim`.

SGD(*optim_args*, *clip_args*=*None*)

Wraps `torch.optim.SGD` with `PyroOptim`.

Rprop(*optim_args*, *clip_args*=*None*)

Wraps `torch.optim.Rprop` with `PyroOptim`.

RMSprop(*optim_args*, *clip_args*=*None*)

Wraps `torch.optim.RMSprop` with `PyroOptim`.

LambdaLR(*optim_args*, *clip_args*=*None*)

Wraps `torch.optim.LambdaLR` with `PyroLRScheduler`.

MultiplicativeLR(*optim_args*, *clip_args*=*None*)

Wraps `torch.optim.MultiplicativeLR` with `PyroLRScheduler`.

StepLR(*optim_args*, *clip_args*=*None*)

Wraps `torch.optim.StepLR` with `PyroLRScheduler`.

MultiStepLR(*optim_args*, *clip_args*=*None*)

Wraps `torch.optim.MultiStepLR` with `PyroLRScheduler`.

ExponentialLR(*optim_args*, *clip_args*=*None*)

Wraps `torch.optim.ExponentialLR` with `PyroLRScheduler`.

CosineAnnealingLR(*optim_args*, *clip_args=None*)

Wraps `torch.optim.CosineAnnealingLR` with `PyroLRScheduler`.

ReduceLROnPlateau(*optim_args*, *clip_args=None*)

Wraps `torch.optim.ReduceLROnPlateau` with `PyroLRScheduler`.

CyclicLR(*optim_args*, *clip_args=None*)

Wraps `torch.optim.CyclicLR` with `PyroLRScheduler`.

CosineAnnealingWarmRestarts(*optim_args*, *clip_args=None*)

Wraps `torch.optim.CosineAnnealingWarmRestarts` with `PyroLRScheduler`.

OneCycleLR(*optim_args*, *clip_args=None*)

Wraps `torch.optim.OneCycleLR` with `PyroLRScheduler`.

7.3 Higher-Order Optimizers

class MultiOptimizer

Bases: `object`

Base class of optimizers that make use of higher-order derivatives.

Higher-order optimizers generally use `torch.autograd.grad()` rather than `torch.Tensor.backward()`, and therefore require a different interface from usual Pyro and PyTorch optimizers. In this interface, the `step()` method inputs a `loss` tensor to be differentiated, and backpropagation is triggered one or more times inside the optimizer.

Derived classes must implement `step()` to compute derivatives and update parameters in-place.

Example:

```
tr = poutine.trace(model).get_trace(*args, **kwargs)
loss = -tr.log_prob_sum()
params = {name: site['value'].unconstrained()
          for name, site in tr.nodes.items()
          if site['type'] == 'param'}
optim.step(loss, params)
```

step(*loss: torch.Tensor*, *params: Dict*) → None

Performs an in-place optimization step on parameters given a differentiable `loss` tensor.

Note that this detaches the updated tensors.

Parameters

- **loss** (`torch.Tensor`) – A differentiable tensor to be minimized. Some optimizers require this to be differentiable multiple times.
- **params** (`dict`) – A dictionary mapping param name to unconstrained value as stored in the param store.

get_step(*loss: torch.Tensor*, *params: Dict*) → Dict

Computes an optimization step of parameters given a differentiable `loss` tensor, returning the updated values.

Note that this preserves derivatives on the updated tensors.

Parameters

- **loss** (`torch.Tensor`) – A differentiable tensor to be minimized. Some optimizers require this to be differentiable multiple times.
- **params** (`dict`) – A dictionary mapping param name to unconstrained value as stored in the param store.

Returns A dictionary mapping param name to updated unconstrained value.

Return type `dict`

class PyroMultiOptimizer(*optim*: `pyro.optim.optim.PyroOptim`)

Bases: `pyro.optim.multi.MultiOptimizer`

Facade to wrap `PyroOptim` objects in a `MultiOptimizer` interface.

step(*loss*: `torch.Tensor`, *params*: `Dict`) → `None`

class TorchMultiOptimizer(*optim_constructor*: `torch.optim.optimizer.Optimizer`, *optim_args*: `Dict`)

Bases: `pyro.optim.multi.PyroMultiOptimizer`

Facade to wrap `Optimizer` objects in a `MultiOptimizer` interface.

class MixedMultiOptimizer(*parts*: `List`)

Bases: `pyro.optim.multi.MultiOptimizer`

Container class to combine different `MultiOptimizer` instances for different parameters.

Parameters **parts** (`List`) – A list of (`names`, `optim`) pairs, where each `names` is a list of parameter names, and each `optim` is a `MultiOptimizer` or `PyroOptim` object to be used for the named parameters. Together the `names` should partition up all desired parameters to optimize.

Raises `ValueError` – if any name is optimized by multiple optimizers.

step(*loss*: `torch.Tensor`, *params*: `Dict`)

get_step(*loss*: `torch.Tensor`, *params*: `Dict`) → `Dict`

class Newton(*trust_radii*: `Dict` = `{}`)

Bases: `pyro.optim.multi.MultiOptimizer`

Implementation of `MultiOptimizer` that performs a Newton update on batched low-dimensional variables, optionally regularizing via a per-parameter `trust_radius`. See `newton_step()` for details.

The result of `get_step()` will be differentiable, however the updated values from `step()` will be detached.

Parameters **trust_radii** (`dict`) – a dict mapping parameter name to radius of trust region. Missing names will use unregularized Newton update, equivalent to infinite trust radius.

get_step(*loss*: `torch.Tensor`, *params*: `Dict`)

POUTINE (EFFECT HANDLERS)

Beneath the built-in inference algorithms, Pyro has a library of composable effect handlers for creating new inference algorithms and working with probabilistic programs. Pyro's inference algorithms are all built by applying these handlers to stochastic functions. In order to get a general understanding what effect handlers are and what problem they solve, read [An Introduction to Algebraic Effects and Handlers](#) by Matija Pretnar.

8.1 Handlers

Poutine is a library of composable effect handlers for recording and modifying the behavior of Pyro programs. These lower-level ingredients simplify the implementation of new inference algorithms and behavior.

Handlers can be used as higher-order functions, decorators, or context managers to modify the behavior of functions or blocks of code:

For example, consider the following Pyro program:

```
>>> def model(x):
...     s = pyro.param("s", torch.tensor(0.5))
...     z = pyro.sample("z", dist.Normal(x, s))
...     return z ** 2
```

We can mark sample sites as observed using `condition`, which returns a callable with the same input and output signatures as `model`:

```
>>> conditioned_model = poutine.condition(model, data={"z": 1.0})
```

We can also use handlers as decorators:

```
>>> @pyro.condition(data={"z": 1.0})
... def model(x):
...     s = pyro.param("s", torch.tensor(0.5))
...     z = pyro.sample("z", dist.Normal(x, s))
...     return z ** 2
```

Or as context managers:

```
>>> with pyro.condition(data={"z": 1.0}):
...     s = pyro.param("s", torch.tensor(0.5))
...     z = pyro.sample("z", dist.Normal(0., s))
...     y = z ** 2
```

Handlers compose freely:

```
>>> conditioned_model = poutine.condition(model, data={"z": 1.0})
>>> traced_model = poutine.trace(conditioned_model)
```

Many inference algorithms or algorithmic components can be implemented in just a few lines of code:

```
guide_tr = poutine.trace(guide).get_trace(...)
model_tr = poutine.trace(poutine.replay(conditioned_model, trace=guide_tr)).get_trace(...)
monte_carlo_elbo = model_tr.log_prob_sum() - guide_tr.log_prob_sum()
```

block(fn=None, *args, **kwargs)
Convenient wrapper of *BlockMessenger*

This handler selectively hides Pyro primitive sites from the outside world. Default behavior: block everything.

A site is hidden if at least one of the following holds:

0. `hide_fn(msg)` is True or (`not expose_fn(msg)`) is True
1. `msg["name"]` in `hide`
2. `msg["type"]` in `hide_types`
3. `msg["name"]` not in `expose` and `msg["type"]` not in `expose_types`
4. `hide`, `hide_types`, and `expose_types` are all `None`

For example, suppose the stochastic function `fn` has two sample sites “a” and “b”. Then any effect outside of `BlockMessenger(fn, hide=["a"])` will not be applied to site “a” and will only see site “b”:

```
>>> def fn():
...     a = pyro.sample("a", dist.Normal(0., 1.))
...     return pyro.sample("b", dist.Normal(a, 1.))
>>> fn_inner = pyro.poutine.trace(fn)
>>> fn_outer = pyro.poutine.trace(pyro.poutine.block(fn_inner, hide=["a"]))
>>> trace_inner = fn_inner.get_trace()
>>> trace_outer = fn_outer.get_trace()
>>> "a" in trace_inner
True
>>> "a" in trace_outer
False
>>> "b" in trace_inner
True
>>> "b" in trace_outer
True
```

Parameters

- `fn` – a stochastic function (callable containing Pyro primitive calls)
- `hide_fn` – function that takes a site and returns True to hide the site or False/None to expose it. If specified, all other parameters are ignored. Only specify one of `hide_fn` or `expose_fn`, not both.
- `expose_fn` – function that takes a site and returns True to expose the site or False/None to hide it. If specified, all other parameters are ignored. Only specify one of `hide_fn` or `expose_fn`, not both.
- `hide_all` (`bool`) – hide all sites

- `expose_all (bool)` – expose all sites normally
- `hide (list)` – list of site names to hide
- `expose (list)` – list of site names to be exposed while all others hidden
- `hide_types (list)` – list of site types to be hidden
- `expose_types (lists)` – list of site types to be exposed while all others hidden

Returns stochastic function decorated with a `BlockMessenger`

broadcast(*fn=None, *args, **kwargs*)
Convenient wrapper of `BroadcastMessenger`

Automatically broadcasts the batch shape of the stochastic function at a sample site when inside a single or nested plate context. The existing *batch_shape* must be broadcastable with the size of the plate contexts installed in the *cond_indep_stack*.

Notice how *model_automatic_broadcast* below automates expanding of distribution batch shapes. This makes it easy to modularize a Pyro model as the sub-components are agnostic of the wrapping plate contexts.

```
>>> def model_broadcast_by_hand():
...     with IndepMessenger("batch", 100, dim=-2):
...         with IndepMessenger("components", 3, dim=-1):
...             sample = pyro.sample("sample", dist.Bernoulli(torch.ones(3) * 0.5)
...                                 .expand_by(100))
...             assert sample.shape == torch.Size((100, 3))
...     return sample
```

```
>>> @poutine.broadcast
... def model_automatic_broadcast():
...     with IndepMessenger("batch", 100, dim=-2):
...         with IndepMessenger("components", 3, dim=-1):
...             sample = pyro.sample("sample", dist.Bernoulli(torch.tensor(0.5)))
...             assert sample.shape == torch.Size((100, 3))
...     return sample
```

collapse(*fn=None, *args, **kwargs*)
Convenient wrapper of `CollapseMessenger`

EXPERIMENTAL Collapses all sites in the context by lazily sampling and attempting to use conjugacy relations. If no conjugacy is known this will fail. Code using the results of sample sites must be written to accept Functors rather than Tensors. This requires `functor` to be installed.

Warning: This is not compatible with automatic guessing of `max_plate_nesting`. If any plates appear within the collapsed context, you should manually declare `max_plate_nesting` to your inference algorithm (e.g. `Trace_ELBO(max_plate_nesting=1)`).

condition(*fn=None, *args, **kwargs*)
Convenient wrapper of `ConditionMessenger`

Given a stochastic function with some sample statements and a dictionary of observations at names, change the sample statements at those names into observes with those values.

Consider the following Pyro program:

```
>>> def model(x):
...     s = pyro.param("s", torch.tensor(0.5))
...     z = pyro.sample("z", dist.Normal(x, s))
...     return z ** 2
```

To observe a value for site z , we can write

```
>>> conditioned_model = pyro.poutine.condition(model, data={"z": torch.tensor(1.)})
```

This is equivalent to adding $obs=value$ as a keyword argument to $pyro.sample("z", \dots)$ in $model$.

Parameters

- **fn** – a stochastic function (callable containing Pyro primitive calls)
- **data** – a dict or a *Trace*

Returns stochastic function decorated with a *ConditionMessenger*

do(*fn=None, *args, **kwargs*)

Convenient wrapper of *DoMessenger*

Given a stochastic function with some sample statements and a dictionary of values at names, set the return values of those sites equal to the values as if they were hard-coded to those values and introduce fresh sample sites with the same names whose values do not propagate.

Composes freely with *condition()* to represent counterfactual distributions over potential outcomes. See Single World Intervention Graphs [1] for additional details and theory.

Consider the following Pyro program:

```
>>> def model(x):
...     s = pyro.param("s", torch.tensor(0.5))
...     z = pyro.sample("z", dist.Normal(x, s))
...     return z ** 2
```

To intervene with a value for site z , we can write

```
>>> intervened_model = pyro.poutine.do(model, data={"z": torch.tensor(1.)})
```

This is equivalent to replacing $z=pyro.sample("z", \dots)$ with $z=torch.tensor(1.)$ and introducing a fresh sample site $pyro.sample("z", \dots)$ whose value is not used elsewhere.

References

[1] *Single World Intervention Graphs: A Primer*, Thomas Richardson, James Robins

Parameters

- **fn** – a stochastic function (callable containing Pyro primitive calls)
- **data** – a dict mapping sample site names to interventions

Returns stochastic function decorated with a *DoMessenger*

enum(*fn=None, *args, **kwargs*)

Convenient wrapper of *EnumMessenger*

Enumerates in parallel over discrete sample sites marked $infer=\{"enumerate": "parallel"\}$.

Parameters `first_available_dim` (`int`) – The first tensor dimension (counting from the right) that is available for parallel enumeration. This dimension and all dimensions left may be used internally by Pyro. This should be a negative integer or None.

escape(*fn=None, *args, **kwargs*)Convenient wrapper of `EscapeMessenger`Messenger that does a nonlocal exit by raising a `util.NonlocalExit` exception**infer_config**(*fn=None, *args, **kwargs*)Convenient wrapper of `InferConfigMessenger`Given a callable *fn* that contains Pyro primitive calls and a callable *config_fn* taking a trace site and returning a dictionary, updates the value of the infer kwarg at a sample site to *config_fn*(site).**Parameters**

- **fn** – a stochastic function (callable containing Pyro primitive calls)
- **config_fn** – a callable taking a site and returning an infer dict

Returns stochastic function decorated with `InferConfigMessenger`**lift**(*fn=None, *args, **kwargs*)Convenient wrapper of `LiftMessenger`

Given a stochastic function with param calls and a prior distribution, create a stochastic function where all param calls are replaced by sampling from prior. Prior should be a callable or a dict of names to callables.

Consider the following Pyro program:

```
>>> def model(x):
...     s = pyro.param("s", torch.tensor(0.5))
...     z = pyro.sample("z", dist.Normal(x, s))
...     return z ** 2
>>> lifted_model = pyro.poutine.lift(model, prior={"s": dist.Exponential(0.3)})
```

`lift` makes `param` statements behave like `sample` statements using the distributions in `prior`. In this example, site `s` will now behave as if it was replaced with `s = pyro.sample("s", dist.Exponential(0.3))`:

```
>>> tr = pyro.poutine.trace(lifted_model).get_trace(0.0)
>>> tr.nodes["s"]["type"] == "sample"
True
>>> tr2 = pyro.poutine.trace(lifted_model).get_trace(0.0)
>>> bool((tr2.nodes["s"]["value"] == tr.nodes["s"]["value"]).all())
False
```

Parameters

- **fn** – function whose parameters will be lifted to random values
- **prior** – prior function in the form of a Distribution or a dict of stochastic fns

Returns fn decorated with a `LiftMessenger`**markov**(*fn=None, history=1, keep=False, dim=None, name=None*)

Markov dependency declaration.

This can be used in a variety of ways:

- as a context manager

- as a decorator for recursive functions
- as an iterator for markov chains

Parameters

- **history** (`int`) – The number of previous contexts visible from the current context. Defaults to 1. If zero, this is similar to `pyro.plate`.
- **keep** (`bool`) – If true, frames are replayable. This is important when branching: if `keep=True`, neighboring branches at the same level can depend on each other; if `keep=False`, neighboring branches are independent (conditioned on their share”)
- **dim** (`int`) – An optional dimension to use for this independence index. Interface stub, behavior not yet implemented.
- **name** (`str`) – An optional unique name to help inference algorithms match `pyro.markov()` sites between models and guides. Interface stub, behavior not yet implemented.

`mask(fn=None, *args, **kwargs)`

Convenient wrapper of `MaskMessenger`

Given a stochastic function with some batched sample statements and masking tensor, mask out some of the sample statements elementwise.

Parameters

- **fn** – a stochastic function (callable containing Pyro primitive calls)
- **mask** (`torch.BoolTensor`) – a {0, 1}-valued masking tensor (1 includes a site, 0 excludes a site)

Returns stochastic function decorated with a `MaskMessenger`

`queue(fn=None, queue=None, max_tries=None, extend_fn=None, escape_fn=None, num_samples=None)`

Used in sequential enumeration over discrete variables.

Given a stochastic function and a queue, return a return value from a complete trace in the queue.

Parameters

- **fn** – a stochastic function (callable containing Pyro primitive calls)
- **queue** – a queue data structure like `multiprocessing.Queue` to hold partial traces
- **max_tries** – maximum number of attempts to compute a single complete trace
- **extend_fn** – function (possibly stochastic) that takes a partial trace and a site, and returns a list of extended traces
- **escape_fn** – function (possibly stochastic) that takes a partial trace and a site, and returns a boolean value to decide whether to exit
- **num_samples** – optional number of extended traces for `extend_fn` to return

Returns stochastic function decorated with poutine logic

`reparam(fn=None, *args, **kwargs)`

Convenient wrapper of `ReparamMessenger`

Reparametrizes each affected sample site into one or more auxiliary sample sites followed by a deterministic transformation [1].

To specify reparameterizers, pass a `config` dict or callable to the constructor. See the `pyro.infer.reparam` module for available reparameterizers.

Note some reparameterizers can examine the `*args`, `**kwargs` inputs of functions they affect; these reparameterizers require using `poutine.reparam` as a decorator rather than as a context manager.

[1] **Maria I. Gorinova, Dave Moore, Matthew D. Hoffman (2019)** “Automatic Reparameterisation of Probabilistic Programs” <https://arxiv.org/pdf/1906.03028.pdf>

Parameters config (`dict` or `callable`) – Configuration, either a dict mapping site name to `Reparameterizer`, or a function mapping site to `Reparameterizer` or `None`. See `pyro.infer.reparam.strategies` for built-in configuration strategies.

replay(`fn=None, *args, **kwargs`)
Convenient wrapper of `ReplayMessenger`

Given a callable that contains Pyro primitive calls, return a callable that runs the original, reusing the values at sites in trace at those sites in the new trace

Consider the following Pyro program:

```
>>> def model(x):
...     s = pyro.param("s", torch.tensor(0.5))
...     z = pyro.sample("z", dist.Normal(x, s))
...     return z ** 2
```

`replay` makes `sample` statements behave as if they had sampled the values at the corresponding sites in the trace:

```
>>> old_trace = pyro.poutine.trace(model).get_trace(1.0)
>>> replayed_model = pyro.poutine.replay(model, trace=old_trace)
>>> bool(replayed_model(0.0) == old_trace.nodes["_RETURN"]["value"])
True
```

Parameters

- `fn` – a stochastic function (callable containing Pyro primitive calls)
- `trace` – a `Trace` data structure to replay against
- `params` – dict of names of param sites and constrained values in `fn` to replay against

Returns a stochastic function decorated with a `ReplayMessenger`

scale(`fn=None, *args, **kwargs`)
Convenient wrapper of `ScaleMessenger`

Given a stochastic function with some sample statements and a positive scale factor, scale the score of all sample and observe sites in the function.

Consider the following Pyro program:

```
>>> def model(x):
...     s = pyro.param("s", torch.tensor(0.5))
...     pyro.sample("z", dist.Normal(x, s), obs=torch.tensor(1.0))
```

`scale` multiplicatively scales the log-probabilities of sample sites:

```
>>> scaled_model = pyro.poutine.scale(model, scale=0.5)
>>> scaled_tr = pyro.poutine.trace(scaled_model).get_trace(0.0)
>>> unscaled_tr = pyro.poutine.trace(model).get_trace(0.0)
```

(continues on next page)

(continued from previous page)

```
>>> bool((scaled_tr.log_prob_sum() == 0.5 * unscaled_tr.log_prob_sum()).all())
True
```

Parameters

- **fn** – a stochastic function (callable containing Pyro primitive calls)
- **scale** – a positive scaling factor

Returns stochastic function decorated with a *ScaleMessenger***seed**(*fn=None, *args, **kwargs*)Convenient wrapper of *SeedMessenger*

Handler to set the random number generator to a pre-defined state by setting its seed. This is the same as calling `pyro.set_rng_seed()` before the call to *fn*. This handler has no additional effect on primitive statements on the standard Pyro backend, but it might intercept `pyro.sample` calls in other backends. e.g. the NumPy backend.

Parameters

- **fn** – a stochastic function (callable containing Pyro primitive calls).
- **rng_seed** (*int*) – rng seed.

trace(*fn=None, *args, **kwargs*)Convenient wrapper of *TraceMessenger*

Return a handler that records the inputs and outputs of primitive calls and their dependencies.

Consider the following Pyro program:

```
>>> def model(x):
...     s = pyro.param("s", torch.tensor(0.5))
...     z = pyro.sample("z", dist.Normal(x, s))
...     return z ** 2
```

We can record its execution using `trace` and use the resulting data structure to compute the log-joint probability of all of the sample sites in the execution or extract all parameters.

```
>>> trace = pyro.poutine.trace(model).get_trace(0.0)
>>> logp = trace.log_prob_sum()
>>> params = [trace.nodes[name][“value”].unconstrained() for name in trace.param_nodes]
```

Parameters

- **fn** – a stochastic function (callable containing Pyro primitive calls)
- **graph_type** – string that specifies the kind of graph to construct
- **param_only** – if true, only records params and not samples

Returns stochastic function decorated with a *TraceMessenger***uncondition**(*fn=None, *args, **kwargs*)Convenient wrapper of *UnconditionMessenger*

Messenger to force the value of observed nodes to be sampled from their distribution, ignoring observations.

```
config_enumerate(guide=None, default='parallel', expand=False, num_samples=None, tmc='diagonal')
```

Configures enumeration for all relevant sites in a guide. This is mainly used in conjunction with `TraceEnum_ELBO`.

When configuring for exhaustive enumeration of discrete variables, this configures all sample sites whose distribution satisfies `.has_enumerate_support == True`. When configuring for local parallel Monte Carlo sampling via `default="parallel"`, `num_samples=n`, this configures all sample sites. This does not overwrite existing annotations `infer={"enumerate": ...}`.

This can be used as either a function:

```
guide = config_enumerate(guide)
```

or as a decorator:

```
@config_enumerate
def guide1(*args, **kwargs):
    ...

@config_enumerate(default="sequential", expand=True)
def guide2(*args, **kwargs):
    ...
```

Parameters

- **guide** (`callable`) – a pyro model that will be used as a guide in `SVI`.
- **default** (`str`) – Which enumerate strategy to use, one of “sequential”, “parallel”, or None. Defaults to “parallel”.
- **expand** (`bool`) – Whether to expand enumerated sample values. See `enumerate_support()` for details. This only applies to exhaustive enumeration, where `num_samples=None`. If `num_samples` is not `None`, then this samples will always be expanded.
- **num_samples** (`int` or `None`) – if not `None`, use local Monte Carlo sampling rather than exhaustive enumeration. This makes sense for both continuous and discrete distributions.
- **tmc** (`string` or `None`) – “mixture” or “diagonal” strategies to use in Tensor Monte Carlo

Returns an annotated guide

Return type callable

8.2 Trace

```
class Trace(graph_type='flat')
```

Bases: `object`

Graph data structure denoting the relationships amongst different pyro primitives in the execution trace.

An execution trace of a Pyro program is a record of every call to `pyro.sample()` and `pyro.param()` in a single execution of that program. Traces are directed graphs whose nodes represent primitive calls or input/output, and whose edges represent conditional dependence relationships between those primitive calls. They are created and populated by `poutine.trace`.

Each node (or site) in a trace contains the name, input and output value of the site, as well as additional metadata added by inference algorithms or user annotation. In the case of `pyro.sample`, the trace also includes the stochastic function at the site, and any observed data added by users.

Consider the following Pyro program:

```
>>> def model(x):
...     s = pyro.param("s", torch.tensor(0.5))
...     z = pyro.sample("z", dist.Normal(x, s))
...     return z ** 2
```

We can record its execution using `pyro.poutine.trace` and use the resulting data structure to compute the log-joint probability of all of the sample sites in the execution or extract all parameters.

```
>>> trace = pyro.poutine.trace(model).get_trace(0.0)
>>> logp = trace.log_prob_sum()
>>> params = [trace.nodes[name]["value"].unconstrained() for name in trace.param_nodes]
```

We can also inspect or manipulate individual nodes in the trace. `trace.nodes` contains a `collections.OrderedDict` of site names and metadata corresponding to `x`, `s`, `z`, and the return value:

```
>>> list(name for name in trace.nodes.keys())
['_INPUT', 's', 'z', '_RETURN']
```

Values of `trace.nodes` are dictionaries of node metadata:

```
>>> trace.nodes["z"]
{'type': 'sample', 'name': 'z', 'is_observed': False,
 'fn': Normal(), 'value': tensor(0.6480), 'args': (), 'kwargs': {},
 'infer': {}, 'scale': 1.0, 'cond_indep_stack': (),
 'done': True, 'stop': False, 'continuation': None}
```

`'infer'` is a dictionary of user- or algorithm-specified metadata. `'args'` and `'kwargs'` are the arguments passed via `pyro.sample` to `fn.__call__` or `fn.log_prob`. `'scale'` is used to scale the log-probability of the site when computing the log-joint. `'cond_indep_stack'` contains data structures corresponding to `pyro.plate` contexts appearing in the execution. `'done'`, `'stop'`, and `'continuation'` are only used by Pyro's internals.

Parameters `graph_type` (*string*) – string specifying the kind of trace graph to construct

`add_edge`(*site1*, *site2*)

`add_node`(*site_name*, ***kwargs*)

Parameters `site_name` (*string*) – the name of the site to be added

Adds a site to the trace.

Raises an error when attempting to add a duplicate node instead of silently overwriting.

`compute_log_prob`(*site_filter*=<*function Trace.<lambda>*>)

Compute the site-wise log probabilities of the trace. Each `log_prob` has shape equal to the corresponding `batch_shape`. Each `log_prob_sum` is a scalar. Both computations are memoized.

`compute_score_parts()`

Compute the batched local score parts at each site of the trace. Each `log_prob` has shape equal to the corresponding `batch_shape`. Each `log_prob_sum` is a scalar. All computations are memoized.

copy()
Makes a shallow copy of self with nodes and edges preserved.

detach_()
Detach values (in-place) at each sample site of the trace.

property edges

format_shapes(title='Trace Shapes:', last_site=None)
Returns a string showing a table of the shapes of all sites in the trace.

iter_stochastic_nodes()

Returns an iterator over stochastic nodes in the trace.

log_prob_sum(site_filter=<function Trace.<lambda>>)
Compute the site-wise log probabilities of the trace. Each log_prob has shape equal to the corresponding batch_shape. Each log_prob_sum is a scalar. The computation of log_prob_sum is memoized.

Returns total log probability.

Return type torch.Tensor

property nonreparam_stochastic_nodes

Returns a list of names of sample sites whose stochastic functions are not reparameterizable primitive distributions

property observation_nodes

Returns a list of names of observe sites

pack_tensors(plate_to_symbol=None)
Computes packed representations of tensors in the trace. This should be called after `compute_log_prob()` or `compute_score_parts()`.

property param_nodes

Returns a list of names of param sites

predecessors(site_name)

remove_node(site_name)

property reparameterized_nodes

Returns a list of names of sample sites whose stochastic functions are reparameterizable primitive distributions

property stochastic_nodes

Returns a list of names of sample sites

successors(site_name)

symbolize_dims(plate_to_symbol=None)
Assign unique symbols to all tensor dimensions.

topological_sort(reverse=False)
Return a list of nodes (site names) in topologically sorted order.

Parameters reverse (bool) – Return the list in reverse order.

Returns list of topologically sorted nodes (site names).

8.3 Runtime

exception NonlocalExit(site, *args, **kwargs)

Bases: `Exception`

Exception for exiting nonlocally from poutine execution.

Used by `poutine.EscapeMessenger` to return site information.

reset_stack()

Reset the state of the frames remaining in the stack. Necessary for multiple re-executions in `poutine.queue`.

am_i_wrapped()

Checks whether the current computation is wrapped in a poutine. :returns: bool

apply_stack(initial_msg)

Execute the effect stack at a single site according to the following scheme:

1. For each Messenger in the stack from bottom to top, execute `Messenger._process_message` with the message; if the message field “stop” is True, stop; otherwise, continue
2. Apply default behavior (`default_process_message`) to finish remaining site execution
3. For each Messenger in the stack from top to bottom, execute `_postprocess_message` to update the message and internal messenger state with the site results
4. If the message field “continuation” is not `None`, call it with the message

Parameters `initial_msg (dict)` – the starting version of the trace site

Returns None

default_process_message(msg)

Default method for processing messages in inference.

Parameters `msg` – a message to be processed

Returns None

effectful(fn=None, type=None)

Parameters

- `fn` – function or callable that performs an effectful computation
- `type (str)` – the type label of the operation, e.g. “sample”

Wrapper for calling `apply_stack()` to apply any active effects.

get_mask()

Records the effects of enclosing `poutine.mask` handlers.

This is useful for avoiding expensive `pyro.factor()` computations during prediction, when the log density need not be computed, e.g.:

```
def model():
    # ...
    if poutine.get_mask() is not False:
        log_density = my_expensive_computation()
        pyro.factor("foo", log_density)
    # ...
```

Returns The mask.

Return type None, bool, or torch.Tensor

`get_plates()` → tuple

Records the effects of enclosing `pyro.plate` contexts.

Returns A tuple of `pyro.poutine.indep_messenger.CondIndepStackFrame` objects.

Return type tuple

8.4 Utilities

`all_escape(trace, msg)`

Parameters

- **trace** – a partial trace
- **msg** – the message at a Pyro primitive site

Returns boolean decision value

Utility function that checks if a site is not already in a trace.

Used by EscapeMessenger to decide whether to do a nonlocal exit at a site. Subroutine for approximately integrating out variables for variance reduction.

`discrete_escape(trace, msg)`

Parameters

- **trace** – a partial trace
- **msg** – the message at a Pyro primitive site

Returns boolean decision value

Utility function that checks if a sample site is discrete and not already in a trace.

Used by EscapeMessenger to decide whether to do a nonlocal exit at a site. Subroutine for integrating out discrete variables for variance reduction.

`enable_validation(is_validate)`

`enum_extend(trace, msg, num_samples=None)`

Parameters

- **trace** – a partial trace
- **msg** – the message at a Pyro primitive site
- **num_samples** – maximum number of extended traces to return.

Returns a list of traces, copies of input trace with one extra site

Utility function to copy and extend a trace with sites based on the input site whose values are enumerated from the support of the input site's distribution.

Used for exact inference and integrating out discrete variables.

```
is_validation_enabled()  
mc_extend(trace, msg, num_samples=None)
```

Parameters

- **trace** – a partial trace
- **msg** – the message at a Pyro primitive site
- **num_samples** – maximum number of extended traces to return.

Returns a list of traces, copies of input trace with one extra site

Utility function to copy and extend a trace with sites based on the input site whose values are sampled from the input site's function.

Used for Monte Carlo marginalization of individual sample sites.

prune_subsample_sites(trace)

Copies and removes all subsample sites from a trace.

site_is_factor(site)

Determines whether a trace site originated from a factor statement.

site_is_subsample(site)

Determines whether a trace site originated from a subsample statement inside an *plate*.

8.5 Messengers

Messenger objects contain the implementations of the effects exposed by handlers. Advanced users may modify the implementations of messengers behind existing handlers or write new messengers that implement new effects and compose correctly with the rest of the library.

8.5.1 Messenger

class Messenger

Bases: `object`

Context manager class that modifies behavior and adds side effects to stochastic functions i.e. callables containing Pyro primitive statements.

This is the base Messenger class. It implements the default behavior for all Pyro primitives, so that the joint distribution induced by a stochastic function `fn` is identical to the joint distribution induced by `Messenger()(fn)`.

Class of transformers for messages passed during inference. Most inference operations are implemented in subclasses of this.

classmethod register(fn=None, type=None, post=None)

Parameters

- **fn** – function implementing operation
- **type** (`str`) – name of the operation (also passed to `effectful()`)
- **post** (`bool`) – if *True*, use this operation as postprocess

Dynamically add operations to an effect. Useful for generating wrappers for libraries.

Example:

```
@SomeMessengerClass.register
def some_function(msg)
    ...do_something...
    return msg
```

```
classmethod unregister(fn=None, type=None)
```

Parameters

- **fn** – function implementing operation
- **type** (*str*) – name of the operation (also passed to `effectful()`)

Dynamically remove operations from an effect. Useful for removing wrappers from libraries.

Example:

```
SomeMessengerClass.unregister(some_function, "name")
```

`block_messengers(predicate)`

EXPERIMENTAL Context manager to temporarily remove matching messengers from the `_PYRO_STACK`. Note this does not call the `__exit__()` and `__enter__()` methods.

This is useful to selectively block enclosing handlers.

Parameters `predicate` (*callable*) – A predicate mapping messenger instance to boolean. This mutes all messengers `m` for which `bool(predicate(m))` is True.

Yields A list of matched messengers that are blocked.

`unwrap(fn)`

Recursively unwraps poutines.

8.5.2 BlockMessenger

```
class BlockMessenger(hide_fn=None, expose_fn=None, hide_all=True, expose_all=False, hide=None,
                     expose=None, hide_types=None, expose_types=None)
```

Bases: `pyro.poutine.messenger.Messenger`

This handler selectively hides Pyro primitive sites from the outside world. Default behavior: block everything.

A site is hidden if at least one of the following holds:

0. `hide_fn(msg)` is True or `(not expose_fn(msg))` is True
1. `msg["name"]` in `hide`
2. `msg["type"]` in `hide_types`
3. `msg["name"]` not in `expose` and `msg["type"]` not in `expose_types`
4. `hide`, `hide_types`, and `expose_types` are all None

For example, suppose the stochastic function `fn` has two sample sites “a” and “b”. Then any effect outside of `BlockMessenger(fn, hide=["a"])` will not be applied to site “a” and will only see site “b”:

```
>>> def fn():
...     a = pyro.sample("a", dist.Normal(0., 1.))
...     return pyro.sample("b", dist.Normal(a, 1.))
>>> fn_inner = pyro.poutine.trace(fn)
>>> fn_outer = pyro.poutine.trace(pyro.poutine.block(fn_inner, hide=["a"]))
>>> trace_inner = fn_inner.get_trace()
>>> trace_outer = fn_outer.get_trace()
>>> "a" in trace_inner
True
>>> "a" in trace_outer
False
>>> "b" in trace_inner
True
>>> "b" in trace_outer
True
```

Parameters

- **fn** – a stochastic function (callable containing Pyro primitive calls)
- **hide_fn** – function that takes a site and returns True to hide the site or False/None to expose it. If specified, all other parameters are ignored. Only specify one of hide_fn or expose_fn, not both.
- **expose_fn** – function that takes a site and returns True to expose the site or False/None to hide it. If specified, all other parameters are ignored. Only specify one of hide_fn or expose_fn, not both.
- **hide_all (bool)** – hide all sites
- **expose_all (bool)** – expose all sites normally
- **hide (list)** – list of site names to hide
- **expose (list)** – list of site names to be exposed while all others hidden
- **hide_types (list)** – list of site types to be hidden
- **expose_types (list)** – list of site types to be exposed while all others hidden

Returns stochastic function decorated with a *BlockMessenger*

8.5.3 BroadcastMessenger

class BroadcastMessenger

Bases: *pyro.poutine.messenger.Messenger*

Automatically broadcasts the batch shape of the stochastic function at a sample site when inside a single or nested plate context. The existing *batch_shape* must be broadcastable with the size of the plate contexts installed in the *cond_indep_stack*.

Notice how *model_automatic_broadcast* below automates expanding of distribution batch shapes. This makes it easy to modularize a Pyro model as the sub-components are agnostic of the wrapping plate contexts.

```
>>> def model_broadcast_by_hand():
...     with IndepMessenger("batch", 100, dim=-2):
...         with IndepMessenger("components", 3, dim=-1):
```

(continues on next page)

(continued from previous page)

```

...
    sample = pyro.sample("sample", dist.Bernoulli(torch.ones(3) * 0.5)
                           .expand_by(100))
...
    assert sample.shape == torch.Size((100, 3))
...
    return sample

```



```

>>> @poutine.broadcast
... def model_automatic_broadcast():
...     with IndepMessenger("batch", 100, dim=-2):
...         with IndepMessenger("components", 3, dim=-1):
...             sample = pyro.sample("sample", dist.Bernoulli(torch.tensor(0.5)))
...             assert sample.shape == torch.Size((100, 3))
...
    return sample

```

8.5.4 CollapseMessenger

```
class CollapseMessenger(*args, **kwargs)
Bases: pyro.poutine.trace_messenger.TraceMessenger
```

EXPERIMENTAL Collapses all sites in the context by lazily sampling and attempting to use conjugacy relations. If no conjugacy is known this will fail. Code using the results of sample sites must be written to accept Functors rather than Tensors. This requires funsor to be installed.

Warning: This is not compatible with automatic guessing of `max_plate_nesting`. If any plates appear within the collapsed context, you should manually declare `max_plate_nesting` to your inference algorithm (e.g. `Trace_ELBO(max_plate_nesting=1)`).

8.5.5 ConditionMessenger

```
class ConditionMessenger(data)
Bases: pyro.poutine.messenger.Messenger
```

Given a stochastic function with some sample statements and a dictionary of observations at names, change the sample statements at those names into observes with those values.

Consider the following Pyro program:

```
>>> def model(x):
...     s = pyro.param("s", torch.tensor(0.5))
...     z = pyro.sample("z", dist.Normal(x, s))
...
    return z ** 2
```

To observe a value for site z , we can write

```
>>> conditioned_model = pyro.poutine.condition(model, data={"z": torch.tensor(1.)})
```

This is equivalent to adding `obs=value` as a keyword argument to `pyro.sample("z", ...)` in `model`.

Parameters

- `fn` – a stochastic function (callable containing Pyro primitive calls)
- `data` – a dict or a `Trace`

Returns stochastic function decorated with a *ConditionMessenger*

8.5.6 DoMessenger

```
class DoMessenger(data)
    Bases: pyro.poutine.messenger.Messenger
```

Given a stochastic function with some sample statements and a dictionary of values at names, set the return values of those sites equal to the values as if they were hard-coded to those values and introduce fresh sample sites with the same names whose values do not propagate.

Composes freely with `condition()` to represent counterfactual distributions over potential outcomes. See Single World Intervention Graphs [1] for additional details and theory.

Consider the following Pyro program:

```
>>> def model(x):
...     s = pyro.param("s", torch.tensor(0.5))
...     z = pyro.sample("z", dist.Normal(x, s))
...     return z ** 2
```

To intervene with a value for site z , we can write

```
>>> intervened_model = pyro.poutine.do(model, data={"z": torch.tensor(1.)})
```

This is equivalent to replacing $z = \text{pyro.sample}("z", \dots)$ with $z = \text{torch.tensor}(1.)$ and introducing a fresh sample site $\text{pyro.sample}("z", \dots)$ whose value is not used elsewhere.

References

[1] *Single World Intervention Graphs: A Primer*, Thomas Richardson, James Robins

Parameters

- **fn** – a stochastic function (callable containing Pyro primitive calls)
- **data** – a dict mapping sample site names to interventions

Returns stochastic function decorated with a *DoMessenger*

8.5.7 EnumMessenger

```
class EnumMessenger(first_available_dim=None)
    Bases: pyro.poutine.messenger.Messenger
```

Enumerates in parallel over discrete sample sites marked `infer={"enumerate": "parallel"}`.

Parameters **first_available_dim** (*int*) – The first tensor dimension (counting from the right) that is available for parallel enumeration. This dimension and all dimensions left may be used internally by Pyro. This should be a negative integer or None.

`enumerate_site(msg)`

8.5.8 EscapeMessenger

```
class EscapeMessenger(escape_fn)
    Bases: pyro.poutine.messenger.Messenger
    Messenger that does a nonlocal exit by raising a util.NonlocalExit exception
```

8.5.9 IndepMessenger

```
class CondIndepStackFrame(name, dim, size, counter)
    Bases: pyro.poutine.indep_messenger.CondIndepStackFrame
    property vectorized

class IndepMessenger(name=None, size=None, dim=None, device=None)
    Bases: pyro.poutine.messenger.Messenger
```

This messenger keeps track of stack of independence information declared by nested `plate` contexts. This information is stored in a `cond_indep_stack` at each sample/observe site for consumption by `TraceMessenger`.

Example:

```
x_axis = IndepMessenger('outer', 320, dim=-1)
y_axis = IndepMessenger('inner', 200, dim=-2)
with x_axis:
    x_noise = sample("x_noise", dist.Normal(loc, scale).expand_by([320]))
with y_axis:
    y_noise = sample("y_noise", dist.Normal(loc, scale).expand_by([200, 1]))
with x_axis, y_axis:
    xy_noise = sample("xy_noise", dist.Normal(loc, scale).expand_by([200, 320]))
```

property indices

next_context()

Increments the counter.

8.5.10 InferConfigMessenger

```
class InferConfigMessenger(config_fn)
    Bases: pyro.poutine.messenger.Messenger
```

Given a callable `fn` that contains Pyro primitive calls and a callable `config_fn` taking a trace site and returning a dictionary, updates the value of the `infer` kwarg at a sample site to `config_fn(site)`.

Parameters

- `fn` – a stochastic function (callable containing Pyro primitive calls)
- `config_fn` – a callable taking a site and returning an infer dict

Returns stochastic function decorated with `InferConfigMessenger`

8.5.11 LiftMessenger

```
class LiftMessenger(prior)
    Bases: pyro.poutine.messenger.Messenger
```

Given a stochastic function with param calls and a prior distribution, create a stochastic function where all param calls are replaced by sampling from prior. Prior should be a callable or a dict of names to callables.

Consider the following Pyro program:

```
>>> def model(x):
...     s = pyro.param("s", torch.tensor(0.5))
...     z = pyro.sample("z", dist.Normal(x, s))
...     return z ** 2
>>> lifted_model = pyro.poutine.lift(model, prior={"s": dist.Exponential(0.3)})
```

lift makes param statements behave like sample statements using the distributions in prior. In this example, site s will now behave as if it was replaced with `s = pyro.sample("s", dist.Exponential(0.3))`:

```
>>> tr = pyro.poutine.trace(lifted_model).get_trace(0.0)
>>> tr.nodes["s"]["type"] == "sample"
True
>>> tr2 = pyro.poutine.trace(lifted_model).get_trace(0.0)
>>> bool((tr2.nodes["s"]["value"] == tr.nodes["s"]["value"]).all())
False
```

Parameters

- `fn` – function whose parameters will be lifted to random values
- `prior` – prior function in the form of a Distribution or a dict of stochastic fns

`Returns` fn decorated with a `LiftMessenger`

8.5.12 MarkovMessenger

```
class MarkovMessenger(history=1, keep=False, dim=None, name=None)
    Bases: pyro.poutine.reentrant_messenger.ReentrantMessenger
```

Markov dependency declaration.

This is a statistical equivalent of a memory management arena.

Parameters

- `history` (`int`) – The number of previous contexts visible from the current context. Defaults to 1. If zero, this is similar to `pyro.plate`.
- `keep` (`bool`) – If true, frames are replayable. This is important when branching: if `keep=True`, neighboring branches at the same level can depend on each other; if `keep=False`, neighboring branches are independent (conditioned on their shared ancestors).
- `dim` (`int`) – An optional dimension to use for this independence index. Interface stub, behavior not yet implemented.
- `name` (`str`) – An optional unique name to help inference algorithms match `pyro.markov()` sites between models and guides. Interface stub, behavior not yet implemented.

`generator(iterable)`

8.5.13 MaskMessenger

```
class MaskMessenger(mask)
    Bases: pyro.poutine.messenger.Messenger
```

Given a stochastic function with some batched sample statements and masking tensor, mask out some of the sample statements elementwise.

Parameters

- **fn** – a stochastic function (callable containing Pyro primitive calls)
- **mask** (*torch.BoolTensor*) – a {0, 1}-valued masking tensor (1 includes a site, 0 excludes a site)

Returns stochastic function decorated with a MaskMessenger

8.5.14 PlateMessenger

```
class PlateMessenger(name, size=None, subsample_size=None, subsample=None, dim=None, use_cuda=None,
    device=None)
    Bases: pyro.poutine.subsample_messenger.SubsampleMessenger
```

Swiss army knife of broadcasting amazingness: combines shape inference, independence annotation, and subsampling

block_plate(name=None, dim=None, *, strict=True)

EXPERIMENTAL Context manager to temporarily block a single enclosing plate.

This is useful for sampling auxiliary variables or lazily sampling global variables that are needed in a plated context. For example the following models are equivalent:

Example:

```
def model_1(data):
    loc = pyro.sample("loc", dist.Normal(0, 1))
    with pyro.plate("data", len(data)):
        with block_plate("data"):
            scale = pyro.sample("scale", dist.LogNormal(0, 1))
            pyro.sample("x", dist.Normal(loc, scale))

def model_2(data):
    loc = pyro.sample("loc", dist.Normal(0, 1))
    scale = pyro.sample("scale", dist.LogNormal(0, 1))
    with pyro.plate("data", len(data)):
        pyro.sample("x", dist.Normal(loc, scale))
```

Parameters

- **name** (*str*) – Optional name of plate to match.
- **dim** (*int*) – Optional dim of plate to match. Must be negative.
- **strict** (*bool*) – Whether to error if no matching plate is found. Defaults to True.

Raises ValueError if no enclosing plate was found and strict=True.

8.5.15 ReentrantMessenger

```
class ReentrantMessenger
    Bases: pyro.poutine.messenger.Messenger
```

8.5.16 ReparamMessenger

```
class ReparamHandler(msngr, fn)
    Bases: object
```

Reparameterization poutine.

```
class ReparamMessenger(config: Union[Dict[str, object], Callable])
    Bases: pyro.poutine.messenger.Messenger
```

Reparametrizes each affected sample site into one or more auxiliary sample sites followed by a deterministic transformation [1].

To specify reparameterizers, pass a `config` dict or callable to the constructor. See the [pyro.infer.reparam](#) module for available reparameterizers.

Note some reparameterizers can examine the `*args`, `**kwargs` inputs of functions they affect; these reparameterizers require using `poutine.reparam` as a decorator rather than as a context manager.

[1] Maria I. Gorinova, Dave Moore, Matthew D. Hoffman (2019) “Automatic Reparameterisation of Probabilistic Programs” <https://arxiv.org/pdf/1906.03028.pdf>

Parameters `config (dict or callable)` – Configuration, either a dict mapping site name to Reparameterizer, or a function mapping site to Reparameterizer or None. See [pyro.infer.reparam.strategies](#) for built-in configuration strategies.

8.5.17 ReplayMessenger

```
class ReplayMessenger(trace=None, params=None)
    Bases: pyro.poutine.messenger.Messenger
```

Given a callable that contains Pyro primitive calls, return a callable that runs the original, reusing the values at sites in trace at those sites in the new trace

Consider the following Pyro program:

```
>>> def model(x):
...     s = pyro.param("s", torch.tensor(0.5))
...     z = pyro.sample("z", dist.Normal(x, s))
...     return z ** 2
```

`replay` makes `sample` statements behave as if they had sampled the values at the corresponding sites in the trace:

```
>>> old_trace = pyro.poutine.trace(model).get_trace(1.0)
>>> replayed_model = pyro.poutine.replay(model, trace=old_trace)
>>> bool(replayed_model(0.0) == old_trace.nodes["_RETURN"]["value"])
True
```

Parameters

- **fn** – a stochastic function (callable containing Pyro primitive calls)
- **trace** – a `Trace` data structure to replay against
- **params** – dict of names of param sites and constrained values in fn to replay against

Returns a stochastic function decorated with a `ReplayMessenger`

8.5.18 ScaleMessenger

```
class ScaleMessenger(scale)
Bases: pyro.poutine.messenger.Messenger
```

Given a stochastic function with some sample statements and a positive scale factor, scale the score of all sample and observe sites in the function.

Consider the following Pyro program:

```
>>> def model(x):
...     s = pyro.param("s", torch.tensor(0.5))
...     pyro.sample("z", dist.Normal(x, s), obs=torch.tensor(1.0))
```

scale multiplicatively scales the log-probabilities of sample sites:

```
>>> scaled_model = pyro.poutine.scale(model, scale=0.5)
>>> scaled_tr = pyro.poutine.trace(scaled_model).get_trace(0.0)
>>> unscaled_tr = pyro.poutine.trace(model).get_trace(0.0)
>>> bool((scaled_tr.log_prob_sum() == 0.5 * unscaled_tr.log_prob_sum()).all())
True
```

Parameters

- **fn** – a stochastic function (callable containing Pyro primitive calls)
- **scale** – a positive scaling factor

Returns stochastic function decorated with a `ScaleMessenger`

8.5.19 SeedMessenger

```
class SeedMessenger(rng_seed)
Bases: pyro.poutine.messenger.Messenger
```

Handler to set the random number generator to a pre-defined state by setting its seed. This is the same as calling `pyro.set_rng_seed()` before the call to `fn`. This handler has no additional effect on primitive statements on the standard Pyro backend, but it might intercept `pyro.sample` calls in other backends. e.g. the NumPy backend.

Parameters

- **fn** – a stochastic function (callable containing Pyro primitive calls).
- **rng_seed** (`int`) – rng seed.

8.5.20 SubsampleMessenger

```
class SubsampleMessenger(name, size=None, subsample_size=None, subsample=None, dim=None,
                        use_cuda=None, device=None)
Bases: pyro.poutine.indep_messenger.IndepMessenger
```

Extension of IndepMessenger that includes subsampling.

8.5.21 TraceMessenger

```
class TraceHandler(msngr, fn)
```

Bases: `object`

Execution trace poutine.

A `TraceHandler` records the input and output to every Pyro primitive and stores them as a site in a `Trace()`. This should, in theory, be sufficient information for every inference algorithm (along with the implicit computational graph in the `Variables`?)

We can also use this for visualization.

```
get_trace(*args, **kwargs)
```

Returns data structure

Return type `pyro.poutine.Trace`

Helper method for a very common use case. Calls this poutine and returns its trace instead of the function's return value.

property `trace`

```
class TraceMessenger(graph_type=None, param_only=None)
```

Bases: `pyro.poutine.messenger.Messenger`

Return a handler that records the inputs and outputs of primitive calls and their dependencies.

Consider the following Pyro program:

```
>>> def model(x):
...     s = pyro.param("s", torch.tensor(0.5))
...     z = pyro.sample("z", dist.Normal(x, s))
...     return z ** 2
```

We can record its execution using `trace` and use the resulting data structure to compute the log-joint probability of all of the sample sites in the execution or extract all parameters.

```
>>> trace = pyro.poutine.trace(model).get_trace(0.0)
>>> logp = trace.log_prob_sum()
>>> params = [trace.nodes[name]["value"].unconstrained() for name in trace.param_nodes]
```

Parameters

- `fn` – a stochastic function (callable containing Pyro primitive calls)
- `graph_type` – string that specifies the kind of graph to construct
- `param_only` – if true, only records params and not samples

Returns stochastic function decorated with a *TraceMessenger*

get_trace()

Returns data structure

Return type *pyro.poutine.Trace*

Helper method for a very common use case. Returns a shallow copy of `self.trace`.

identify_dense_edges(trace)

Modifies a trace in-place by adding all edges based on the *cond_indep_stack* information stored at each site.

8.5.22 UnconditionMessenger

class UnconditionMessenger

Bases: *pyro.poutine.messenger.Messenger*

Messenger to force the value of observed nodes to be sampled from their distribution, ignoring observations.

8.5.23 GuideMessenger

class GuideMessenger(model: Callable)

Bases: *pyro.poutine.trace_messenger.TraceMessenger, abc.ABC*

Abstract base class for effect-based guides.

Derived classes must implement the `get_posterior()` method.

property model

__call__(*args, **kwargs) → Dict[str, torch.Tensor]

Draws posterior samples from the guide and replays the model against those samples.

Returns A dict mapping sample site name to sample value. This includes latent, deterministic, and observed values.

Return type *dict*

abstract get_posterior(name: str, prior: pyro.distributions.distribution.Distribution) → Union[pyro.distributions.distribution.Distribution, torch.Tensor]

Abstract method to compute a posterior distribution or sample a posterior value given a prior distribution conditioned on upstream posterior samples.

Implementations may use `pyro.param` and `pyro.sample` inside this function, but `pyro.sample` statements should set `infer={"is_auxiliary": True}`.

Implementations may access further information for computations:

- **value = self.upstream_value(name)** is the value of an upstream sample or deterministic site.
- `self.trace` is a trace of upstream sites, and may be useful for other information such as `self.trace.nodes["my_site"]["fn"]` or `self.trace.nodes["my_site"]["cond_indep_stack"]`.
- **args, kwargs = self.args_kwargs** are the inputs to the model, and may be useful for amortization.

Parameters

- **name** (`str`) – The name of the sample site to sample.
- **prior** (`Distribution`) – The prior distribution of this sample site (conditioned on upstream samples from the posterior).

Returns A posterior distribution or sample from the posterior distribution.

Return type `Distribution` or `torch.Tensor`

`upstream_value(name: str) → torch.Tensor`

For use in `get_posterior()`.

Returns The value of an upstream sample or deterministic site

Return type `torch.Tensor`

`get_traces() → Tuple[pyro.poutine.trace_struct.Trace, pyro.poutine.trace_struct.Trace]`

This can be called after running `__call__()` to extract a pair of traces.

In contrast to the trace-replay pattern of generating a pair of traces, `GuideMessenger` interleaves model and guide computations, so only a single `guide(*args, **kwargs)` call is needed to create both traces. This function merely extract the relevant information from this guide's `.trace` attribute.

Returns a pair (`model_trace, guide_trace`)

Return type `tuple`

MISCELLANEOUS OPS

The `pyro.ops` module implements tensor utilities that are mostly independent of the rest of Pyro.

9.1 Utilities for HMC

```
class DualAveraging(prox_center=0, t0=10, kappa=0.75, gamma=0.05)
Bases: object
```

Dual Averaging is a scheme to solve convex optimization problems. It belongs to a class of subgradient methods which uses subgradients to update parameters (in primal space) of a model. Under some conditions, the averages of generated parameters during the scheme are guaranteed to converge to an optimal value. However, a counter-intuitive aspect of traditional subgradient methods is “new subgradients enter the model with decreasing weights” (see [1]). Dual Averaging scheme solves that phenomenon by updating parameters using weights equally for subgradients (which lie in a dual space), hence we have the name “dual averaging”.

This class implements a dual averaging scheme which is adapted for Markov chain Monte Carlo (MCMC) algorithms. To be more precise, we will replace subgradients by some statistics calculated during an MCMC trajectory. In addition, introducing some free parameters such as `t0` and `kappa` is helpful and still guarantees the convergence of the scheme.

References

[1] *Primal-dual subgradient methods for convex problems*, Yurii Nesterov

[2] *The No-U-turn sampler: adaptively setting path lengths in Hamiltonian Monte Carlo*, Matthew D. Hoffman, Andrew Gelman

Parameters

- `prox_center` (`float`) – A “prox-center” parameter introduced in [1] which pulls the primal sequence towards it.
- `t0` (`float`) – A free parameter introduced in [2] that stabilizes the initial steps of the scheme.
- `kappa` (`float`) – A free parameter introduced in [2] that controls the weights of steps of the scheme. For a small `kappa`, the scheme will quickly forget states from early steps. This should be a number in $(0.5, 1]$.
- `gamma` (`float`) – A free parameter which controls the speed of the convergence of the scheme.

`reset()`

`step(g)`

Updates states of the scheme given a new statistic/subgradient `g`.

Parameters `g` (`float`) – A statistic calculated during an MCMC trajectory or subgradient.

get_state()

Returns the latest x_t and average of $\{x_i\}_{i=1}^t$ in primal space.

velocity_verlet(z, r, potential_fn, kinetic_grad, step_size, num_steps=1, z_grads=None)

Second order symplectic integrator that uses the velocity verlet algorithm.

Parameters

- **z** (*dict*) – dictionary of sample site names and their current values (type `Tensor`).
- **r** (*dict*) – dictionary of sample site names and corresponding momenta (type `Tensor`).
- **potential_fn** (*callable*) – function that returns potential energy given z for each sample site. The negative gradient of the function with respect to z determines the rate of change of the corresponding sites' momenta r.
- **kinetic_grad** (*callable*) – a function calculating gradient of kinetic energy w.r.t. momentum variable.
- **step_size** (*float*) – step size for each time step iteration.
- **num_steps** (*int*) – number of discrete time steps over which to integrate.
- **z_grads** (`torch.Tensor`) – optional gradients of potential energy at current z.

Returns tuple (z_next, r_next, z_grads, potential_energy) next position and momenta, together with the potential energy and its gradient w.r.t. z_next.

potential_grad(potential_fn, z)

Gradient of *potential_fn* w.r.t. parameters z.

Parameters

- **potential_fn** – python callable that takes in a dictionary of parameters and returns the potential energy.
- **z** (*dict*) – dictionary of parameter values keyed by site name.

Returns tuple of (*z_grads*, *potential_energy*), where *z_grads* is a dictionary with the same keys as z containing gradients and *potential_energy* is a torch scalar.

class WelfordCovariance(diagonal=True)

Bases: `object`

Implements Welford's online scheme for estimating (co)variance (see [1]). Useful for adapting diagonal and dense mass structures for HMC.

References

[1] *The Art of Computer Programming*, Donald E. Knuth

reset()**update(sample)****get_covariance(regularize=True)****class WelfordArrowheadCovariance(head_size=0)**

Bases: `object`

Likes `WelfordCovariance` but generalized to the arrowhead structure.

reset()**update(sample)**

get_covariance(*regularize=True*)
 Gets the covariance in arrowhead form: (*top*, *bottom_diag*) where *top* = *cov*[*:head_size*] and *bottom_diag* = *cov.diag()*[*head_size*:].

9.2 Newton Optimizers

newton_step(*loss*, *x*, *trust_radius=None*)

Performs a Newton update step to minimize loss on a batch of variables, optionally constraining to a trust region [1].

This is especially useful because the final solution of newton iteration is differentiable wrt the inputs, even when all but the final *x* is detached, due to this method's quadratic convergence [2]. *loss* must be twice-differentiable as a function of *x*. If *loss* is 2+d-times differentiable, then the return value of this function is d-times differentiable.

When *loss* is interpreted as a negative log probability density, then the return values *mode*, *cov* of this function can be used to construct a Laplace approximation `MultivariateNormal(mode, cov)`.

Warning: Take care to detach the result of this function when used in an optimization loop. If you forget to detach the result of this function during optimization, then backprop will propagate through the entire iteration process, and worse will compute two extra derivatives for each step.

Example use inside a loop:

```
x = torch.zeros(1000, 2) # arbitrary initial value
for step in range(100):
    x = x.detach()          # block gradients through previous steps
    x.requires_grad = True  # ensure loss is differentiable wrt x
    loss = my_loss_function(x)
    x = newton_step(loss, x, trust_radius=1.0)
# the final x is still differentiable
```

[1] Yuan, Ya-xiang. **Iciam. Vol. 99. 2000.** “A review of trust region algorithms for optimization.” <ftp://ftp.cc.ac.cn/pub/yyx/papers/p995.pdf>

[2] Christianson, Bruce. **Optimization Methods and Software 3.4 (1994)** “Reverse accumulation and attractive fixed points.” <http://uhra.herts.ac.uk/bitstream/handle/2299/4338/903839.pdf>

Parameters

- **loss** (`torch.Tensor`) – A scalar function of *x* to be minimized.
- **x** (`torch.Tensor`) – A dependent variable of shape (N, D) where N is the batch size and D is a small number.
- **trust_radius** (`float`) – An optional trust region trust_radius. The updated value mode of this function will be within **trust_radius** of the input *x*.

Returns A pair (*mode*, *cov*) where *mode* is an updated tensor of the same shape as the original value *x*, and *cov* is an estimate of the covariance DxD matrix with *cov.shape == x.shape[:-1] + (D,D)*.

Return type tuple

newton_step_1d(*loss, x, trust_radius=None*)

Performs a Newton update step to minimize loss on a batch of 1-dimensional variables, optionally regularizing to constrain to a trust region.

See [newton_step\(\)](#) for details.

Parameters

- **loss** (`torch.Tensor`) – A scalar function of *x* to be minimized.
- **x** (`torch.Tensor`) – A dependent variable with rightmost size of 1.
- **trust_radius** (`float`) – An optional trust region trust_radius. The updated value mode of this function will be within `trust_radius` of the input *x*.

Returns A pair (*mode, cov*) where *mode* is an updated tensor of the same shape as the original value *x*, and *cov* is an estimate of the covariance 1x1 matrix with `cov.shape == x.shape[:-1] + (1, 1)`.

Return type tuple

newton_step_2d(*loss, x, trust_radius=None*)

Performs a Newton update step to minimize loss on a batch of 2-dimensional variables, optionally regularizing to constrain to a trust region.

See [newton_step\(\)](#) for details.

Parameters

- **loss** (`torch.Tensor`) – A scalar function of *x* to be minimized.
- **x** (`torch.Tensor`) – A dependent variable with rightmost size of 2.
- **trust_radius** (`float`) – An optional trust region trust_radius. The updated value mode of this function will be within `trust_radius` of the input *x*.

Returns A pair (*mode, cov*) where *mode* is an updated tensor of the same shape as the original value *x*, and *cov* is an estimate of the covariance 2x2 matrix with `cov.shape == x.shape[:-1] + (2, 2)`.

Return type tuple

newton_step_3d(*loss, x, trust_radius=None*)

Performs a Newton update step to minimize loss on a batch of 3-dimensional variables, optionally regularizing to constrain to a trust region.

See [newton_step\(\)](#) for details.

Parameters

- **loss** (`torch.Tensor`) – A scalar function of *x* to be minimized.
- **x** (`torch.Tensor`) – A dependent variable with rightmost size of 2.
- **trust_radius** (`float`) – An optional trust region trust_radius. The updated value mode of this function will be within `trust_radius` of the input *x*.

Returns A pair (*mode, cov*) where *mode* is an updated tensor of the same shape as the original value *x*, and *cov* is an estimate of the covariance 3x3 matrix with `cov.shape == x.shape[:-1] + (3, 3)`.

Return type tuple

9.3 Special Functions

`safe_log(x)`

Like `torch.log()` but avoids infinite gradients at $\log(0)$ by clamping them to at most $1 / \text{finfo.eps}$.

`log_beta(x, y, tol=0.0)`

Computes log Beta function.

When `tol >= 0.02` this uses a shifted Stirling's approximation to the log Beta function. The approximation adapts Stirling's approximation of the log Gamma function:

$$\text{lgamma}(z) = (z - 1/2) * \log(z) - z + \log(2 * \pi) / 2$$

to approximate the log Beta function:

$$\begin{aligned} \text{log_beta}(x, y) = & ((x-1/2) * \log(x) + (y-1/2) * \log(y) \\ & - (x+y-1/2) * \log(x+y) + \log(2*\pi)/2) \end{aligned}$$

The approximation additionally improves accuracy near zero by iteratively shifting the log Gamma approximation using the recursion:

$$\text{lgamma}(x) = \text{lgamma}(x + 1) - \log(x)$$

If this recursion is applied `n` times, then absolute error is bounded by $\text{error} < 0.082 / n < \text{tol}$, thus we choose `n` based on the user provided `tol`.

Parameters

- `x (torch.Tensor)` – A positive tensor.
- `y (torch.Tensor)` – A positive tensor.
- `tol (float)` – Bound on maximum absolute error. Defaults to 0.1. For very small `tol`, this function simply defers to `log_beta()`.

Return type torch.Tensor

`log_binomial(n, k, tol=0.0)`

Computes log binomial coefficient.

When `tol >= 0.02` this uses a shifted Stirling's approximation to the log Beta function via `log_beta()`.

Parameters

- `n (torch.Tensor)` – A nonnegative integer tensor.
- `k (torch.Tensor)` – An integer tensor ranging in $[0, n]$.

Return type torch.Tensor

`log_I1(orders: int, value: torch.Tensor, terms=250)`

Compute first n log modified bessel function of first kind .. math

$$\begin{aligned} \log(I_1(v)) = & v * \log(z/2) + \log(\sum_{k=0}^{\infty} \exp[-2^k * \log(z/2) - \sum_{j=0}^{k-1} j * \log(2^j)]) \\ & - \lgamma(v + k + 1) \end{aligned}$$

Parameters

- `orders` – orders of the log modified bessel function.

- **value** – values to compute modified bessel function for
- **terms** – truncation of summation

Returns 0 to orders modified bessel function

9.4 Tensor Utilities

as_complex(*x*)

Similar to `torch.view_as_complex()` but copies data in case strides are not multiples of two.

block_diag_embed(*mat*)

Takes a tensor of shape (... , B, M, N) and returns a block diagonal tensor of shape (... , B x M, B x N).

Parameters `mat` (`torch.Tensor`) – an input tensor with 3 or more dimensions

Returns `torch.Tensor` a block diagonal tensor with dimension $m.dim() - 1$

block_diagonal(*mat*, *block_size*)

Takes a block diagonal tensor of shape (... , B x M, B x N) and returns a tensor of shape (... , B, M, N).

Parameters

- **mat** (`torch.Tensor`) – an input tensor with 2 or more dimensions
- **block_size** (`int`) – the number of blocks B.

Returns `torch.Tensor` a tensor with dimension $mat.dim() + 1$

periodic_repeat(*tensor*, *size*, *dim*)

Repeat a period-sized tensor up to given size. For example:

```
>>> x = torch.tensor([[1, 2, 3], [4, 5, 6]])
>>> periodic_repeat(x, 4, 0)
tensor([[1, 2, 3],
        [4, 5, 6],
        [1, 2, 3],
        [4, 5, 6]])
>>> periodic_repeat(x, 4, 1)
tensor([[1, 2, 3, 1],
        [4, 5, 6, 4]])
```

This is useful for computing static seasonality in time series models.

Parameters

- **tensor** (`torch.Tensor`) – A tensor of differences.
- **size** (`int`) – Desired size of the result along dimension `dim`.
- **dim** (`int`) – The tensor dimension along which to repeat.

periodic_cumsum(*tensor*, *period*, *dim*)

Compute periodic cumsum along a given dimension. For example if `dim=0`:

```
for t in range(period):
    assert result[t] == tensor[t]
for t in range(period, len(tensor)):
    assert result[t] == tensor[t] + result[t - period]
```

This is useful for computing drifting seasonality in time series models.

Parameters

- **tensor** (`torch.Tensor`) – A tensor of differences.
- **period** (`int`) – The period of repetition.
- **dim** (`int`) – The tensor dimension along which to accumulate.

periodic_features(*duration*, *max_period=None*, *min_period=None*, ***options*)

Create periodic (sin,cos) features from *max_period* down to *min_period*.

This is useful in time series models where long uneven seasonality can be treated via regression. When only *max_period* is specified this generates periodic features at all length scales. When also *min_period* is specified this generates periodic features at large length scales, but omits high frequency features. This is useful when combining regression for long seasonality with other techniques like `periodic_repeat()` and `periodic_cumsum()` for short time scales. For example, to combine regress yearly seasonality down to the scale of one week one could set *max_period=365.25* and *min_period=7*.

Parameters

- **duration** (`int`) – Number of discrete time steps.
- **max_period** (`float`) – Optional max period, defaults to *duration*.
- **min_period** (`float`) – Optional min period (exclusive), defaults to 2 = Nyquist cutoff.
- ****options** – Tensor construction options, e.g. `dtype` and `device`.

Returns A (*duration*, $2 * \text{ceil}(\text{max_period} / \text{min_period}) - 2$)-shaped tensor of features normalized to lie in [-1,1].

Return type `Tensor`

next_fast_len(*size*)

Returns the next largest number $n \geq size$ whose prime factors are all 2, 3, or 5. These sizes are efficient for fast fourier transforms. Equivalent to `scipy.fftpack.next_fast_len()`.

Parameters **size** (`int`) – A positive number.

Returns A possibly larger number.

Rtype `int`

convolve(*signal*, *kernel*, *mode='full'*)

Computes the 1-d convolution of *signal* by *kernel* using FFTs. The two arguments should have the same rightmost dim, but may otherwise be arbitrarily broadcastable.

Parameters

- **signal** (`torch.Tensor`) – A signal to convolve.
- **kernel** (`torch.Tensor`) – A convolution kernel.
- **mode** (`str`) – One of: ‘full’, ‘valid’, ‘same’.

Returns A tensor with broadcasted shape. Letting $m = \text{signal.size}(-1)$ and $n = \text{kernel.size}(-1)$, the rightmost size of the result will be: $m + n - 1$ if mode is ‘full’; $\max(m, n) - \min(m, n) + 1$ if mode is ‘valid’; or $\max(m, n)$ if mode is ‘same’.

Rtype `torch.Tensor`

repeated_matmul(*M*, *n*)

Takes a batch of matrices *M* as input and returns the stacked result of doing the *n*-many matrix multiplications *M*, M^2, \dots, M^n . Parallel cost is logarithmic in *n*.

Parameters

- **M** (`torch.Tensor`) – A batch of square tensors of shape (... , N , N).
- **n** (`int`) – The order of the largest product M^n

Returns `torch.Tensor` A batch of square tensors of shape (n , ... , N , N)

dct(*x*, *dim*=-1)

Discrete cosine transform of type II, scaled to be orthonormal.

This is the inverse of `idct_ii()` , and is equivalent to `scipy.fftpack.dct()` with `norm="ortho"`.

Parameters

- **x** (`Tensor`) – The input signal.
- **dim** (`int`) – Dimension along which to compute DCT.

Return type Tensor

idct(*x*, *dim*=-1)

Inverse discrete cosine transform of type II, scaled to be orthonormal.

This is the inverse of `dct_ii()` , and is equivalent to `scipy.fftpack.idct()` with `norm="ortho"`.

Parameters

- **x** (`Tensor`) – The input signal.
- **dim** (`int`) – Dimension along which to compute DCT.

Return type Tensor

haar_transform(*x*)

Discrete Haar transform.

Performs a Haar transform along the final dimension. This is the inverse of `inverse_haar_transform()`.

Parameters **x** (`Tensor`) – The input signal.

Return type Tensor

inverse_haar_transform(*x*)

Performs an inverse Haar transform along the final dimension. This is the inverse of `haar_transform()`.

Parameters **x** (`Tensor`) – The input signal.

Return type Tensor

cholesky(*x*)

cholesky_solve(*x*, *y*)

matmul(*x*, *y*)

matvecmul(*x*, *y*)

triangular_solve(*x*, *y*, *upper*=*False*, *transpose*=*False*)

precision_to_scale_tril(*P*)

safe_normalize(*x*, *, *p*=2)

Safely project a vector onto the sphere wrt the p-norm. This avoids the singularity at zero by mapping zero to the vector [1, 0, 0, ..., 0].

Parameters

- **x** (`torch.Tensor`) – A vector
- **p** (`float`) – The norm exponent, defaults to 2 i.e. the Euclidean norm.

Returns A normalized version $\mathbf{x} / \|\mathbf{x}\|_p$.

Return type Tensor

9.5 Tensor Indexing

`index(tensor, args)`

Indexing with nested tuples.

See also the convenience wrapper [Index](#).

This is useful for writing indexing code that is compatible with multiple interpretations, e.g. scalar evaluation, vectorized evaluation, or reshaping.

For example suppose \mathbf{x} is a parameter with $\mathbf{x}.dim() == 2$ and we wish to generalize the expression $\mathbf{x}[\dots, t]$ where t can be any of:

- a scalar $t=1$ as in $\mathbf{x}[\dots, 1]$;
- a slice $t=slice(None)$ equivalent to $\mathbf{x}[\dots, :]$; or
- a reshaping operation $t=(Ellipsis, None)$ equivalent to $\mathbf{x}.unsqueeze(-1)$.

While naive indexing would work for the first two, the third example would result in a nested tuple $(Ellipsis, Ellipsis, None)$. This helper flattens that nested tuple and combines consecutive `Ellipsis`.

Parameters

- **tensor** (`torch.Tensor`) – A tensor to be indexed.
- **args** (`tuple`) – An index, as args to `__getitem__`.

Returns A flattened interpretation of `tensor[args]`.

Return type `torch.Tensor`

`class Index(tensor)`

Bases: `object`

Convenience wrapper around `index()`.

The following are equivalent:

```
Index(x)[..., i, j, :]
index(x, (Ellipsis, i, j, slice(None)))
```

Parameters **tensor** (`torch.Tensor`) – A tensor to be indexed.

Returns An object with a special `__getitem__()` method.

`vindex(tensor, args)`

Vectorized advanced indexing with broadcasting semantics.

See also the convenience wrapper [Vindex](#).

This is useful for writing indexing code that is compatible with batching and enumeration, especially for selecting mixture components with discrete random variables.

For example suppose \mathbf{x} is a parameter with $\mathbf{x}.dim() == 3$ and we wish to generalize the expression $\mathbf{x}[i, :, j]$ from integer i, j to tensors i, j with batch dims and enum dims (but no event dims). Then we can write the generalize version using [Vindex](#)

```
xij = Vindex(x)[i, :, j]

batch_shape = broadcast_shape(i.shape, j.shape)
event_shape = (x.size(1),)
assert xij.shape == batch_shape + event_shape
```

To handle the case when `x` may also contain batch dimensions (e.g. if `x` was sampled in a plated context as when using vectorized particles), `vindex()` uses the special convention that `Ellipsis` denotes batch dimensions (hence `...` can appear only on the left, never in the middle or in the right). Suppose `x` has event dim 3. Then we can write:

```
old_batch_shape = x.shape[:-3]
old_event_shape = x.shape[-3:]

xij = Vindex(x)[..., i, :, j]    # The ... denotes unknown batch shape.

new_batch_shape = broadcast_shape(old_batch_shape, i.shape, j.shape)
new_event_shape = (x.size(1),)
assert xij.shape == new_batch_shape + new_event_shape
```

Note that this special handling of `Ellipsis` differs from the NEP [1].

Formally, this function assumes:

1. Each arg is either `Ellipsis`, `slice(None)`, an integer, or a batched `torch.LongTensor` (i.e. with empty event shape). This function does not support Nontrivial slices or `torch.BoolTensor` masks. `Ellipsis` can only appear on the left as `args[0]`.
2. If `args[0]` is not `Ellipsis` then `tensor` is not batched, and its event dim is equal to `len(args)`.
3. If `args[0]` is `Ellipsis` then `tensor` is batched and its event dim is equal to `len(args[1:])`. Dims of `tensor` to the left of the event dims are considered batch dims and will be broadcasted with dims of tensor args.

Note that if none of the args is a tensor with `.dim() > 0`, then this function behaves like standard indexing:

```
if not any(isinstance(a, torch.Tensor) and a.dim() for a in args):
    assert Vindex(x)[args] == x[args]
```

References

- [1] <https://www.numpy.org/neps/nep-0021-advanced-indexing.html> introduces `vindex` as a helper for vectorized indexing. The Pyro implementation is similar to the proposed notation `x.vindex[]` except for slightly different handling of `Ellipsis`.

Parameters

- `tensor` (`torch.Tensor`) – A tensor to be indexed.
- `args` (`tuple`) – An index, as args to `__getitem__`.

Returns A nonstandard interpretation of `tensor[args]`.

Return type `torch.Tensor`

```
class Vindex(tensor)
Bases: object

Convenience wrapper around vindex().
```

The following are equivalent:

```
Vindex(x)[..., i, j, :]
vindex(x, (Ellipsis, i, j, slice(None)))
```

Parameters `tensor` (`torch.Tensor`) – A tensor to be indexed.

Returns An object with a special `__getitem__()` method.

9.6 Tensor Contraction

`contract`(*equation*, **operands*, ***kwargs*)

Wrapper around `opt_einsum.contract()` that optionally uses Pyro's cheap optimizer and optionally caches contraction paths.

Parameters `cache_path` (`bool`) – whether to cache the contraction path. Defaults to True.

`contract_expression`(*equation*, **shapes*, ***kwargs*)

Wrapper around `opt_einsum.contract_expression()` that optionally uses Pyro's cheap optimizer and optionally caches contraction paths.

Parameters `cache_path` (`bool`) – whether to cache the contraction path. Defaults to True.

`einsum`(*equation*, **operands*, ***kwargs*)

Generalized plated sum-product algorithm via tensor variable elimination.

This generalizes `contract()` in two ways:

1. Multiple outputs are allowed, and intermediate results can be shared.
2. Inputs and outputs can be plated along symbols given in `plates`; reductions along `plates` are product reductions.

The best way to understand this function is to try the examples below, which show how `einsum()` calls can be implemented as multiple calls to `contract()` (which is generally more expensive).

To illustrate multiple outputs, note that the following are equivalent:

```
z1, z2, z3 = einsum('ab,bc->a,b,c', x, y)  # multiple outputs

z1 = contract('ab,bc->a', x, y)
z2 = contract('ab,bc->b', x, y)
z3 = contract('ab,bc->c', x, y)
```

To illustrate plated inputs, note that the following are equivalent:

```
assert len(x) == 3 and len(y) == 3
z = einsum('ab,ai,bi->b', w, x, y, plates='i')

z = contract('ab,a,a,a,b,b->b', w, *x, *y)
```

When a sum dimension *a* always appears with a plate dimension *i*, then *a* corresponds to a distinct symbol for each slice of *a*. Thus the following are equivalent:

```
assert len(x) == 3 and len(y) == 3
z = einsum('ai,ai->', x, y, plates='i')
```

(continues on next page)

(continued from previous page)

```
z = contract('a,b,c,a,b,c->', *x, *y)
```

When such a sum dimension appears in the output, it must be accompanied by all of its plate dimensions, e.g. the following are equivalent:

```
assert len(x) == 3 and len(y) == 3
z = einsum('abi,abi->bi', x, y, plates='i')

z0 = contract('ab,ac,ad,ab,ac,ad->b', *x, *y)
z1 = contract('ab,ac,ad,ab,ac,ad->c', *x, *y)
z2 = contract('ab,ac,ad,ab,ac,ad->d', *x, *y)
z = torch.stack([z0, z1, z2])
```

Note that each plate slice through the output is multilinear in all plate slices through all inputs, thus e.g. batch matrix multiply would be implemented *without* plates, so the following are all equivalent:

```
xy = einsum('abc,acd->abd', x, y, plates='')
xy = torch.stack([xa.mm(ya) for xa, ya in zip(x, y)])
xy = torch.bmm(x, y)
```

Among all valid equations, some computations are polynomial in the sizes of the input tensors and other computations are exponential in the sizes of the input tensors. This function raises `NotImplementedError` whenever the computation is exponential.

Parameters

- `equation (str)` – An einsum equation, optionally with multiple outputs.
- `operands (torch.Tensor)` – A collection of tensors.
- `plates (str)` – An optional string of plate symbols.
- `backend (str)` – An optional einsum backend, defaults to ‘torch’.
- `cache (dict)` – An optional `shared_intermediates()` cache.
- `modulo_total (bool)` – Optionally allow einsum to arbitrarily scale each result plate, which can significantly reduce computation. This is safe to set whenever each result plate denotes a nonnormalized probability distribution whose total is not of interest.

`Returns` a tuple of tensors of requested shape, one entry per output.

`Return type` tuple

Raises

- `ValueError` – if tensor sizes mismatch or an output requests a plated dim without that dim’s plates.
- `NotImplementedError` – if contraction would have cost exponential in the size of any input tensor.

`ubersum(equation, *operands, **kwargs)`

Deprecated, use `einsum()` instead.

9.7 Gaussian Contraction

```
class Gaussian(log_normalizer, info_vec, precision)
Bases: object
```

Non-normalized Gaussian distribution.

This represents an arbitrary semidefinite quadratic function, which can be interpreted as a rank-deficient scaled Gaussian distribution. The precision matrix may have zero eigenvalues, thus it may be impossible to work directly with the covariance matrix.

Parameters

- **log_normalizer** (`torch.Tensor`) – a normalization constant, which is mainly used to keep track of normalization terms during contractions.
- **info_vec** (`torch.Tensor`) – information vector, which is a scaled version of the mean `info_vec = precision @ mean`. We use this representation to make gaussian contraction fast and stable.
- **precision** (`torch.Tensor`) – precision matrix of this gaussian.

dim()

batch_shape()

expand(batch_shape)

reshape(batch_shape)

__getitem__(index)

Index into the batch_shape of a Gaussian.

static cat(parts, dim=0)

Concatenate a list of Gaussians along a given batch dimension.

event_pad(left=0, right=0)

Pad along event dimension.

event_permute(perm)

Permute along event dimension.

__add__(other)

Adds two Gaussians in log-density space.

log_density(value)

Evaluate the log density of this Gaussian at a point value:

```
-0.5 * value.T @ precision @ value + value.T @ info_vec + log_normalizer
```

This is mainly used for testing.

rsample(sample_shape=torch.Size([]))

Reparameterized sampler.

condition(value)

Condition this Gaussian on a trailing subset of its state. This should satisfy:

```
g.condition(y).dim() == g.dim() - y.size(-1)
```

Note that since this is a non-normalized Gaussian, we include the density of `y` in the result. Thus `condition()` is similar to a `functools.partial` binding of arguments:

```
left = x[..., :n]
right = x[..., n:]
g.log_density(x) == g.condition(right).log_density(left)
```

left_condition(*value*)

Condition this Gaussian on a leading subset of its state. This should satisfy:

```
g.condition(y).dim() == g.dim() - y.size(-1)
```

Note that since this is a non-normalized Gaussian, we include the density of *y* in the result. Thus *condition()* is similar to a `functools.partial` binding of arguments:

```
left = x[..., :n]
right = x[..., n:]
g.log_density(x) == g.left_condition(left).log_density(right)
```

marginalize(*left=0, right=0*)

Marginalizing out variables on either side of the event dimension:

```
g.marginalize(left=n).event_logsumexp() = g.logsumexp()
g.marginalize(right=n).event_logsumexp() = g.logsumexp()
```

and for data *x*:

```
g.condition(x).event_logsumexp() = g.marginalize(left=g.dim() - x.size(-1)).log_density(x)
```

event_logsumexp()

Integrates out all latent state (i.e. operating on event dimensions).

class AffineNormal(*matrix, loc, scale*)

Bases: `object`

Represents a conditional diagonal normal distribution over a random variable *Y* whose mean is an affine function of a random variable *X*. The likelihood of *X* is thus:

```
AffineNormal(matrix, loc, scale).condition(y).log_density(x)
```

which is equivalent to:

```
Normal(x @ matrix + loc, scale).to_event(1).log_prob(y)
```

Parameters

- **matrix** (`torch.Tensor`) – A transformation from *X* to *Y*. Should have rightmost shape (*x_dim*, *y_dim*).
- **loc** (`torch.Tensor`) – A constant offset for *Y*'s mean. Should have rightmost shape (*y_dim*,).
- **scale** (`torch.Tensor`) – Standard deviation for *Y*. Should have rightmost shape (*y_dim*,).

batch_shape()**condition(*value*)****left_condition(*value*)**

If *value.size(-1) == x_dim*, this returns a Normal distribution with *event_dim=1*. After applying this method, the cost to draw a sample is $O(y_dim)^{**} 3$.

rsample(*sample_shape*=*torch.Size([])*)
Reparameterized sampler.

to_gaussian()
expand(*batch_shape*)
reshape(*batch_shape*)
__getitem__(*index*)
event_permute(*perm*)
__add__(*other*)
marginalize(*left*=0, *right*=0)

mvn_to_gaussian(*mvn*)
Convert a MultivariateNormal distribution to a Gaussian.

Parameters **mvn** (*MultivariateNormal*) – A multivariate normal distribution.

Returns An equivalent Gaussian object.

Return type *Gaussian*

matrix_and_mvns_to_gaussian(*matrix*, *mvn*)

Convert a noisy affine function to a Gaussian. The noisy affine function is defined as:

```
y = x @ matrix + mvn.sample()
```

Parameters

- **matrix** (*Tensor*) – A matrix with rightmost shape (*x_dim*, *y_dim*).
- **mvn** (*MultivariateNormal*) – A multivariate normal distribution.

Returns A Gaussian with broadcasted batch shape and `.dim() == x_dim + y_dim`.

Return type *Gaussian*

gaussian_tensordot(*x*, *y*, *dims*=0)

Computes the integral over two gaussians:

$$(x @ y)(a,c) = \log(\text{integral}(\exp(x(a,b) + y(b,c)), b)),$$

where *x* is a gaussian over variables (a,b), *y* is a gaussian over variables (b,c), (a,b,c) can each be sets of zero or more variables, and *dims* is the size of b.

Parameters

- **x** – a Gaussian instance
- **y** – a Gaussian instance
- **dims** – number of variables to contract

9.8 Statistical Utilities

gelman_rubin(*input, chain_dim=0, sample_dim=1*)

Computes R-hat over chains of samples. It is required that `input.size(sample_dim) >= 2` and `input.size(chain_dim) >= 2`.

Parameters

- `input` (`torch.Tensor`) – the input tensor.
- `chain_dim` (`int`) – the chain dimension.
- `sample_dim` (`int`) – the sample dimension.

Returns `torch.Tensor` R-hat of `input`.

split_gelman_rubin(*input, chain_dim=0, sample_dim=1*)

Computes R-hat over chains of samples. It is required that `input.size(sample_dim) >= 4`.

Parameters

- `input` (`torch.Tensor`) – the input tensor.
- `chain_dim` (`int`) – the chain dimension.
- `sample_dim` (`int`) – the sample dimension.

Returns `torch.Tensor` split R-hat of `input`.

autocorrelation(*input, dim=0*)

Computes the autocorrelation of samples at dimension `dim`.

Reference: https://en.wikipedia.org/wiki/Autocorrelation#Efficient_computation

Parameters

- `input` (`torch.Tensor`) – the input tensor.
- `dim` (`int`) – the dimension to calculate autocorrelation.

Returns `torch.Tensor` autocorrelation of `input`.

autocovariance(*input, dim=0*)

Computes the autocovariance of samples at dimension `dim`.

Parameters

- `input` (`torch.Tensor`) – the input tensor.
- `dim` (`int`) – the dimension to calculate autocorrelation.

Returns `torch.Tensor` autocorrelation of `input`.

effective_sample_size(*input, chain_dim=0, sample_dim=1*)

Computes effective sample size of `input`.

Reference:

[1] *Introduction to Markov Chain Monte Carlo*, Charles J. Geyer

[2] *Stan Reference Manual version 2.18*, Stan Development Team

Parameters

- `input` (`torch.Tensor`) – the input tensor.
- `chain_dim` (`int`) – the chain dimension.

- **sample_dim** (`int`) – the sample dimension.

Returns `torch.Tensor` effective sample size of `input`.

resample(`input, num_samples, dim=0, replacement=False`)

Draws `num_samples` samples from `input` at dimension `dim`.

Parameters

- **input** (`torch.Tensor`) – the input tensor.
- **num_samples** (`int`) – the number of samples to draw from `input`.
- **dim** (`int`) – dimension to draw from `input`.

Returns `torch.Tensor` samples drawn randomly from `input`.

quantile(`input, probs, dim=0`)

Computes quantiles of `input` at `probs`. If `probs` is a scalar, the output will be squeezed at `dim`.

Parameters

- **input** (`torch.Tensor`) – the input tensor.
- **probs** (`list`) – quantile positions.
- **dim** (`int`) – dimension to take quantiles from `input`.

Returns `torch.Tensor` quantiles of `input` at `probs`.

pi(`input, prob, dim=0`)

Computes percentile interval which assigns equal probability mass to each tail of the interval.

Parameters

- **input** (`torch.Tensor`) – the input tensor.
- **prob** (`float`) – the probability mass of samples within the interval.
- **dim** (`int`) – dimension to calculate percentile interval from `input`.

Returns `torch.Tensor` quantiles of `input` at `probs`.

hpdi(`input, prob, dim=0`)

Computes “highest posterior density interval” which is the narrowest interval with probability mass `prob`.

Parameters

- **input** (`torch.Tensor`) – the input tensor.
- **prob** (`float`) – the probability mass of samples within the interval.
- **dim** (`int`) – dimension to calculate percentile interval from `input`.

Returns `torch.Tensor` quantiles of `input` at `probs`.

waic(`input, log_weights=None, pointwise=False, dim=0`)

Computes “Widely Applicable/Watanabe-Akaike Information Criterion” (WAIC) and its corresponding effective number of parameters.

Reference:

[1] *WAIC and cross-validation in Stan*, Aki Vehtari, Andrew Gelman

Parameters

- **input** (`torch.Tensor`) – the input tensor, which is log likelihood of a model.
- **log_weights** (`torch.Tensor`) – weights of samples along `dim`.

- **dim** (`int`) – the sample dimension of `input`.

Returns tuple tuple of WAIC and effective number of parameters.

`fit_generalized_pareto(X)`

Given a dataset `X` assumed to be drawn from the Generalized Pareto Distribution, estimate the distributional parameters `k`, `sigma` using a variant of the technique described in reference [1], as described in reference [2].

References [1] ‘A new and efficient estimation method for the generalized Pareto distribution.’ Zhang, J. and Stephens, M.A. (2009). [2] ‘Pareto Smoothed Importance Sampling.’ Aki Vehtari, Andrew Gelman, Jonah Gabry

Parameters `torch.Tensor` – the input data `X`

Returns tuple tuple of floats (`k`, `sigma`) corresponding to the fit parameters

`crps_empirical(pred, truth)`

Computes negative Continuous Ranked Probability Score CRPS* [1] between a set of samples `pred` and true data `truth`. This uses an $n \log(n)$ time algorithm to compute a quantity equal that would naively have complexity quadratic in the number of samples `n`:

```
CRPS* = E|pred - truth| - 1/2 E|pred - pred'|  
= (pred - truth).abs().mean(0)  
- (pred - pred.unsqueeze(1)).abs().mean([0, 1]) / 2
```

Note that for a single sample this reduces to absolute error.

References

[1] **Tilmann Gneiting, Adrian E. Raftery (2007)** *Strictly Proper Scoring Rules, Prediction, and Estimation*
<https://www.stat.washington.edu/raftery/Research/PDF/Gneiting2007jasa.pdf>

Parameters

- **pred** (`torch.Tensor`) – A set of sample predictions batched on rightmost dim. This should have shape `(num_samples,) + truth.shape`.
- **truth** (`torch.Tensor`) – A tensor of true observations.

Returns A tensor of shape `truth.shape`.

Return type `torch.Tensor`

9.9 Streaming Statistics

```
class StreamingStats  
Bases: abc.ABC
```

Abstract base class for streamable statistics of trees of tensors.

Derived classes must implement `update()`, `merge()`, and `get()`.

abstract update(sample) → None

Update state from a single sample.

This mutates `self` and returns nothing. Updates should be independent of order, i.e. samples should be exchangeable.

Parameters `sample` – A sample value which is a nested dictionary of `torch.Tensor` leaves.

This can have arbitrary nesting and shape `shape`, but assumes `shape` is constant across calls to `.update()`.

abstract `merge(other) → pyro.ops.streaming.StreamingStats`

Select two aggregate statistics, e.g. from different MCMC chains.

This is a pure function: it returns a new `StreamingStats` object and does not modify either `self` or `other`.

Parameters `other` – Another streaming stats instance of the same type.

abstract `get() → Any`

Return the aggregate statistic.

```
class StatsOfDict(types: Dict[collections.abc.Hashable, Callable[pyro.ops.streaming.StreamingStats]] = {},  
                  default: Callable[pyro.ops.streaming.StreamingStats] = <class  
'pyro.ops.streaming.CountStats'>)
```

Bases: `pyro.ops.streaming.StreamingStats`

Statistics of samples that are dictionaries with constant set of keys.

For example the following are equivalent:

```
# Version 1. Hand encode statistics.  
>>> a_stats = CountStats()  
>>> b_stats = CountMeanStats()  
>>> a_stats.update(torch.tensor(0.))  
>>> b_stats.update(torch.tensor([1., 2.]))  
>>> summary = {"a": a_stats.get(), "b": b_stats.get()}\n\n# Version 2. Collect samples into dictionaries.  
>>> stats = StatsOfDict({"a": CountStats, "b": CountMeanStats})  
>>> stats.update({"a": torch.tensor(0.), "b": torch.tensor([1., 2.])})  
>>> summary = stats.get()  
>>> summary  
{'a': {'count': 1}, 'b': {'count': 1, 'mean': tensor([1., 2.])}}
```

Parameters

- `default` – Default type of statistics of values of the dictionary. Defaults to the inexpensive `CountStats`.
- `types (dict)` – Dictionary mapping key to type of statistic that should be recorded for values corresponding to that key.

`update(sample: Dict[collections.abc.Hashable, Any]) → None`

`merge(other: pyro.ops.streaming.StatsOfDict) → pyro.ops.streaming.StatsOfDict`

`get() → Dict[collections.abc.Hashable, Any]`

Returns A dictionary of statistics. The keys of this dictionary are the same as the keys of the samples from which this object is updated.

Return type `dict`

```
class StackStats
```

Bases: `pyro.ops.streaming.StreamingStats`

Statistic collecting a stream of tensors into a single stacked tensor.

`update(sample: torch.Tensor) → None`

`merge(other: pyro.ops.streaming.StackStats) → pyro.ops.streaming.StackStats`

`get()` → Dict[str, Union[int, torch.Tensor]]

Returns A dictionary with keys `count`: int and (if any samples have been collected) `samples`: torch.Tensor.

Return type dict

class CountStats

Bases: `pyro.ops.streaming.StreamingStats`

Statistic tracking only the number of samples.

For example:

```
>>> stats = CountStats()
>>> stats.update(torch.randn(3, 3))
>>> stats.get()
{'count': 1}
```

`update(sample)` → None

`merge(other: pyro.ops.streaming.CountStats)` → `pyro.ops.streaming.CountStats`

`get()` → Dict[str, int]

Returns A dictionary with keys `count`: int.

Return type dict

class CountMeanStats

Bases: `pyro.ops.streaming.StreamingStats`

Statistic tracking the count and mean of a single torch.Tensor.

`update(sample: torch.Tensor)` → None

`merge(other: pyro.ops.streaming.CountMeanStats)` → `pyro.ops.streaming.CountMeanStats`

`get()` → Dict[str, Union[int, torch.Tensor]]

Returns A dictionary with keys `count`: int and (if any samples have been collected) `mean`: torch.Tensor.

Return type dict

class CountMeanVarianceStats

Bases: `pyro.ops.streaming.StreamingStats`

Statistic tracking the count, mean, and (diagonal) variance of a single torch.Tensor.

`update(sample: torch.Tensor)` → None

`merge(other: pyro.ops.streaming.CountMeanVarianceStats)` → `pyro.ops.streaming.CountMeanVarianceStats`

`get()` → Dict[str, Union[int, torch.Tensor]]

Returns A dictionary with keys `count`: int and (if any samples have been collected) `mean`: torch.Tensor and `variance`: torch.Tensor.

Return type dict

9.10 State Space Model and GP Utilities

```
class MaternKernel(nu=1.5, num_gps=1, length_scale_init=None, kernel_scale_init=None)
Bases: pyro.nn.module.PyroModule
```

Provides the building blocks for representing univariate Gaussian Processes (GPs) with Matern kernels as state space models.

Parameters

- ***nu*** (*float*) – The order of the Matern kernel (one of 0.5, 1.5 or 2.5)
- ***num_gps*** (*int*) – the number of GPs
- ***length_scale_init*** (*torch.Tensor*) – optional *num_gps*-dimensional vector of initializers for the length scale
- ***kernel_scale_init*** (*torch.Tensor*) – optional *num_gps*-dimensional vector of initializers for the kernel scale

References

- [1] *Kalman Filtering and Smoothing Solutions to Temporal Gaussian Process Regression Models*, Jouni Hartikainen and Simo Sarkka.
[2] *Stochastic Differential Equation Methods for Spatio-Temporal Gaussian Process Regression*, Arno Solin.

transition_matrix(*dt*)

Compute the (exponentiated) transition matrix of the GP latent space. The resulting matrix has layout (*num_gps*, *old_state*, *new_state*), i.e. this matrix multiplies states from the right.

See section 5 in reference [1] for details.

Parameters ***dt*** (*float*) – the time interval over which the GP latent space evolves.

Returns **torch.Tensor** a 3-dimensional tensor of transition matrices of shape (*num_gps*, *state_dim*, *state_dim*).

stationary_covariance()

Compute the stationary state covariance. See Eqn. 3.26 in reference [2].

Returns **torch.Tensor** a 3-dimensional tensor of covariance matrices of shape (*num_gps*, *state_dim*, *state_dim*).

process_covariance(*A*)

Given a transition matrix *A* computed with *transition_matrix* compute the process covariance as described in Eqn. 3.11 in reference [2].

Returns **torch.Tensor** a batched covariance matrix of shape (*num_gps*, *state_dim*, *state_dim*)

transition_matrix_and_covariance(*dt*)

Get the transition matrix and process covariance corresponding to a time interval *dt*.

Parameters ***dt*** (*float*) – the time interval over which the GP latent space evolves.

Returns **tuple** (*transition_matrix*, *process_covariance*) both 3-dimensional tensors of shape (*num_gps*, *state_dim*, *state_dim*)

training: bool

TESTING UTILITIES

10.1 Goodness of Fit Testing

This module implements goodness of fit tests for checking agreement between distributions' `.sample()` and `.log_prob()` methods. The main functions return a goodness of fit p-value `gof` which for good data should be `Uniform(0, 1)` distributed and for bad data should be close to zero. To use this returned number in tests, set a global variable `TEST_FAILURE_RATE` to something smaller than `1 / number of tests` in your suite, then in each test assert `gof > TEST_FAILURE_RATE`. For example:

```
TEST_FAILURE_RATE = 1 / 20 # For 1 in 20 chance of spurious failure.
```

```
def test_my_distribution():
    d = MyDistribution()
    samples = d.sample([10000])
    probs = d.log_prob(samples).exp()
    gof = auto_goodness_of_fit(samples, probs)
    assert gof > TEST_FAILURE_RATE
```

This module is a port of the `goftests` library.

`multinomial_goodness_of_fit(probs, counts, *, total_count=None, plot=False)`

Pearson's chi^2 test, on possibly truncated data. https://en.wikipedia.org/wiki/Pearson%27s_chi-squared_test

Parameters

- `probs` (`torch.Tensor`) – Vector of probabilities.
- `counts` (`torch.Tensor`) – Vector of counts.
- `total_count` (`int`) – Optional total count in case data is truncated, otherwise None.
- `plot` (`bool`) – Whether to print a histogram. Defaults to False.

`Returns` p-value of truncated multinomial sample.

`Return type` `float`

`unif01_goodness_of_fit(samples, *, plot=False)`

Bin uniformly distributed samples and apply Pearson's chi^2 test.

Parameters

- `samples` (`torch.Tensor`) – A vector of real-valued samples from a candidate distribution that should be `Uniform(0, 1)`-distributed.
- `plot` (`bool`) – Whether to print a histogram. Defaults to False.

`Returns` Goodness of fit, as a p-value.

Return type float

exp_goodness_of_fit(*samples*, *plot=False*)

Transform exponentially distributed samples to Uniform(0,1) distribution and assess goodness of fit via binned Pearson's chi^2 test.

Parameters

- **samples** (`torch.Tensor`) – A vector of real-valued samples from a candidate distribution that should be Exponential(1)-distributed.
- **plot** (`bool`) – Whether to print a histogram. Defaults to False.

Returns Goodness of fit, as a p-value.

Return type float

density_goodness_of_fit(*samples*, *probs*, *plot=False*)

Transform arbitrary continuous samples to Uniform(0,1) distribution and assess goodness of fit via binned Pearson's chi^2 test.

Parameters

- **samples** (`torch.Tensor`) – A vector list of real-valued samples from a distribution.
- **probs** (`torch.Tensor`) – A vector of probability densities evaluated at those samples.
- **plot** (`bool`) – Whether to print a histogram. Defaults to False.

Returns Goodness of fit, as a p-value.

Return type float

vector_density_goodness_of_fit(*samples*, *probs*, *, *dim=None*, *plot=False*)

Transform arbitrary multivariate continuous samples to Univariate(0,1) distribution via nearest neighbor distribution [1,2,3] and assess goodness of fit via binned Pearson's chi^2 test.

[1] **Peter J. Bickel and Leo Breiman (1983)** "Sums of Functions of Nearest Neighbor Distances, Moment Bounds, Limit Theorems and a Goodness of Fit Test" https://projecteuclid.org/download/pdf_1/euclid.aop/1176993668

[2] **Mike Williams (2010)** "How good are your fits? Unbinned multivariate goodness-of-fit tests in high energy physics." <https://arxiv.org/abs/1006.3019>

[3] **Nearest Neighbour Distribution** https://en.wikipedia.org/wiki/Nearest_neighbour_distribution

Parameters

- **samples** (`torch.Tensor`) – A tensor of real-vector-valued samples from a distribution.
- **probs** (`torch.Tensor`) – A vector of probability densities evaluated at those samples.
- **dim** (`int`) – Optional dimension of the submanifold on which data lie. Defaults to `samples.shape[-1]`.
- **plot** (`bool`) – Whether to print a histogram. Defaults to False.

Returns Goodness of fit, as a p-value.

Return type float

auto_goodness_of_fit(*samples*, *probs*, *, *dim=None*, *plot=False*)

Dispatch on sample dimension and delegate to either `density_goodness_of_fit()` or `vector_density_goodness_of_fit()`.

Parameters

- **samples** (`torch.Tensor`) – A tensor of samples stacked on their leftmost dimension.
- **probs** (`torch.Tensor`) – A vector of probabilities evaluated at those samples.
- **dim** (`int`) – Optional manifold dimension, defaults to `samples.shape[1:] .numel()`.
- **plot** (`bool`) – Whether to print a histogram. Defaults to False.

AUTOMATIC NAME GENERATION

The `pyro.contrib.autoname` module provides tools for automatically generating unique, semantically meaningful names for sample sites.

`scope(fn=None, prefix=None, inner=None)`

Parameters

- `fn` – a stochastic function (callable containing Pyro primitive calls)
- `prefix` – a string to prepend to sample names (optional if `fn` is provided)
- `inner` – switch to determine where duplicate name counters appear

Returns

`fn` decorated with a `ScopeMessenger`

`scope` prepends a prefix followed by a / to the name at a Pyro sample site. It works much like TensorFlow's `name_scope` and `variable_scope`, and can be used as a context manager, a decorator, or a higher-order function.

`scope` is very useful for aligning compositional models with guides or data.

Example:

```
>>> @scope(prefix="a")
... def model():
...     return pyro.sample("x", dist.Bernoulli(0.5))
...
>>> assert "a/x" in poutine.trace(model).get_trace()
```

Example:

```
>>> def model():
...     with scope(prefix="a"):
...         return pyro.sample("x", dist.Bernoulli(0.5))
...
>>> assert "a/x" in poutine.trace(model).get_trace()
```

Scopes compose as expected, with outer scopes appearing before inner scopes in names:

```
>>> @scope(prefix="b")
... def model():
...     with scope(prefix="a"):
...         return pyro.sample("x", dist.Bernoulli(0.5))
...
>>> assert "b/a/x" in poutine.trace(model).get_trace()
```

When used as a decorator or higher-order function, scope will use the name of the input function as the prefix if no user-specified prefix is provided.

Example:

```
>>> @scope
... def model():
...     return pyro.sample("x", dist.Bernoulli(0.5))
...
>>> assert "model/x" in poutine.trace(model).get_trace()
```

`name_count`(*fn=None*)

`name_count` is a very simple autonaming scheme that simply appends a suffix “`_`” plus a counter to any name that appears multiple times in an execution. Only duplicate instances of a name get a suffix; the first instance is not modified.

Example:

```
>>> @name_count
... def model():
...     for i in range(3):
...         pyro.sample("x", dist.Bernoulli(0.5))
...
>>> assert "x" in poutine.trace(model).get_trace()
>>> assert "x_1" in poutine.trace(model).get_trace()
>>> assert "x_2" in poutine.trace(model).get_trace()
```

`name_count` also composes with `scope()` by adding a suffix to duplicate scope entrances:

Example:

```
>>> @name_count
... def model():
...     for i in range(3):
...         with pyro.contrib.autoname.scope(prefix="a"):
...             pyro.sample("x", dist.Bernoulli(0.5))
...
>>> assert "a/x" in poutine.trace(model).get_trace()
>>> assert "a_1/x" in poutine.trace(model).get_trace()
>>> assert "a_2/x" in poutine.trace(model).get_trace()
```

Example:

```
>>> @name_count
... def model():
...     with pyro.contrib.autoname.scope(prefix="a"):
...         for i in range(3):
...             pyro.sample("x", dist.Bernoulli(0.5))
...
>>> assert "a/x" in poutine.trace(model).get_trace()
>>> assert "a/x_1" in poutine.trace(model).get_trace()
>>> assert "a/x_2" in poutine.trace(model).get_trace()
```

`autoname`(*fn=None, *args, **kwargs*)

Convenient wrapper of AutonameMessenger

Assign unique names to random variables.

- For a new variable use its declared name if given, otherwise use the distribution name:

```
sample("x", dist.Bernoulli ... ) # -> x
sample(dist.Bernoulli ... ) # -> Bernoulli
```

- For repeated variables names append the counter as a suffix:

```
sample(dist.Bernoulli ... ) # -> Bernoulli
sample(dist.Bernoulli ... ) # -> Bernoulli1
sample(dist.Bernoulli ... ) # -> Bernoulli2
```

- Functions and iterators can be used as a name scope:

```
@autoname
def f1():
    sample(dist.Bernoulli ... )

@autoname
def f2():
    f1() # -> f2/f1/Bernoulli
    f1() # -> f2/f1_1/Bernoulli
    sample(dist.Bernoulli ... ) # -> f2/Bernoulli

@autoname(name="model")
def f3():
    for i in autoname(range(3), name="time"):
        # model/time/Bernoulli .. model/time_1/Bernoulli .. model/time_2/
        # -> Bernoulli
        sample(dist.Bernoulli ... )
        # model/time/f1/Bernoulli .. model/time_1/f1/Bernoulli .. model/time_
        # -> 2/f1/Bernoulli
    f1()
```

- Or scopes can be added using the with statement:

```
def f4():
    with autoname(name="prefix"):
        f1() # -> prefix/f1/Bernoulli
        f1() # -> prefix/f1_1/Bernoulli
        sample(dist.Bernoulli ... ) # -> prefix/Bernoulli
```

```
sample(*args)
sample(name: str, fn, *args, **kwargs)
sample(fn: pyro.distributions.distribution.Distribution, *args, **kwargs)
```

11.1 Named Data Structures

The `pyro.contrib.named` module is a thin syntactic layer on top of Pyro. It allows Pyro models to be written to look like programs with operating on Python data structures like `latent.x.sample_(...)`, rather than programs with string-labeled statements like `x = pyro.sample("x", ...)`.

This module provides three container data structures `named.Object`, `named.List`, and `named.Dict`. These data structures are intended to be nested in each other. Together they track the address of each piece of data in each data structure, so that this address can be used as a Pyro site. For example:

```
>>> state = named.Object("state")
>>> print(str(state))
state

>>> z = state.x.y.z # z is just a placeholder.
>>> print(str(z))
state.x.y.z

>>> state.xs = named.List() # Create a contained list.
>>> x0 = state.xs.add()
>>> print(str(x0))
state.xs[0]

>>> state.ys = named.Dict()
>>> foo = state.ys['foo']
>>> print(str(foo))
state.ys['foo']
```

These addresses can now be used inside `sample`, `observe` and `param` statements. These named data structures even provide in-place methods that alias Pyro statements. For example:

```
>>> state = named.Object("state")
>>> loc = state.loc.param_(torch.zeros(1, requires_grad=True))
>>> scale = state.scale.param_(torch.ones(1, requires_grad=True))
>>> z = state.z.sample_(dist.Normal(loc, scale))
>>> obs = state.x.sample_(dist.Normal(loc, scale), obs=z)
```

For deeper examples of how these can be used in model code, see the [Tree Data](#) and [Mixture](#) examples.

Authors: Fritz Obermeyer, Alexander Rush

`class Object(name)`

Bases: `object`

Object to hold immutable latent state.

This object can serve either as a container for nested latent state or as a placeholder to be replaced by a tensor via a `named.sample`, `named.observe`, or `named.param` statement. When used as a placeholder, `Object` objects take the place of strings in normal `pyro.sample` statements.

Parameters `name (str)` – The name of the object.

Example:

```
state = named.Object("state")
state.x = 0
state.ys = named.List()
```

(continues on next page)

(continued from previous page)

```
state.zs = named.Dict()
state.a.b.c.d.e.f.g = 0 # Creates a chain of named.Objects.
```

Warning: This data structure is write-once: data may be added but may not be mutated or removed. Trying to mutate this data structure may result in silent errors.

sample_(fn, *args, **kwargs)

Calls the stochastic function `fn` with additional side-effects depending on `name` and the enclosing context (e.g. an inference algorithm). See [Introduction to Pyro](#) for a discussion.

Parameters

- `name` – name of sample
- `fn` – distribution class or function
- `obs` – observed datum (optional; should only be used in context of inference) optionally specified in `kwargs`
- `obs_mask (bool or Tensor)` – Optional boolean tensor mask of shape broadcastable with `fn.batch_shape`. If provided, events with `mask=True` will be conditioned on `obs` and remaining events will be imputed by sampling. This introduces a latent sample site named `name + "_unobserved"` which should be used by guides.
- `infer (dict)` – Optional dictionary of inference parameters specified in `kwargs`. See inference documentation for details.

Returns sample**param_(init_tensor=None, constraint=Real(), event_dim=None)**

Saves the variable as a parameter in the param store. To interact with the param store or write to disk, see [Parameters](#).

Parameters

- `name (str)` – name of parameter
- `init_tensor (torch.Tensor or callable)` – initial tensor or lazy callable that returns a tensor. For large tensors, it may be cheaper to write e.g. `lambda: torch.randn(100000)`, which will only be evaluated on the initial statement.
- `constraint (torch.distributions.constraints.Constraint)` – torch constraint, defaults to `constraints.real`.
- `event_dim (int)` – (optional) number of rightmost dimensions unrelated to batching. Dimension to the left of this will be considered batch dimensions; if the param statement is inside a subsampled plate, then corresponding batch dimensions of the parameter will be correspondingly subsampled. If unspecified, all dimensions will be considered event dims and no subsampling will be performed.

Returns A constrained parameter. The underlying unconstrained parameter is accessible via `pyro.param(...).unconstrained()`, where `.unconstrained` is a weakref attribute.

Return type `torch.Tensor`**class List(name=None)**

Bases: `list`

List-like object to hold immutable latent state.

This must either be given a name when constructed:

```
latent = named.List("root")
```

or must be immediately stored in a `named.Object`:

```
latent = named.Object("root")
latent.xs = named.List() # Must be bound to a Object before use.
```

Warning: This data structure is write-once: data may be added but may not be mutated or removed. Trying to mutate this data structure may result in silent errors.

`add()`

Append one new `named.Object`.

Returns a new latent object at the end

Return type `named.Object`

`class Dict(name=None)`

Bases: `dict`

Dict-like object to hold immutable latent state.

This must either be given a name when constructed:

```
latent = named.Dict("root")
```

or must be immediately stored in a `named.Object`:

```
latent = named.Object("root")
latent.xs = named.Dict() # Must be bound to a Object before use.
```

Warning: This data structure is write-once: data may be added but may not be mutated or removed. Trying to mutate this data structure may result in silent errors.

11.2 Scoping

`pyro.contrib.autoname.scoping` contains the implementation of `pyro.contrib.autoname.scope()`, a tool for automatically appending a semantically meaningful prefix to names of sample sites.

`class NameCountMessenger`

Bases: `pyro.poutine.messenger.Messenger`

`NameCountMessenger` is the implementation of `pyro.contrib.autoname.name_count()`

`class ScopeMessenger(prefix=None, inner=None)`

Bases: `pyro.poutine.messenger.Messenger`

`ScopeMessenger` is the implementation of `pyro.contrib.autoname.scope()`

`scope(fn=None, prefix=None, inner=None)`

Parameters

- **fn** – a stochastic function (callable containing Pyro primitive calls)
- **prefix** – a string to prepend to sample names (optional if **fn** is provided)
- **inner** – switch to determine where duplicate name counters appear

Returns `fn` decorated with a *ScopeMessenger*

`scope` prepends a prefix followed by a / to the name at a Pyro sample site. It works much like TensorFlow's `name_scope` and `variable_scope`, and can be used as a context manager, a decorator, or a higher-order function.

`scope` is very useful for aligning compositional models with guides or data.

Example:

```
>>> @scope(prefix="a")
... def model():
...     return pyro.sample("x", dist.Bernoulli(0.5))
...
>>> assert "a/x" in poutine.trace(model).get_trace()
```

Example:

```
>>> def model():
...     with scope(prefix="a"):
...         return pyro.sample("x", dist.Bernoulli(0.5))
...
>>> assert "a/x" in poutine.trace(model).get_trace()
```

Scopes compose as expected, with outer scopes appearing before inner scopes in names:

```
>>> @scope(prefix="b")
... def model():
...     with scope(prefix="a"):
...         return pyro.sample("x", dist.Bernoulli(0.5))
...
>>> assert "b/a/x" in poutine.trace(model).get_trace()
```

When used as a decorator or higher-order function, `scope` will use the name of the input function as the prefix if no user-specified prefix is provided.

Example:

```
>>> @scope
... def model():
...     return pyro.sample("x", dist.Bernoulli(0.5))
...
>>> assert "model/x" in poutine.trace(model).get_trace()
```

`name_count`(*fn=None*)

`name_count` is a very simple autonaming scheme that simply appends a suffix “`_`” plus a counter to any name that appears multiple times in an execution. Only duplicate instances of a name get a suffix; the first instance is not modified.

Example:

```
>>> @name_count
... def model():
...     for i in range(3):
...         pyro.sample("x", dist.Bernoulli(0.5))
...
>>> assert "x" in poutine.trace(model).get_trace()
>>> assert "x_1" in poutine.trace(model).get_trace()
>>> assert "x_2" in poutine.trace(model).get_trace()
```

`name_count` also composes with `scope()` by adding a suffix to duplicate scope entrances:

Example:

```
>>> @name_count
... def model():
...     for i in range(3):
...         with pyro.contrib.autoname.scope(prefix="a"):
...             pyro.sample("x", dist.Bernoulli(0.5))
...
>>> assert "a/x" in poutine.trace(model).get_trace()
>>> assert "a/_1/x" in poutine.trace(model).get_trace()
>>> assert "a/_2/x" in poutine.trace(model).get_trace()
```

Example:

```
>>> @name_count
... def model():
...     with pyro.contrib.autoname.scope(prefix="a"):
...         for i in range(3):
...             pyro.sample("x", dist.Bernoulli(0.5))
...
>>> assert "a/x" in poutine.trace(model).get_trace()
>>> assert "a/x_1" in poutine.trace(model).get_trace()
>>> assert "a/x_2" in poutine.trace(model).get_trace()
```

BAYESIAN NEURAL NETWORKS

12.1 HiddenLayer

```
class HiddenLayer(*args, **kwargs)
```

This distribution is a basic building block in a Bayesian neural network. It represents a single hidden layer, i.e. an affine transformation applied to a set of inputs X followed by a non-linearity. The uncertainty in the weights is encoded in a Normal variational distribution specified by the parameters A_scale and A_mean . The so-called ‘local reparameterization trick’ is used to reduce variance (see reference below). In effect, this means the weights are never sampled directly; instead one samples in pre-activation space (i.e. before the non-linearity is applied). Since the weights are never directly sampled, when this distribution is used within the context of variational inference, care must be taken to correctly scale the KL divergence term that corresponds to the weight matrix. This term is folded into the `log_prob` method of this distributions.

In effect, this distribution encodes the following generative process:

$A \sim \text{Normal}(A_mean, A_scale)$ output $\sim \text{non_linearity}(AX)$

Parameters

- **X** (`torch.Tensor`) – $B \times D$ dimensional mini-batch of inputs
- **A_mean** (`torch.Tensor`) – $D \times H$ dimensional specifying weight mean
- **A_scale** (`torch.Tensor`) – $D \times H$ dimensional (diagonal covariance matrix) specifying weight uncertainty
- **non_linearity** (`callable`) – a callable that specifies the non-linearity used. defaults to ReLU.
- **KL_factor** (`float`) – scaling factor for the KL divergence. prototypically this is equal to the size of the mini-batch divided by the size of the whole dataset. defaults to `1.0`.
- **A_prior** (`float or torch.Tensor`) – the prior over the weights is assumed to be normal with mean zero and scale factor A_prior . default value is `1.0`.
- **include_hidden_bias** (`bool`) – controls whether the activations should be augmented with a 1, which can be used to incorporate bias terms. defaults to `True`.
- **weight_space_sampling** (`bool`) – controls whether the local reparameterization trick is used. this is only intended to be used for internal testing. defaults to `False`.

Reference:

Kingma, Diederik P., Tim Salimans, and Max Welling. “Variational dropout and the local reparameterization trick.” Advances in Neural Information Processing Systems. 2015.

CAUSAL EFFECT VAE

This module implements the Causal Effect Variational Autoencoder [1], which demonstrates a number of innovations including:

- a generative model for causal effect inference with hidden confounders;
- a model and guide with twin neural nets to allow imbalanced treatment; and
- a custom training loss that includes both ELBO terms and extra terms needed to train the guide to be able to answer counterfactual queries.

The main interface is the `CEVAE` class, but users may customize by using components `Model`, `Guide`, `TraceCausalEffect_ELBO` and utilities.

References

[1] C. Louizos, U. Shalit, J. Mooij, D. Sontag, R. Zemel, M. Welling (2017).

Causal Effect Inference with Deep Latent-Variable Models.

<http://papers.nips.cc/paper/7223-causal-effect-inference-with-deep-latent-variable-models.pdf>


<https://github.com/MLLab-Amsterdam/CEVAE>

13.1 CEVAE Class

```
class CEVAE(feature_dim, outcome_dist='bernoulli', latent_dim=20, hidden_dim=200, num_layers=3,  
           num_samples=100)
```

Bases: `torch.nn.modules.module.Module`

Main class implementing a Causal Effect VAE [1]. This assumes a graphical model



where t is a binary treatment variable, y is an outcome, Z is an unobserved confounder, and X is a noisy function of the hidden confounder Z .

Example:

```

cevae = CEVAE(feature_dim=5)
cevae.fit(x_train, t_train, y_train)
ite = cevae.ite(x_test) # individual treatment effect
ate = ite.mean()        # average treatment effect
  
```

Variables

- **model** (Model) – Generative model.
- **guide** (Guide) – Inference model.

Parameters

- **feature_dim** (int) – Dimension of the feature space x .
- **outcome_dist** (str) – One of: “bernoulli” (default), “exponential”, “laplace”, “normal”, “studentt”.
- **latent_dim** (int) – Dimension of the latent variable z . Defaults to 20.
- **hidden_dim** (int) – Dimension of hidden layers of fully connected networks. Defaults to 200.
- **num_layers** (int) – Number of hidden layers in fully connected networks.
- **num_samples** (int) – Default number of samples for the `ite()` method. Defaults to 100.

fit($x, t, y, num_epochs=100, batch_size=100, learning_rate=0.001, learning_rate_decay=0.1, weight_decay=0.0001, log_every=100$)
 Train using `SVI` with the `TraceCausalEffect_ELBO` loss.

Parameters

- **x** (*Tensor*) –
- **t** (*Tensor*) –
- **y** (*Tensor*) –
- **num_epochs** (*int*) – Number of training epochs. Defaults to 100.
- **batch_size** (*int*) – Batch size. Defaults to 100.
- **learning_rate** (*float*) – Learning rate. Defaults to 1e-3.
- **learning_rate_decay** (*float*) – Learning rate decay over all epochs; the per-step decay rate will depend on batch size and number of epochs such that the initial learning rate will be `learning_rate` and the final learning rate will be `learning_rate * learning_rate_decay`. Defaults to 0.1.
- **weight_decay** (*float*) – Weight decay. Defaults to 1e-4.
- **log_every** (*int*) – Log loss each this-many steps. If zero, do not log loss. Defaults to 100.

Returns list of epoch losses

ite(*x, num_samples=None, batch_size=None*)

Computes Individual Treatment Effect for a batch of data *x*.

$$ITE(x) = \mathbb{E}[\mathbf{y} \mid \mathbf{X} = x, do(\mathbf{t} = 1)] - \mathbb{E}[\mathbf{y} \mid \mathbf{X} = x, do(\mathbf{t} = 0)]$$

This has complexity $O(\text{len}(\mathbf{x}) * \text{num_samples}^{** 2})$.

Parameters

- **x** (*Tensor*) – A batch of data.
- **num_samples** (*int*) – The number of monte carlo samples. Defaults to `self.num_samples` which defaults to 100.
- **batch_size** (*int*) – Batch size. Defaults to `len(x)`.

Returns A `len(x)`-sized tensor of estimated effects.

Return type `Tensor`

to_script_module()

Compile this module using `torch.jit.trace_module()`, assuming self has already been fit to data.

Returns A traced version of self with an `ite()` method.

Return type `torch.jit.ScriptModule`

training: `bool`

13.2 CEVAE Components

class Model(config)

Bases: `pyro.nn.module.PyroModule`

Generative model for a causal model with latent confounder *z* and binary treatment *t*:

```

z ~ p(z)      # latent confounder
x ~ p(x|z)    # partial noisy observation of z
t ~ p(t|z)    # treatment, whose application is biased by z
y ~ p(y|t,z)  # outcome

```

Each of these distributions is defined by a neural network. The y distribution is defined by a disjoint pair of neural networks defining $p(y|t=0, z)$ and $p(y|t=1, z)$; this allows highly imbalanced treatment.

Parameters config (dict) – A dict specifying `feature_dim`, `latent_dim`, `hidden_dim`, `num_layers`, and `outcome_dist`.

forward($x, t=None, y=None, size=None$)

y_mean($x, t=None$)

z_dist()

x_dist(z)

y_dist(t, z)

t_dist(z)

training: bool

class Guide(config)
Bases: `pyro.nn.module.PyroModule`

Inference model for causal effect estimation with latent confounder z and binary treatment t :

```

t ~ q(t|x)      # treatment
y ~ q(y|t,x)    # outcome
z ~ q(z|y,t,x)  # latent confounder, an embedding

```

Each of these distributions is defined by a neural network. The y and z distributions are defined by disjoint pairs of neural networks defining $p(\cdot|t=0, \dots)$ and $p(\cdot|t=1, \dots)$; this allows highly imbalanced treatment.

Parameters config (dict) – A dict specifying `feature_dim`, `latent_dim`, `hidden_dim`, `num_layers`, and `outcome_dist`.

forward($x, t=None, y=None, size=None$)

t_dist(x)

y_dist(t, x)

z_dist(y, t, x)

training: bool

class TraceCausalEffect_ELBO(`num_particles=1, max_plate_nesting=inf, max_iarange_nesting=None, vectorize_particles=False, strict_enumeration_warning=True, ignore_jit_warnings=False, jit_options=None, retain_graph=None, tail_adaptive_beta=-1.0`)
Bases: `pyro.infer.trace_elbo.Trace_ELBO`

Loss function for training a [CEVAE](#). From [1], the CEVAE objective (to maximize) is:

```

-loss = ELBO + log q(t|x) + log q(y|t,x)

```

loss($model, guide, *args, **kwargs$)

13.3 Utilities

```
class FullyConnected(sizes, final_activation=None)
    Bases: torch.nn.modules.container.Sequential
```

Fully connected multi-layer network with ELU activations.

append(layer)

training: bool

```
class DistributionNet
```

Bases: torch.nn.modules.module.Module

Base class for distribution nets.

static get_class(dtype)

Get a subclass by a prefix of its name, e.g.:

```
assert DistributionNet.get_class("bernoulli") is BernoulliNet
```

training: bool

```
class BernoulliNet(sizes)
```

Bases: *pyro.contrib.cevae.DistributionNet*

FullyConnected network outputting a single `logits` value.

This is used to represent a conditional probability distribution of a single Bernoulli random variable conditioned on a `sizes[0]`-sized real value, for example:

```
net = BernoulliNet([3, 4])
z = torch.randn(3)
logits, = net(z)
t = net.make_dist(logits).sample()
```

forward(x)

static make_dist(logits)

training: bool

```
class ExponentialNet(sizes)
```

Bases: *pyro.contrib.cevae.DistributionNet*

FullyConnected network outputting a constrained `rate`.

This is used to represent a conditional probability distribution of a single Normal random variable conditioned on a `sizes[0]`-size real value, for example:

```
net = ExponentialNet([3, 4])
x = torch.randn(3)
rate, = net(x)
y = net.make_dist(rate).sample()
```

forward(x)

static make_dist(rate)

training: bool

class LaplaceNet(sizes)

Bases: `pyro.contrib.cevae.DistributionNet`

FullyConnected network outputting a constrained loc, scale pair.

This is used to represent a conditional probability distribution of a single Laplace random variable conditioned on a `sizes[0]`-size real value, for example:

```
net = LaplaceNet([3, 4])
x = torch.randn(3)
loc, scale = net(x)
y = net.make_dist(loc, scale).sample()
```

forward(x)

static make_dist(loc, scale)

training: bool

class NormalNet(sizes)

Bases: `pyro.contrib.cevae.DistributionNet`

FullyConnected network outputting a constrained loc, scale pair.

This is used to represent a conditional probability distribution of a single Normal random variable conditioned on a `sizes[0]`-size real value, for example:

```
net = NormalNet([3, 4])
x = torch.randn(3)
loc, scale = net(x)
y = net.make_dist(loc, scale).sample()
```

forward(x)

static make_dist(loc, scale)

training: bool

class StudentTNet(sizes)

Bases: `pyro.contrib.cevae.DistributionNet`

FullyConnected network outputting a constrained df, loc, scale triple, with shared df > 1.

This is used to represent a conditional probability distribution of a single Student's t random variable conditioned on a `sizes[0]`-size real value, for example:

```
net = StudentTNet([3, 4])
x = torch.randn(3)
df, loc, scale = net(x)
y = net.make_dist(df, loc, scale).sample()
```

forward(x)

static make_dist(df, loc, scale)

training: bool

class DiagNormalNet(sizes)

Bases: `torch.nn.modules.module.Module`

FullyConnected network outputting a constrained loc, scale pair.

This is used to represent a conditional probability distribution of a `sizes[-1]`-sized diagonal Normal random variable conditioned on a `sizes[0]`-size real value, for example:

```
net = DiagNormalNet([3, 4, 5])
z = torch.randn(3)
loc, scale = net(z)
x = dist.Normal(loc, scale).sample()
```

This is intended for the latent `z` distribution and the prewhitened `x` features, and conservatively clips `loc` and `scale` values.

```
forward(x)
training: bool
```


EASY CUSTOM GUIDES

14.1 EasyGuide

```
class EasyGuide(model)
    Bases: pyro.nn.module.PyroModule
```

Base class for “easy guides”, which are more flexible than AutoGuide s, but are easier to write than raw Pyro guides.

Derived classes should define a `guide()` method. This `guide()` method can combine ordinary guide statements (e.g. `pyro.sample` and `pyro.param`) with the following special statements:

- `group = self.group(...)` selects multiple `pyro.sample` sites in the model. See Group for subsequent methods.
- `with self.plate(...): ...` should be used instead of `pyro.plate`.
- `self.map_estimate(...)` uses a Delta guide for a single site.

Derived classes may also override the `init()` method to provide custom initialization for models sites.

Parameters `model (callable)` – A Pyro model.

property `model`

abstract `guide(*args, **kargs)`

Guide implementation, to be overridden by user.

init(`site`)

Model initialization method, may be overridden by user.

This should input a site and output a valid sample from that site. The default behavior is to draw a random sample:

```
return site["fn"]()
```

For other possible initialization functions see <http://docs.pyro.ai/en/stable/infer.autoguide.html#module-pyro.infer.autoguide.initialization>

forward(*`args, **kargs`)

Runs the guide. This is typically used by inference algorithms.

Note: This method is used internally by `Module`. Users should instead use `__call__()`.

plate(*name*, *size=None*, *subsample_size=None*, *subsample=None*, **args*, ***kwargs*)

A wrapper around `pyro.plate` to allow *EasyGuide* to automatically construct plates. You should use this rather than `pyro.plate` inside your `guide()` implementation.

group(*match='.*'*)

Select a Group of model sites for joint guidance.

Parameters `match` (`str`) – A regex string matching names of model sample sites.

Returns A group of model sites.

Return type `Group`

map_estimate(*name*)

Construct a maximum a posteriori (MAP) guide using Delta distributions.

Parameters `name` (`str`) – The name of a model sample site.

Returns A sampled value.

Return type `torch.Tensor`

training: `bool`

14.2 easy_guide

easy_guide(*model*)

Convenience decorator to create an *EasyGuide*. The following are equivalent:

```
# Version 1. Decorate a function.
@easy_guide(model)
def guide(self, foo, bar):
    return my_guide(foo, bar)

# Version 2. Create and instantiate a subclass of EasyGuide.
class Guide(EasyGuide):
    def guide(self, foo, bar):
        return my_guide(foo, bar)
guide = Guide(model)
```

Note `@easy_guide` wrappers cannot be pickled; to build a guide that can be pickled, instead subclass from *EasyGuide*.

Parameters `model` (`callable`) – a Pyro model.

14.3 Group

class `Group`(*guide*, *sites*)

Bases: `object`

An autoguide helper to match a group of model sites.

Variables

- **event_shape** (`torch.Size`) – The total flattened concatenated shape of all matching sample sites in the model.

- **prototype_sites** (`list`) – A list of all matching sample sites in a prototype trace of the model.

Parameters

- **guide** (`EasyGuide`) – An easyguide instance.
- **sites** (`list`) – A list of model sites.

property `guide`

`sample(guide_name, fn, infer=None)`

Wrapper around `pyro.sample()` to create a single auxiliary sample site and then unpack to multiple sample sites for model replay.

Parameters

- **guide_name** (`str`) – The name of the auxiliary guide site.
- **fn** (`callable`) – A distribution with shape `self.event_shape`.
- **infer** (`dict`) – Optional inference configuration dict.

Returns A pair (`guide_z`, `model_zs`) where `guide_z` is the single concatenated blob and `model_zs` is a dict mapping site name to constrained model sample.

Return type `tuple`

`map_estimate()`

Construct a maximum a posteriori (MAP) guide using Delta distributions.

Returns A dict mapping model site name to sampled value.

Return type `dict`

EPIDEMIOLOGY

Warning: Code in `pyro.contrib.epidemiology` is under development. This code makes no guarantee about maintaining backwards compatibility.

`pyro.contrib.epidemiology` provides a modeling language for a class of stochastic discrete-time discrete-count compartmental models. This module implements black-box **inference** (both Stochastic Variational Inference and Hamiltonian Monte Carlo), **prediction** of latent variables, and **forecasting** of future trajectories.

For example usage see the following tutorials:

- [Introduction](#)
- [Univariate models](#)
- [Regional models](#)
- [Inference via auxiliary variable HMC](#)

15.1 Base Compartmental Model

```
class CompartmentalModel(compartments, duration, population, *, approximate=())  
Bases: abc.ABC
```

Abstract base class for discrete-time discrete-value stochastic compartmental models.

Derived classes must implement methods `initialize()` and `transition()`. Derived classes may optionally implement `global_model()`, `compute_flows()`, and `heuristic()`.

Example usage:

```
# First implement a concrete derived class.  
class MyModel(CompartmentalModel):  
    def __init__(self, ...): ...  
    def global_model(self): ...  
    def initialize(self, params): ...  
    def transition(self, params, state, t): ...  
  
# Run inference to fit the model to data.  
model = MyModel(...)  
model.fit_svi(num_samples=100) # or .fit_mcmc(...)  
R0 = model.samples["R0"] # An example parameter.  
print("R0 = {:.3g} ± {:.3g}".format(R0.mean(), R0.std()))
```

(continues on next page)

(continued from previous page)

```
# Predict latent variables.
samples = model.predict()

# Forecast forward.
samples = model.predict(forecast=30)

# You can assess future interventions (applied after ``duration``) by
# storing them as attributes that are read by your derived methods.
model.my_intervention = False
samples1 = model.predict(forecast=30)
model.my_intervention = True
samples2 = model.predict(forecast=30)
effect = samples2["my_result"].mean() - samples1["my_result"].mean()
print("average effect = {:.3g}".format(effect))
```

An example workflow is to use cheaper approximate inference while finding good model structure and priors, then move to more accurate but more expensive inference once the model is plausible.

1. Start with `.fit_svi(guide_rank=0, num_steps=2000)` for cheap inference while you search for a good model.
2. Additionally infer long-range correlations by moving to a low-rank multivariate normal guide via `.fit_svi(guide_rank=None, num_steps=5000)`.
3. Optionally additionally infer non-Gaussian posterior by moving to the more expensive (but still approximate via moment matching) `.fit_mcmc(num_quant_bins=1, num_samples=10000, num_chains=2)`.
4. Optionally improve fit around small counts by moving the the more expensive enumeration-based algorithm `.fit_mcmc(num_quant_bins=4, num_samples=10000, num_chains=2)` (GPU recommended).

Variables `samples` (`dict`) – Dictionary of posterior samples.

Parameters

- `compartments` (`list`) – A list of strings of compartment names.
- `duration` (`int`) – The number of discrete time steps in this model.
- `population` (`int or torch.Tensor`) – Either the total population of a single-region model or a tensor of each region's population in a regional model.
- `approximate` (`tuple`) – Names of compartments for which pointwise approximations should be provided in `transition()`, e.g. if you specify `approximate=("I")` then the `state["I_approx"]` will be a continuous-valued non-enumerated point estimate of `state["I"]`. Approximations are useful to reduce computational cost. Approximations are continuous-valued with support (-0.5, population + 0.5).

`property time_plate`

A pyro.plate for the time dimension.

`property region_plate`

Either a pyro.plate or a trivial ExitStack depending on whether this model `.isRegional`.

`full_mass()`

A list of a single tuple of the names of global random variables.

`series()`

A frozenset of names of sample sites that are sampled each time step.

global_model()

Samples and returns any global parameters.

Returns An arbitrary object of parameters (e.g. None or a tuple).

abstract initialize(params)

Returns initial counts in each compartment.

Parameters **params** – The global params returned by `global_model()`.

Returns A dict mapping compartment name to initial value.

Return type `dict`

abstract transition(params, state, t)

Forward generative process for dynamics.

This inputs a current `state` and stochastically updates that state in-place.

Note that this method is called under multiple different interpretations, including batched and vectorized interpretations. During `generate()` this is called to generate a single sample. During `heuristic()` this is called to generate a batch of samples for SMC. During `fit_mcmc()` this is called both in vectorized form (vectorizing over time) and in sequential form (for a single time step); both forms enumerate over discrete latent variables. During `predict()` this is called to forecast a batch of samples, conditioned on posterior samples for the time interval `[0:duration]`.

Parameters

- **params** – The global params returned by `global_model()`.
- **state** (`dict`) – A dictionary mapping compartment name to current tensor value. This should be updated in-place.
- **t** (`int or slice`) – A time-like index. During inference `t` may be either a slice (for vectorized inference) or an integer time index. During prediction `t` will be integer time index.

finalize(params, prev, curr)

Optional method for likelihoods that depend on entire time series.

This should be used only for non-factorizable likelihoods that couple states across time. Factorizable likelihoods should instead be added to the `transition()` method, thereby enabling their use in `heuristic()` initialization. Since this method is called only after the last time step, it is not used in `heuristic()` initialization.

Warning: This currently does not support latent variables.

Parameters

- **params** – The global params returned by `global_model()`.
- **prev** (`dict`) –
- **curr** (`dict`) – Dictionaries mapping compartment name to tensor of entire time series. These two parameters are offset by 1 step, thereby making it easy to compute time series of fluxes. For quantized inference, this uses the approximate point estimates, so users must request any needed time series in `__init__()`, e.g. by calling `super().__init__(..., approximate={"I", "E"})` if likelihood depends on the I and E time series.

compute_flows(*prev, curr, t*)

Computes flows between compartments, given compartment populations before and after time step *t*.

The default implementation assumes sequential flows terminating in an implicit compartment named “R”. For example if:

```
compartment_names = ("S", "E", "I")
```

the default implementation computes at time step *t* = 9:

```
flows["S2E_9"] = prev["S"] - curr["S"]
flows["E2I_9"] = prev["E"] - curr["E"] + flows["S2E_9"]
flows["I2R_9"] = prev["I"] - curr["I"] + flows["E2I_9"]
```

For more complex flows (non-sequential, branching, looping, duplicating, etc.), users may override this method.

Parameters

- **state** (*dict*) – A dictionary mapping compartment name to current tensor value. This should be updated in-place.
- **t** (*int or slice*) – A time-like index. During inference *t* may be either a slice (for vectorized inference) or an integer time index. During prediction *t* will be integer time index.

Returns A dict mapping flow name to tensor value.

Return type *dict*

generate(*fixed={}*)

Generate data from the prior.

Pram dict fixed A dictionary of parameters on which to condition. These must be top-level parentless nodes, i.e. have no upstream stochastic dependencies.

Returns A dictionary mapping sample site name to sampled value.

Return type *dict*

fit_svi(**args*, *num_samples=100*, *num_steps=2000*, *num_particles=32*, *learning_rate=0.1*, *learning_rate_decay=0.01*, *betas=(0.8, 0.99)*, *haar=True*, *init_scale=0.01*, *guide_rank=0*, *jit=False*, *log_every=200*, ***options*)

Runs stochastic variational inference to generate posterior samples.

This runs *SVI*, setting the *.samples* attribute on completion.

This approximate inference method is useful for quickly iterating on probabilistic models.

Parameters

- **num_samples** (*int*) – Number of posterior samples to draw from the trained guide. Defaults to 100.
- **num_steps** (*int*) – Number of *SVI* steps.
- **num_particles** (*int*) – Number of *SVI* particles per step.
- **learning_rate** (*int*) – Learning rate for the *ClippedAdam* optimizer.
- **learning_rate_decay** (*int*) – Learning rate for the *ClippedAdam* optimizer. Note this is decay over the entire schedule, not per-step decay.
- **betas** (*tuple*) – Momentum parameters for the *ClippedAdam* optimizer.

- **haar** (`bool`) – Whether to use a Haar wavelet reparameterizer.
- **guide_rank** (`int`) – Rank of the auto normal guide. If zero (default) use an `AutoNormal` guide. If a positive integer or None, use an `AutoLowRankMultivariateNormal` guide. If the string “full”, use an `AutoMultivariateNormal` guide. These latter two require more `num_steps` to fit.
- **init_scale** (`float`) – Initial scale of the `AutoLowRankMultivariateNormal` guide.
- **jit** (`bool`) – Whether to use a jit compiled ELBO.
- **log_every** (`int`) – How often to log svi losses.
- **heuristic_num_particles** (`int`) – Passed to `heuristic()` as `num_particles`. Defaults to 1024.

Returns Time series of SVI losses (useful to diagnose convergence).

Return type `list`

`fit_mcmc(**options)`

Runs NUTS inference to generate posterior samples.

This uses the `NUTS` kernel to run `MCMC`, setting the `.samples` attribute on completion.

This uses an asymptotically exact enumeration-based model when `num_quant_bins > 1`, and a cheaper moment-matched approximate model when `num_quant_bins == 1`.

Parameters

- ****options** – Options passed to `MCMC`. The remaining options are pulled out and have special meaning.
- **num_samples** (`int`) – Number of posterior samples to draw via mcmc. Defaults to 100.
- **max_tree_depth** (`int`) – (Default 5). Max tree depth of the `NUTS` kernel.
- **full_mass** – Specification of mass matrix of the `NUTS` kernel. Defaults to full mass over global random variables.
- **arrowhead_mass** (`bool`) – Whether to treat `full_mass` as the head of an arrowhead matrix versus simply as a block. Defaults to False.
- **num_quant_bins** (`int`) – If greater than 1, use asymptotically exact inference via local enumeration over this many quantization bins. If equal to 1, use continuous-valued relaxed approximate inference. Note that computational cost is exponential in `num_quant_bins`. Defaults to 1 for relaxed inference.
- **haar** (`bool`) – Whether to use a Haar wavelet reparameterizer. Defaults to True.
- **haar_full_mass** (`int`) – Number of low frequency Haar components to include in the full mass matrix. If `haar=False` then this is ignored. Defaults to 10.
- **heuristic_num_particles** (`int`) – Passed to `heuristic()` as `num_particles`. Defaults to 1024.

Returns An MCMC object for diagnostics, e.g. `MCMC.summary()`.

Return type `MCMC`

`predict(forecast=0)`

Predict latent variables and optionally forecast forward.

This may be run only after `fit_mcmc()` and draws the same `num_samples` as passed to `fit_mcmc()`.

Parameters **forecast** (`int`) – The number of time steps to forecast forward.

Returns A dictionary mapping sample site name (or compartment name) to a tensor whose first dimension corresponds to sample batching.

Return type `dict`

`heuristic(num_particles=1024, ess_threshold=0.5, retries=10)`

Finds an initial feasible guess of all latent variables, consistent with observed data. This is needed because not all hypotheses are feasible and HMC needs to start at a feasible solution to progress.

The default implementation attempts to find a feasible state using `SMCFilter` with proposals from the prior. However this method may be overridden in cases where SMC performs poorly e.g. in high-dimensional models.

Parameters

- `num_particles` (`int`) – Number of particles used for SMC.
- `ess_threshold` (`float`) – Effective sample size threshold for SMC.

Returns A dictionary mapping sample site name to tensor value.

Return type `dict`

15.2 Example Models

15.2.1 Simple SIR

`class SimpleSIRModel(population, recovery_time, data)`

Susceptible-Infected-Recovered model.

To customize this model we recommend forking and editing this class.

This is a stochastic discrete-time discrete-state model with three compartments: “S” for susceptible, “I” for infected, and “R” for recovered individuals (the recovered individuals are implicit: $R = \text{population} - S - I$) with transitions $S \rightarrow I \rightarrow R$.

Parameters

- `population` (`int`) – Total population = $S + I + R$.
- `recovery_time` (`float`) – Mean recovery time (duration in state I). Must be greater than 1.
- `data` (`iterable`) – Time series of new observed infections. Each time step is Binomial distributed between 0 and the number of $S \rightarrow I$ transitions. This allows false negative but no false positives.

15.2.2 Simple SEIR

`class SimpleSEIRModel(population, incubation_time, recovery_time, data)`

Susceptible-Exposed-Infected-Recovered model.

To customize this model we recommend forking and editing this class.

This is a stochastic discrete-time discrete-state model with four compartments: “S” for susceptible, “E” for exposed, “I” for infected, and “R” for recovered individuals (the recovered individuals are implicit: $R = \text{population} - S - E - I$) with transitions $S \rightarrow E \rightarrow I \rightarrow R$.

Parameters

- **population** (`int`) – Total population = S + E + I + R.
- **incubation_time** (`float`) – Mean incubation time (duration in state E). Must be greater than 1.
- **recovery_time** (`float`) – Mean recovery time (duration in state I). Must be greater than 1.
- **data** (`iterable`) – Time series of new observed infections. Each time step is Binomial distributed between 0 and the number of S → E transitions. This allows false negative but no false positives.

15.2.3 Simple SEIRD

```
class SimpleSEIRDModel(population, incubation_time, recovery_time, mortality_rate, data)
    Susceptible-Exposed-Infected-Recovered-Dead model.
```

To customize this model we recommend forking and editing this class.

This is a stochastic discrete-time discrete-state model with four compartments: “S” for susceptible, “E” for exposed, “I” for infected, “D” for deceased individuals, and “R” for recovered individuals (the recovered individuals are implicit: R = population - S - E - I - D) with transitions S → E → I → R and I → D.

Because the transitions are not simple linear succession, this model implements a custom `compute_flows()` method.

Parameters

- **population** (`int`) – Total population = S + E + I + R + D.
- **incubation_time** (`float`) – Mean incubation time (duration in state E). Must be greater than 1.
- **recovery_time** (`float`) – Mean recovery time (duration in state I). Must be greater than 1.
- **mortality_rate** (`float`) – Portion of infections resulting in death. Must be in the open interval (0, 1).
- **data** (`iterable`) – Time series of new observed infections. Each time step is Binomial distributed between 0 and the number of S → E transitions. This allows false negative but no false positives.

15.2.4 Overdispersed SIR

```
class OverdispersedSIRModel(population, recovery_time, data)
    Generalizes SimpleSIRModel with overdispersed distributions.
```

To customize this model we recommend forking and editing this class.

This adds a single global overdispersion parameter controlling overdispersion of the transition and observation distributions. See `binomial_dist()` and `beta_binomial_dist()` for distributional details. For prior work incorporating overdispersed distributions see [1,2,3,4].

References:

- [1] D. Champredon, M. Li, B. Bolker, J. Dushoff (2018) “Two approaches to forecast Ebola synthetic epidemics” <https://www.sciencedirect.com/science/article/pii/S1755436517300233>

- [2] Carrie Reed et al. (2015) “Estimating Influenza Disease Burden from Population-Based Surveillance Data in the United States” <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4349859/>
- [3] A. Leonard, D. Weissman, B. Greenbaum, E. Ghedin, K. Koelle (2017) “Transmission Bottleneck Size Estimation from Pathogen Deep-Sequencing Data, with an Application to Human Influenza A Virus” <https://jvi.asm.org/content/jvi/91/14/e00171-17.full.pdf>
- [4] A. Miller, N. Foti, J. Lewnard, N. Jewell, C. Guestrin, E. Fox (2020) “Mobility trends provide a leading indicator of changes in SARS-CoV-2 transmission” <https://www.medrxiv.org/content/medrxiv/early/2020/05/11/2020.05.07.20094441.full.pdf>

Parameters

- **population** (*int*) – Total population = S + I + R.
- **recovery_time** (*float*) – Mean recovery time (duration in state I). Must be greater than 1.
- **data** (*iterable*) – Time series of new observed infections. Each time step is Binomial distributed between 0 and the number of S → I transitions. This allows false negative but no false positives.

15.2.5 Overdispersed SEIR

```
class OverdispersedSEIRModel(population, incubation_time, recovery_time, data)
```

Generalizes [SimpleSEIRModel](#) with overdispersed distributions.

To customize this model we recommend forking and editing this class.

This adds a single global overdispersion parameter controlling overdispersion of the transition and observation distributions. See [binomial_dist\(\)](#) and [beta_binomial_dist\(\)](#) for distributional details. For prior work incorporating overdispersed distributions see [1,2,3,4].

References:

- [1] D. Champredon, M. Li, B. Bolker, J. Dushoff (2018) “Two approaches to forecast Ebola synthetic epidemics” <https://www.sciencedirect.com/science/article/pii/S1755436517300233>
- [2] Carrie Reed et al. (2015) “Estimating Influenza Disease Burden from Population-Based Surveillance Data in the United States” <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4349859/>
- [3] A. Leonard, D. Weissman, B. Greenbaum, E. Ghedin, K. Koelle (2017) “Transmission Bottleneck Size Estimation from Pathogen Deep-Sequencing Data, with an Application to Human Influenza A Virus” <https://jvi.asm.org/content/jvi/91/14/e00171-17.full.pdf>
- [4] A. Miller, N. Foti, J. Lewnard, N. Jewell, C. Guestrin, E. Fox (2020) “Mobility trends provide a leading indicator of changes in SARS-CoV-2 transmission” <https://www.medrxiv.org/content/medrxiv/early/2020/05/11/2020.05.07.20094441.full.pdf>

Parameters

- **population** (*int*) – Total population = S + E + I + R.
- **incubation_time** (*float*) – Mean incubation time (duration in state E). Must be greater than 1.
- **recovery_time** (*float*) – Mean recovery time (duration in state I). Must be greater than 1.

- **data (iterable)** – Time series of new observed infections. Each time step is Binomial distributed between 0 and the number of S → E transitions. This allows false negative but no false positives.

15.2.6 Superspreading SIR

```
class SuperspreadingSIRModel(population, recovery_time, data)
```

Generalizes [SimpleSIRModel](#) by adding superspreading effects.

To customize this model we recommend forking and editing this class.

This model accounts for superspreading (overdispersed individual reproductive number) by assuming each infected individual infects BetaBinomial-many susceptible individuals, where the BetaBinomial distribution acts as an overdispersed Binomial distribution, adapting the more standard NegativeBinomial distribution that acts as an overdispersed Poisson distribution [1,2] to the setting of finite populations. To preserve Markov structure, we follow [2] and assume all infections by a single individual occur on the single time step where that individual makes an I → R transition. That is, whereas the [SimpleSIRModel](#) assumes infected individuals infect *Binomial(S,R/tau)*-many susceptible individuals during each infected time step (over *tau*-many steps on average), this model assumes they infect *BetaBinomial(k,...,S)*-many susceptible individuals but only on the final time step before recovering.

References

- [1] J. O. Lloyd-Smith, S. J. Schreiber, P. E. Kopp, W. M. Getz (2005) “Superspreading and the effect of individual variation on disease emergence” <https://www.nature.com/articles/nature04153.pdf>
- [2] Lucy M. Li, Nicholas C. Grassly, Christophe Fraser (2017) “Quantifying Transmission Heterogeneity Using Both Pathogen Phylogenies and Incidence Time Series” <https://academic.oup.com/mbe/article/34/11/2982/3952784>

Parameters

- **population (int)** – Total population = S + I + R.
- **recovery_time (float)** – Mean recovery time (duration in state I). Must be greater than 1.
- **data (iterable)** – Time series of new observed infections. Each time step is Binomial distributed between 0 and the number of S → I transitions. This allows false negative but no false positives.

15.2.7 Superspreading SEIR

```
class SuperspreadingSEIRModel(population, incubation_time, recovery_time, data, *, leaf_times=None,
                               coal_times=None)
```

Generalizes [SimpleSEIRModel](#) by adding superspreading effects.

To customize this model we recommend forking and editing this class.

This model accounts for superspreading (overdispersed individual reproductive number) by assuming each infected individual infects BetaBinomial-many susceptible individuals, where the BetaBinomial distribution acts as an overdispersed Binomial distribution, adapting the more standard NegativeBinomial distribution that acts as an overdispersed Poisson distribution [1,2] to the setting of finite populations. To preserve Markov structure, we follow [2] and assume all infections by a single individual occur on the single time step where that individual makes an I → R transition. That is, whereas the [SimpleSEIRModel](#) assumes infected individuals infect *Binomial(S,R/tau)*-many susceptible individuals during each infected time step (over *tau*-many steps on average), this

model assumes they infect $BetaBinomial(k, \dots, S)$ -many susceptible individuals but only on the final time step before recovering.

This model also adds an optional likelihood for observed phylogenetic data in the form of coalescent times. These are provided as a pair (`leaf_times`, `coal_times`) of times at which genomes are sequenced and lineages coalesce, respectively. We incorporate this data using the `CoalescentRateLikelihood` with base coalescence rate computed from the S and I populations. This likelihood is independent across time and preserves the Markov property needed for inference.

References

- [1] J. O. Lloyd-Smith, S. J. Schreiber, P. E. Kopp, W. M. Getz (2005) “Superspreading and the effect of individual variation on disease emergence” <https://www.nature.com/articles/nature04153.pdf>
- [2] Lucy M. Li, Nicholas C. Grassly, Christophe Fraser (2017) “Quantifying Transmission Heterogeneity Using Both Pathogen Phylogenies and Incidence Time Series” <https://academic.oup.com/mbe/article/34/11/2982/3952784>

Parameters

- `population` (`int`) – Total population = S + E + I + R.
- `incubation_time` (`float`) – Mean incubation time (duration in state E). Must be greater than 1.
- `recovery_time` (`float`) – Mean recovery time (duration in state I). Must be greater than 1.
- `data` (`iterable`) – Time series of new observed infections. Each time step is Binomial distributed between 0 and the number of S → E transitions. This allows false negative but no false positives.

15.2.8 Heterogeneous SIR

```
class HeterogeneousSIRModel(population, recovery_time, data)
```

Generalizes `SimpleSIRModel` by allowing Rt and rho to vary in time.

To customize this model we recommend forking and editing this class.

In this model, the response rate rho is piecewise constant with unknown value over three pieces. The reproductive number Rt is a product of a constant R0 with a factor beta that drifts via Brownian motion in log space. Both rho and Rt are available as time series.

Parameters

- `population` (`int`) – Total population = S + I + R.
- `recovery_time` (`float`) – Mean recovery time (duration in state I). Must be greater than 1.
- `data` (`iterable`) – Time series of new observed infections. Each time step is Binomial distributed between 0 and the number of S → I transitions. This allows false negative but no false positives.

15.2.9 Sparse SIR

```
class SparseSIRModel(population, recovery_time, data, mask)
```

Generalizes [SimpleSIRModel](#) to allow sparsely observed infections.

To customize this model we recommend forking and editing this class.

This model allows observations of **cumulative** infections at uneven time intervals. To preserve Markov structure (and hence tractable inference) this model adds an auxiliary compartment 0 denoting the fully-observed cumulative number of observations at each time point. At observed times (when `mask[t] == True`) 0 must exactly match the provided data; between observed times 0 stochastically imputes the provided data.

This model demonstrates how to implement a custom `compute_flows()` method. A custom method is needed in this model because inhabitants of the S compartment can transition to both the I and 0 compartments, allowing duplication.

Parameters

- `population (int)` – Total population = S + I + R.
- `recovery_time (float)` – Mean recovery time (duration in state I). Must be greater than 1.
- `data (iterable)` – Time series of **cumulative** observed infections. Whenever `mask[t] == True`, `data[t]` corresponds to an observation; otherwise `data[t]` can be arbitrary, e.g. NAN.
- `mask (iterable)` – Boolean time series denoting whether an observation is made at each time step. Should satisfy `len(mask) == len(data)`.

15.2.10 Unknown Start SIR

```
class UnknownStartSIRModel(population, recovery_time, pre_obs_window, data)
```

Generalizes [SimpleSIRModel](#) by allowing unknown date of first infection.

To customize this model we recommend forking and editing this class.

This model demonstrates:

1. How to incorporate spontaneous infections from external sources;
2. How to incorporate time-varying piecewise rho by supporting forecasting in `transition()`.
3. How to override the `predict()` method to compute extra statistics.

Parameters

- `population (int)` – Total population = S + I + R.
- `recovery_time (float)` – Mean recovery time (duration in state I). Must be greater than 1.
- `pre_obs_window (int)` – Number of time steps before beginning `data` where the initial infection may have occurred. Must be positive.
- `data (iterable)` – Time series of new observed infections. Each time step is Binomial distributed between 0 and the number of S -> I transitions. This allows false negative but no false positives.

15.2.11 Regional SIR

`class RegionalSIRModel(population, coupling, recovery_time, data)`

Generalizes [SimpleSIRModel](#) to simultaneously model multiple regions with weak coupling across regions.

To customize this model we recommend forking and editing this class.

Regions are coupled by a coupling matrix with entries in $[0, 1]$. The all ones matrix is equivalent to a single region. The identity matrix is equivalent to a set of independent regions. This need not be symmetric, but symmetric matrices are probably more physically plausible. The expected number of new infections each time step S2I is Binomial distributed with mean:

$$\begin{aligned} E[S2I] &= S \left(1 - \left(1 - R_0 / (\text{population} @ \text{coupling})\right)^{\text{recovery_time}} \right) \\ &\approx R_0 S (\text{I} @ \text{coupling}) / (\text{population} @ \text{coupling}) \quad \# \text{ for small I} \end{aligned}$$

Thus in a nearly entirely susceptible population, a single infected individual infects approximately R_0 new individuals on average, independent of coupling.

This model demonstrates:

1. How to create a regional model with a `population` vector.
2. How to model both homogeneous parameters (here R_0) and heterogeneous parameters with hierarchical structure (here `rho`) using `self.region_plate`.
3. How to approximately couple regions in `transition()` using `state["I_approx"]`.

Parameters

- `population (torch.Tensor)` – Tensor of per-region populations, defining $\text{population} = S + I + R$.
- `coupling (torch.Tensor)` – Pairwise coupling matrix. Entries should be in $[0, 1]$.
- `recovery_time (float)` – Mean recovery time (duration in state I). Must be greater than 1.
- `data (iterable)` – Time x Region sized tensor of new observed infections. Each time step is vector of Binomials distributed between 0 and the number of $S \rightarrow I$ transitions. This allows false negative but no false positives.

15.2.12 Heterogeneous Regional SIR

`class HeterogeneousRegionalSIRModel(population, coupling, recovery_time, data)`

Generalizes [RegionalSIRModel](#) by allowing R_t and `rho` to vary in time.

To customize this model we recommend forking and editing this class.

In this model, the response rate `rho` varies across time and region, whereas the reproductive number R_t varies in time but is shared among regions. Both parameters drift according to transformed Brownian motion with learned drift rate.

This model demonstrates how to model hierarchical latent time series, other than compartmental variables.

Parameters

- `population (torch.Tensor)` – Tensor of per-region populations, defining $\text{population} = S + I + R$.
- `coupling (torch.Tensor)` – Pairwise coupling matrix. Entries should be in $[0, 1]$.

- **recovery_time** (*float*) – Mean recovery time (duration in state I). Must be greater than 1.
- **data** (*iterable*) – Time x Region sized tensor of new observed infections. Each time step is vector of Binomials distributed between 0 and the number of S → I transitions. This allows false negative but no false positives.

15.3 Distributions

`set_approx_sample_thresh(thresh)`

EXPERIMENTAL Context manager / decorator to temporarily set the global default value of `Binomial.approx_sample_thresh`, thereby decreasing the computational complexity of sampling from `Binomial`, `BetaBinomial`, `ExtendedBinomial`, `ExtendedBetaBinomial`, and distributions returned by `infection_dist()`.

This is useful for sampling from very large `total_count`.

This is used internally by `CompartmentalModel`.

Parameters `thresh` (*int* or *float*.) – New temporary threshold.

`set_approx_log_prob_tol(tol)`

EXPERIMENTAL Context manager / decorator to temporarily set the global default value of `Binomial.approx_log_prob_tol` and `BetaBinomial.approx_log_prob_tol`, thereby decreasing the computational complexity of scoring `Binomial` and `BetaBinomial` distributions.

This is used internally by `CompartmentalModel`.

Parameters `tol` (*int* or *float*.) – New temporary tolold.

`binomial_dist(total_count, probs, *, overdispersion=0.0)`

Returns a Beta-Binomial distribution that is an overdispersed version of a Binomial distribution, according to a parameter `overdispersion`, typically set in the range 0.1 to 0.5.

This is useful for (1) fitting real data that is overdispersed relative to a Binomial distribution, and (2) relaxing models of large populations to improve inference. In particular the `overdispersion` parameter lower bounds the relative uncertainty in stochastic models such that increasing population leads to a limiting scale-free dynamical system with bounded stochasticity, in contrast to Binomial-based SDEs that converge to deterministic ODEs in the large population limit.

This parameterization satisfies the following properties:

1. Variance increases monotonically in `overdispersion`.
2. `overdispersion = 0` results in a Binomial distribution.
3. `overdispersion` lower bounds the relative uncertainty `std_dev / (total_count * p * q)`, where `probs = p = 1 - q`, and serves as an asymptote for relative uncertainty as `total_count → ∞`. This contrasts the Binomial whose relative uncertainty tends to zero.
4. If $X \sim \text{binomial_dist}(n, p, \text{overdispersion}=)$ then in the large population limit $n \rightarrow \infty$, the scaled random variable X / n converges in distribution to $\text{LogitNormal}(\log(p/(1-p)), \dots)$.

To achieve these properties we set $p = \text{probs}$, $q = 1 - p$, and:

```
concentration = 1 / (p * q * overdispersion**2) - 1
```

Parameters

- **total_count** (*int* or *torch.Tensor*) – Number of Bernoulli trials.

- **probs** (*float or torch.Tensor*) – Event probabilities.
- **overdispersion** (*float or torch.tensor*) – Amount of overdispersion, in the half open interval [0,2). Defaults to zero.

beta_binomial_dist(*concentration1, concentration0, total_count, *, overdispersion=0.0*)

Returns a Beta-Binomial distribution that is an overdispersed version of a the usual Beta-Binomial distribution, according to an extra parameter **overdispersion**, typically set in the range 0.1 to 0.5.

Parameters

- **concentration1** (*float or torch.Tensor*) – 1st concentration parameter (alpha) for the Beta distribution.
- **concentration0** (*float or torch.Tensor*) – 2nd concentration parameter (beta) for the Beta distribution.
- **total_count** (*float or torch.Tensor*) – Number of Bernoulli trials.
- **overdispersion** (*float or torch.tensor*) – Amount of overdispersion, in the half open interval [0,2). Defaults to zero.

infection_dist(**, individual_rate, num_infectious, num_susceptible=inf, population=inf, concentration=inf, overdispersion=0.0*)

Create a *Distribution* over the number of new infections at a discrete time step.

This returns a Poisson, Negative-Binomial, Binomial, or Beta-Binomial distribution depending on whether **population** and **concentration** are finite. In Pyro models, the population is usually finite. In the limit **population** $\rightarrow \infty$ and **num_susceptible/population** $\rightarrow 1$, the Binomial converges to Poisson and the Beta-Binomial converges to Negative-Binomial. In the limit **concentration** $\rightarrow \infty$, the Negative-Binomial converges to Poisson and the Beta-Binomial converges to Binomial.

The overdispersed distributions (Negative-Binomial and Beta-Binomial returned when **concentration** $< \infty$) are useful for modeling superspreaders individuals [1,2]. The finitely supported distributions Binomial and Negative-Binomial are useful in small populations and in probabilistic programming systems where truncation or censoring are expensive [3].

References

- [1] **J. O. Lloyd-Smith, S. J. Schreiber, P. E. Kopp, W. M. Getz (2005)** “Superspreading and the effect of individual variation on disease emergence” <https://www.nature.com/articles/nature04153.pdf>
- [2] **Lucy M. Li, Nicholas C. Grassly, Christophe Fraser (2017)** “Quantifying Transmission Heterogeneity Using Both Pathogen Phylogenies and Incidence Time Series” <https://academic.oup.com/mbe/article/34/11/2982/3952784>
- [3] **Lawrence Murray et al. (2018)** “Delayed Sampling and Automatic Rao-Blackwellization of Probabilistic Programs” <https://arxiv.org/pdf/1708.07787.pdf>

Parameters

- **individual_rate** – The mean number of infections per infectious individual per time step in the limit of large population, equal to R_0 / τ where R_0 is the basic reproductive number and τ is the mean duration of infectiousness.
- **num_infectious** – The number of infectious individuals at this time step, sometimes I , sometimes $E+I$.
- **num_susceptible** – The number S of susceptible individuals at this time step. This defaults to an infinite population.

- **population** – The total number of individuals in a population. This defaults to an infinite population.
- **concentration** – The concentration or dispersion parameter k in overdispersed models of superspreaders [1,2]. This defaults to minimum variance **concentration** = ∞ .
- **overdispersion** (*float or torch.tensor*) – Amount of overdispersion, in the half open interval [0,2). Defaults to zero.

```
class CoalescentRateLikelihood(leaf_times, coal_times, duration, *, validate_args=None)
Bases: object
```

EXPERIMENTAL This is not a *Distribution*, but acts as a transposed version of *CoalescentTimesWithRate* making the elements of *rate_grid* independent and thus compatible with *plate* and *poutine.markov*. For non-batched inputs the following are all equivalent likelihoods:

```
# Version 1.
pyro.sample("coalescent",
            CoalescentTimesWithRate(leaf_times, rate_grid),
            obs=coal_times)

# Version 2. using pyro.plate
likelihood = CoalescentRateLikelihood(leaf_times, coal_times, len(rate_grid))
with pyro.plate("time", len(rate_grid)):
    pyro.factor("coalescent", likelihood(rate_grid))

# Version 3. using pyro.markov
likelihood = CoalescentRateLikelihood(leaf_times, coal_times, len(rate_grid))
for t in pyro.markov(range(len(rate_grid))):
    pyro.factor("coalescent_{}".format(t), likelihood(rate_grid[t], t))
```

The third version is useful for e.g. *SMCFilter* where *rate_grid* might be computed sequentially.

Parameters

- **leaf_times** (*torch.Tensor*) – Tensor of times of sampling events, i.e. leaf nodes in the phylogeny. These can be arbitrary real numbers with arbitrary order and duplicates.
- **coal_times** (*torch.Tensor*) – A tensor of coalescent times. These denote sets of size *leaf_times.size(-1) - 1* along the trailing dimension and should be sorted along that dimension.
- **duration** (*int*) – Size of the rate grid, *rate_grid.size(-1)*.

__call__(rate_grid, t=slice(None, None, None))

Computes the likelihood of [1] equations 7-9 for one or all time points.

References

- [1] **A. Popinga, T. Vaughan, T. Statler, A.J. Drummond (2014)** “Inferring epidemiological dynamics with Bayesian coalescent inference: The merits of deterministic and stochastic models” <https://arxiv.org/pdf/1407.1792.pdf>

Parameters

- **rate_grid** (*torch.Tensor*) – Tensor of base coalescent rates (pairwise rate of coalescence). For example in a simple SIR model this might be beta S / I . The rightmost dimension is time, and this tensor represents a (batch of) rates that are piecewise constant in time.

- **time** (*int or slice*) – Optional time index by which the input was sliced, as in `rate_grid[..., t]` This can be an integer for sequential models or `slice(None)` for vectorized models.

Returns Likelihood `p(coal_times | leaf_times, rate_grid)`, or a part of that likelihood corresponding to a single time step.

Return type `torch.Tensor`

bio_phylo_to_times(*tree*, *, *get_time=None*)

Extracts coalescent summary statistics from a phylogeny, suitable for use with `CoalescentRateLikelihood`.

Parameters

- **tree** (*Bio.Phylo.BaseTree.Clade*) – A phylogenetic tree.
- **get_time** (*callable*) – Optional function to extract the time point of each sub-*Clade*. If absent, times will be computed by cumulative `.branch_length`.

Returns A pair of `Tensor`s (`leaf_times`, `coal_times`) where `leaf_times` are times of sampling events (leaf nodes in the phylogenetic tree) and `coal_times` are times of coalescences (leaf nodes in the phylogenetic binary tree).

Return type `tuple`

PYRO EXAMPLES

16.1 Datasets

16.1.1 Multi MNIST

This script generates a dataset similar to the Multi-MNIST dataset described in [1].

[1] Eslami, SM Ali, et al. “Attend, infer, repeat: Fast scene understanding with generative models.” Advances in Neural Information Processing Systems. 2016.

```
imresize(arr, size)
sample_one(canvas_size, mnist)
sample_multi(num_digits, canvas_size, mnist)
mk_dataset(n, mnist, max_digits, canvas_size)
load_mnist(root_path)
load(root_path)
```

16.1.2 BART Ridership

load_bart_od()

Load a dataset of hourly origin-destination ridership counts for every pair of BART stations during the years 2011-2019.

Source <https://www.bart.gov/about/reports/ridership>

This downloads the dataset the first time it is called. On subsequent calls this reads from a local cached file `.pk1.bz2`. This attempts to download a preprocessed compressed cached file maintained by the Pyro team. On cache hit this should be very fast. On cache miss this falls back to downloading the original data source and preprocessing the dataset, requiring about 350MB of file transfer, storing a few GB of temp files, and taking upwards of 30 minutes.

Returns

a dataset is a dictionary with fields:

- “stations”: a list of strings of station names
- “start_date”: a `datetime.datetime` for the first observation
- “counts”: a `torch.FloatTensor` of ridership counts, with shape `(num_hours, len(stations), len(stations))`.

load_fake_od()

Create a tiny synthetic dataset for smoke testing.

16.1.3 Nextstrain SARS-CoV-2 counts

load_nextstrain_counts(*map_location=None*) → dict

Loads a SARS-CoV-2 dataset.

The original dataset is a preprocessed intermediate `metadata.tsv.gz` available via [nextstrain](#). The `metadata.tsv.gz` file was then aggregated to (month,location,lineage) and (lineage,mutation) bins by the Broad Institute's [preprocessing script](#).

16.2 Utilities

```
class MNIST(root: str, train: bool = True, transform: Optional[Callable] = None, target_transform: Optional[Callable] = None, download: bool = False)
    Bases: torchvision.datasets.mnist.MNIST
    mirrors = ['https://d2hg8soec8ck9v.cloudfront.net/datasets/mnist/',
               'http://yann.lecun.com/exdb/mnist/',
               'https://ossci-datasets.s3.amazonaws.com/mnist/']

get_data_loader(dataset_name, data_dir, batch_size=1, dataset_transforms=None, is_training_set=True,
                shuffle=True)

print_and_log(logger, msg)

get_data_directory(filepath=None)
```

CHAPTER
SEVENTEEN

FORECASTING

`pyro.contrib.forecast` is a lightweight framework for experimenting with a restricted class of time series models and inference algorithms using familiar Pyro modeling syntax and PyTorch neural networks.

Models include hierarchical multivariate heavy-tailed time series of ~1000 time steps and ~1000 separate series. Inference combines subsample-compatible variational inference with Gaussian variable elimination based on the `GaussianHMM` class. Inference using Hamiltonian Monte Carlo sampling is also supported with `HMCForecaster`. Forecasts are in the form of joint posterior samples at multiple future time steps.

Hierarchical models use the familiar plate syntax for general hierarchical modeling in Pyro. Plates can be subsampled, enabling training of joint models over thousands of time series. Multivariate observations are handled via multivariate likelihoods like `MultivariateNormal`, `GaussianHMM`, or `LinearHMM`. Heavy tailed models are possible by using `StudentT` or `Stable` likelihoods, possibly together with `LinearHMM` and reparameterizers including `StudentTReparam`, `StableReparam`, and `LinearHMMReparam`.

Seasonality can be handled using the helpers `periodic_repeat()`, `periodic_cumsum()`, and `periodic_features()`.

See `pyro.contrib.timeseries` for ways to construct temporal Gaussian processes useful as likelihoods.

For example usage see:

- The univariate forecasting tutorial
- The state space modeling tutorial
- The hierarchical forecasting tutorial
- The forecasting example

17.1 Forecaster Interface

`class ForecastingModel`

Bases: `pyro.nn.module.PyroModule`

Abstract base class for forecasting models.

Derived classes must implement the `model()` method.

`abstract model(zero_data, covariates)`

Generative model definition.

Implementations must call the `predict()` method exactly once.

Implementations must draw all time-dependent noise inside the `time_plate()`. The prediction passed to `predict()` must be a deterministic function of noise tensors that are independent over time. This requirement is slightly more general than state space models.

Parameters

- **zero_data** (*Tensor*) – A zero tensor like the input data, but extended to the duration of the `time_plate()`. This allows models to depend on the shape and device of data but not its value.
- **covariates** (*Tensor*) – A tensor of covariates with time dimension -2.

Returns Return value is ignored.

`property time_plate`

Returns A plate named “time” with size `covariates.size(-2)` and `dim=-1`. This is available only during model execution.

Return type plate

`predict(noise_dist, prediction)`

Prediction function, to be called by `model()` implementations.

This should be called outside of the `time_plate()`.

This is similar to an observe statement in Pyro:

```
pyro.sample("residual", noise_dist,  
           obs=(data - prediction))
```

but with (1) additional reshaping logic to allow time-dependent `noise_dist` (most often a `GaussianHMM` or variant); and (2) additional logic to allow only a partial observation and forecast the remaining data.

Parameters

- **noise_dist** (*Distribution*) – A noise distribution with `.event_dim` in `{0, 1, 2}`. `noise_dist` is typically zero-mean or zero-median or zero-mode or somehow centered.
- **prediction** (*Tensor*) – A prediction for the data. This should have the same shape as `data`, but broadcastable to full duration of the `covariates`.

```
class Forecaster(model, data, covariates, *, guide=None, init_loc_fn=<function init_to_sample>,  
                 init_scale=0.1, create_plates=None, optim=None, learning_rate=0.01, betas=(0.9, 0.99),  
                 learning_rate_decay=0.1, clip_norm=10.0, time_reparam=None, dct_gradients=False,  
                 subsample_aware=False, num_steps=1001, num_particles=1, vectorize_particles=True,  
                 warm_start=False, log_every=100)
```

Bases: `torch.nn.modules.module.Module`

Forecaster for a `ForecastingModel` using variational inference.

On initialization, this fits a distribution using variational inference over latent variables and exact inference over the noise distribution, typically a `GaussianHMM` or variant.

After construction this can be called to generate sample forecasts.

Variables losses (*list*) – A list of losses recorded during training, typically used to debug convergence. Defined by `loss = -elbo / data.numel()`.

Parameters

- **model** (`ForecastingModel`) – A forecasting model subclass instance.
- **data** (*Tensor*) – A tensor dataset with time dimension -2.
- **covariates** (*Tensor*) – A tensor of covariates with time dimension -2. For models not using covariates, pass a shaped empty tensor `torch.empty(duration, 0)`.
- **guide** (`PyroModule`) – Optional guide instance. Defaults to a `AutoNormal`.

- **init_loc_fn** (*callable*) – A per-site initialization function for the [AutoNormal](#) guide. Defaults to `init_to_sample()`. See [Initialization](#) section for available functions.
- **init_scale** (*float*) – Initial uncertainty scale of the [AutoNormal](#) guide.
- **create_plates** (*callable*) – An optional function to create plates for subsampling with the [AutoNormal](#) guide.
- **optim** ([PyroOptim](#)) – An optional Pyro optimizer. Defaults to a freshly constructed [DCTAdam](#).
- **learning_rate** (*float*) – Learning rate used by [DCTAdam](#).
- **betas** (*tuple*) – Coefficients for running averages used by [DCTAdam](#).
- **learning_rate_decay** (*float*) – Learning rate decay used by [DCTAdam](#). Note this is the total decay over all `num_steps`, not the per-step decay factor.
- **clip_norm** (*float*) – Norm used for gradient clipping during optimization. Defaults to 10.0.
- **time_reparam** (*str*) – If not None (default), reparameterize all time-dependent variables via the Haar wavelet transform (if “haar”) or the discrete cosine transform (if “dct”).
- **dct_gradients** (*bool*) – Whether to discrete cosine transform gradients in [DCTAdam](#). Defaults to False.
- **subsample_aware** (*bool*) – whether to update gradient statistics only for those elements that appear in a subsample. This is used by [DCTAdam](#).
- **num_steps** (*int*) – Number of [SVI](#) steps.
- **num_particles** (*int*) – Number of particles used to compute the [ELBO](#).
- **vectorize_particles** (*bool*) – If `num_particles > 1`, determines whether to vectorize computation of the [ELBO](#). Defaults to True. Set to False for models with dynamic control flow.
- **warm_start** (*bool*) – Whether to warm start parameters from a smaller time window. Note this may introduce statistical leakage; usage is recommended for model exploration purposes only and should be disabled when publishing metrics.
- **log_every** (*int*) – Number of training steps between logging messages.

`__call__(data, covariates, num_samples, batch_size=None)`

Samples forecasted values of data for time steps in $[t1, t2]$, where $t1 = \text{data.size}(-2)$ is the duration of observed data and $t2 = \text{covariates.size}(-2)$ is the extended duration of covariates. For example to forecast 7 days forward conditioned on 30 days of observations, set $t1=30$ and $t2=37$.

Parameters

- **data** (*Tensor*) – A tensor dataset with time dimension -2.
- **covariates** (*Tensor*) – A tensor of covariates with time dimension -2. For models not using covariates, pass a shaped empty tensor `torch.empty(duration, 0)`.
- **num_samples** (*int*) – The number of samples to generate.
- **batch_size** (*int*) – Optional batch size for sampling. This is useful for generating many samples from models with large memory footprint. Defaults to `num_samples`.

Returns A batch of joint posterior samples of shape $(\text{num_samples}, 1, \dots, 1) + \text{data}.\text{shape}[:-2] + (t2-t1, \text{data.size}(-1))$, where the 1’s are inserted to avoid conflict with model plates.

Return type `Tensor`

```
class HMCForecaster(model, data, covariates=None, *, num_warmup=1000, num_samples=1000,
                     num_chains=1, time_reparam=None, dense_mass=False, jit_compile=False,
                     max_tree_depth=10)
```

Bases: `torch.nn.modules.module.Module`

Forecaster for a `ForecastingModel` using Hamiltonian Monte Carlo.

On initialization, this will run `NUTS` sampler to get posterior samples of the model.

After construction, this can be called to generate sample forecasts.

Parameters

- `model` (`ForecastingModel`) – A forecasting model subclass instance.
- `data` (`Tensor`) – A tensor dataset with time dimension -2.
- `covariates` (`Tensor`) – A tensor of covariates with time dimension -2. For models not using covariates, pass a shaped empty tensor `torch.empty(duration, 0)`.
- `num_warmup` (`int`) – number of MCMC warmup steps.
- `num_samples` (`int`) – number of MCMC samples.
- `num_chains` (`int`) – number of parallel MCMC chains.
- `dense_mass` (`bool`) – a flag to control whether the mass matrix is dense or diagonal. Defaults to False.
- `time_reparam` (`str`) – If not None (default), reparameterize all time-dependent variables via the Haar wavelet transform (if “haar”) or the discrete cosine transform (if “dct”).
- `jit_compile` (`bool`) – whether to use the PyTorch JIT to trace the log density computation, and use this optimized executable trace in the integrator. Defaults to False.
- `max_tree_depth` (`int`) – Max depth of the binary tree created during the doubling scheme of the `NUTS` sampler. Defaults to 10.

`__call__(data, covariates, num_samples, batch_size=None)`

Samples forecasted values of data for time steps in $[t_1, t_2]$, where $t_1 = \text{data.size}(-2)$ is the duration of observed data and $t_2 = \text{covariates.size}(-2)$ is the extended duration of covariates. For example to forecast 7 days forward conditioned on 30 days of observations, set $t_1=30$ and $t_2=37$.

Parameters

- `data` (`Tensor`) – A tensor dataset with time dimension -2.
- `covariates` (`Tensor`) – A tensor of covariates with time dimension -2. For models not using covariates, pass a shaped empty tensor `torch.empty(duration, 0)`.
- `num_samples` (`int`) – The number of samples to generate.
- `batch_size` (`int`) – Optional batch size for sampling. This is useful for generating many samples from models with large memory footprint. Defaults to `num_samples`.

Returns A batch of joint posterior samples of shape $(\text{num_samples}, 1, \dots, 1) + \text{data}.\text{shape}[:-2] + (t_2-t_1, \text{data.size}(-1))$, where the 1’s are inserted to avoid conflict with model plates.

Return type `Tensor`

17.2 Evaluation

`eval_mae(pred, truth)`

Evaluate mean absolute error, using sample median as point estimate.

Parameters

- **pred** (`torch.Tensor`) – Forecasted samples.
- **truth** (`torch.Tensor`) – Ground truth.

Return type `float`

`eval_rmse(pred, truth)`

Evaluate root mean squared error, using sample mean as point estimate.

Parameters

- **pred** (`torch.Tensor`) – Forecasted samples.
- **truth** (`torch.Tensor`) – Ground truth.

Return type `float`

`eval_crps(pred, truth)`

Evaluate continuous ranked probability score, averaged over all data elements.

References

[1] Tilmann Gneiting, Adrian E. Raftery (2007) *Strictly Proper Scoring Rules, Prediction, and Estimation* <https://www.stat.washington.edu/raftery/Research/PDF/Gneiting2007jasa.pdf>

Parameters

- **pred** (`torch.Tensor`) – Forecasted samples.
- **truth** (`torch.Tensor`) – Ground truth.

Return type `float`

`backtest(data, covariates, model_fn, *, forecaster_fn=<class 'pyro.contrib.forecast.forecaster.Forecaster'>, metrics=None, transform=None, train_window=None, min_train_window=1, test_window=None, min_test_window=1, stride=1, seed=1234567890, num_samples=100, batch_size=None, forecaster_options={})`

Backtest a forecasting model on a moving window of (train,test) data.

Parameters

- **data** (`Tensor`) – A tensor dataset with time dimension -2.
- **covariates** (`Tensor`) – A tensor of covariates with time dimension -2. For models not using covariates, pass a shaped empty tensor `torch.empty(duration, 0)`.
- **model_fn** (`callable`) – Function that returns an `ForecastingModel` object.
- **forecaster_fn** (`callable`) – Function that returns a forecaster object (for example, `Forecaster` or `HMCForecaster`) given arguments `model`, `training data`, `training covariates` and keyword arguments defined in `forecaster_options`.
- **metrics** (`dict`) – A dictionary mapping metric name to metric function. The metric function should input a forecast `pred` and ground `truth` and can output anything, often a number. Example metrics include: `eval_mae()`, `eval_rmse()`, and `eval_crps()`.

- **transform** (*callable*) – An optional transform to apply before computing metrics. If provided this will be applied as `pred`, `truth = transform(pred, truth)`.
- **train_window** (*int*) – Size of the training window. By default trains from beginning of data. This must be None if forecaster is `Forecaster` and `forecaster_options["warm_start"]` is true.
- **min_train_window** (*int*) – If `train_window` is None, this specifies the min training window size. Defaults to 1.
- **test_window** (*int*) – Size of the test window. By default forecasts to end of data.
- **min_test_window** (*int*) – If `test_window` is None, this specifies the min test window size. Defaults to 1.
- **stride** (*int*) – Optional stride for test/train split. Defaults to 1.
- **seed** (*int*) – Random number seed.
- **num_samples** (*int*) – Number of samples for forecast. Defaults to 100.
- **batch_size** (*int*) – Batch size for forecast sampling. Defaults to `num_samples`.
- **forecaster_options** (*dict* or *callable*) – Options dict to pass to forecaster, or callable inputting time window `t0, t1, t2` and returning such a dict. See `Forecaster` for details.

Returns A list of dictionaries of evaluation data. Caller is responsible for aggregating the per-window metrics. Dictionary keys include: train begin time “`t0`”, train/test split time “`t1`”, test end time “`t2`”, “`seed`”, “`num_samples`”, “`train_walltime`”, “`test_walltime`”, and one key for each metric.

Return type list

FUNSOR-BASED PYRO

18.1 Primitives

`clear_param_store()`

Clears the global `ParamStoreDict`.

This is especially useful if you're working in a REPL. We recommend calling this before each training loop (to avoid leaking parameters from past models), and before each unit test (to avoid leaking parameters across tests).

`condition(fn=None, *args, **kwargs)`

Convenient wrapper of `ConditionMessenger`

Given a stochastic function with some sample statements and a dictionary of observations at names, change the sample statements at those names into observes with those values.

Consider the following Pyro program:

```
>>> def model(x):
...     s = pyro.param("s", torch.tensor(0.5))
...     z = pyro.sample("z", dist.Normal(x, s))
...     return z ** 2
```

To observe a value for site z , we can write

```
>>> conditioned_model = pyro.poutine.condition(model, data={"z": torch.tensor(1.)})
```

This is equivalent to adding `obs=value` as a keyword argument to `pyro.sample("z", ...)` in `model`.

Parameters

- `fn` – a stochastic function (callable containing Pyro primitive calls)
- `data` – a dict or a `Trace`

Returns stochastic function decorated with a `ConditionMessenger`

`deterministic(name, value, event_dim=None)`

Deterministic statement to add a `Delta` site with name `name` and value `value` to the trace. This is useful when we want to record values which are completely determined by their parents. For example:

```
x = pyro.sample("x", dist.Normal(0, 1))
x2 = pyro.deterministic("x2", x ** 2)
```

Note: The site does not affect the model density. This currently converts to a `sample()` statement, but may change in the future.

Parameters

- `name` (`str`) – Name of the site.
- `value` (`torch.Tensor`) – Value of the site.
- `event_dim` (`int`) – Optional event dimension, defaults to `value.ndim`.

`do(fn=None, *args, **kwargs)`

Convenient wrapper of `DoMessenger`

Given a stochastic function with some sample statements and a dictionary of values at names, set the return values of those sites equal to the values as if they were hard-coded to those values and introduce fresh sample sites with the same names whose values do not propagate.

Composes freely with `condition()` to represent counterfactual distributions over potential outcomes. See Single World Intervention Graphs [1] for additional details and theory.

Consider the following Pyro program:

```
>>> def model(x):
...     s = pyro.param("s", torch.tensor(0.5))
...     z = pyro.sample("z", dist.Normal(x, s))
...     return z ** 2
```

To intervene with a value for site z , we can write

```
>>> intervened_model = pyro.poutine.do(model, data={"z": torch.tensor(1.)})
```

This is equivalent to replacing $z = \text{pyro.sample}("z", \dots)$ with $z = \text{torch.tensor}(1.)$ and introducing a fresh sample site `pyro.sample("z", ...)` whose value is not used elsewhere.

References

[1] *Single World Intervention Graphs: A Primer*, Thomas Richardson, James Robins

Parameters

- `fn` – a stochastic function (callable containing Pyro primitive calls)
- `data` – a dict mapping sample site names to interventions

Returns stochastic function decorated with a `DoMessenger`

`enable_validation(is_validate=True)`

Enable or disable validation checks in Pyro. Validation checks provide useful warnings and errors, e.g. NaN checks, validating distribution arguments and support values, detecting incorrect use of ELBO and MCMC. Since some of these checks may be expensive, you may want to disable validation of mature models to speed up inference.

The default behavior mimics Python’s `assert` statement: validation is on by default, but is disabled if Python is run in optimized mode (via `python -O`). Equivalently, the default behavior depends on Python’s global `__debug__` value via `pyro.enable_validation(__debug__)`.

Validation is temporarily disabled during jit compilation, for all inference algorithms that support the PyTorch jit. We recommend developing models with non-jitted inference algorithms to ease debugging, then optionally moving to jitted inference once a model is correct.

Parameters `is_validate (bool)` – (optional; defaults to True) whether to enable validation checks.

`factor(name, log_factor, *, has_rsample=None)`

Factor statement to add arbitrary log probability factor to a probabilistic model.

Warning: When using factor statements in guides, you'll need to specify whether the factor statement originated from fully reparametrized sampling (e.g. the Jacobian determinant of a transformation of a reparametrized variable) or from nonreparameterized sampling (e.g. discrete samples). For the fully reparametrized case, set `has_rsample=True`; for the nonreparameterized case, set `has_rsample=False`. This is needed only in guides, not in models.

Parameters

- `name (str)` – Name of the trivial sample
- `log_factor (torch.Tensor)` – A possibly batched log probability factor.
- `has_rsample (bool)` – Whether the `log_factor` arose from a fully reparametrized distribution. Defaults to False when used in models, but must be specified for use in guides.

`get_param_store()`

Returns the global `ParamStoreDict`.

`markov(fn=None, *args, **kwargs)`

Convenient wrapper of `MarkovMessenger`

Handler for converting to/from functors consistent with Pyro's positional batch dimensions.

Parameters

- `history (int)` – The number of previous contexts visible from the current context. Defaults to 1. If zero, this is similar to `pyro.plate`.
- `keep (bool)` – If true, frames are replayable. This is important when branching: if `keep=True`, neighboring branches at the same level can depend on each other; if `keep=False`, neighboring branches are independent (conditioned on their shared ancestors).

`module(name, nn_module, update_module_params=False)`

Registers all parameters of a `torch.nn.Module` with Pyro's `param_store`. In conjunction with the `ParamStoreDict save()` and `load()` functionality, this allows the user to save and load modules.

Note: Consider instead using `PyroModule`, a newer alternative to `pyro.module()` that has better support for: jitting, serving in C++, and converting parameters to random variables. For details see the [Modules Tutorial](#).

Parameters

- `name (str)` – name of module
- `nn_module (torch.nn.Module)` – the module to be registered with Pyro
- `update_module_params` – determines whether Parameters in the PyTorch module get overwritten with the values found in the ParamStore (if any). Defaults to `False`

Returns `torch.nn.Module`

`param(name, init_tensor=None, constraint=Real(), event_dim=None)`

Saves the variable as a parameter in the param store. To interact with the param store or write to disk, see [Parameters](#).

Parameters

- **name** (`str`) – name of parameter
- **init_tensor** (`torch.Tensor` or `callable`) – initial tensor or lazy callable that returns a tensor. For large tensors, it may be cheaper to write e.g. `lambda: torch.randn(100000)`, which will only be evaluated on the initial statement.
- **constraint** (`torch.distributions.constraints.Constraint`) – torch constraint, defaults to `constraints.real`.
- **event_dim** (`int`) – (optional) number of rightmost dimensions unrelated to batching. Dimension to the left of this will be considered batch dimensions; if the param statement is inside a subsampled plate, then corresponding batch dimensions of the parameter will be correspondingly subsampled. If unspecified, all dimensions will be considered event dims and no subsampling will be performed.

Returns A constrained parameter. The underlying unconstrained parameter is accessible via `pyro.param(...).unconstrained()`, where `.unconstrained` is a weakref attribute.

Return type `torch.Tensor`

`random_module(name, nn_module, prior, *args, **kwargs)`

Warning: The `random_module` primitive is deprecated, and will be removed in a future release. Use [PyroModule](#) instead to create Bayesian modules from `torch.nn.Module` instances. See the [Bayesian Regression tutorial](#) for an example.

DEPRECATED Places a prior over the parameters of the module `nn_module`. Returns a distribution (callable) over `nn.Modules`, which upon calling returns a sampled `nn.Module`.

Parameters

- **name** (`str`) – name of pyro module
- **nn_module** (`torch.nn.Module`) – the module to be registered with pyro
- **prior** – pyro distribution, stochastic function, or python dict with parameter names as keys and respective distributions/stochastic functions as values.

Returns a callable which returns a sampled module

`sample(name, fn, *args, **kwargs)`

Calls the stochastic function `fn` with additional side-effects depending on `name` and the enclosing context (e.g. an inference algorithm). See [Introduction to Pyro](#) for a discussion.

Parameters

- **name** – name of sample
- **fn** – distribution class or function
- **obs** – observed datum (optional; should only be used in context of inference) optionally specified in kwargs
- **obs_mask** (`bool` or `Tensor`) – Optional boolean tensor mask of shape broadcastable with `fn.batch_shape`. If provided, events with `mask=True` will be conditioned on `obs` and

remaining events will be imputed by sampling. This introduces a latent sample site named `name + "_unobserved"` which should be used by guides.

- `infer (dict)` – Optional dictionary of inference parameters specified in kwargs. See inference documentation for details.

Returns sample

`set_rng_seed(rng_seed)`

Sets seeds of `torch` and `torch.cuda` (if available).

Parameters `rng_seed (int)` – The seed value.

`subsample(data, event_dim)`

Subsampling statement to subsample data tensors based on enclosing plate s.

This is typically called on arguments to `model()` when subsampling is performed automatically by plate s by passing either the `subsample` or `subsample_size` kwarg. For example the following are equivalent:

```
# Version 1. using indexing
def model(data):
    with pyro.plate("data", len(data), subsample_size=10, dim=-data.dim()) as ind:
        data = data[ind]
    # ...

# Version 2. using pyro.subsample()
def model(data):
    with pyro.plate("data", len(data), subsample_size=10, dim=-data.dim()):
        data = pyro.subsample(data, event_dim=0)
    # ...
```

Parameters

- `data (Tensor)` – A tensor of batched data.
- `event_dim (int)` – The event dimension of the data tensor. Dimensions to the left are considered batch dimensions.

Returns A subsampled version of data

Return type Tensor

`to_data(x, name_to_dim=None, dim_type=DimType.LOCAL)`

`to_funsor(x, output=None, dim_to_name=None, dim_type=DimType.LOCAL)`

`vectorized_markov(fn=None, *args, **kwargs)`

Convenient wrapper of `VectorizedMarkovMessenger`

Construct for Markov chain of variables designed for efficient elimination of Markov dimensions using the parallel-scan algorithm. Whenever permissible, `vectorized_markov` is interchangeable with `markov`.

The for loop generates both `int` and 1-dimensional `torch.Tensor` indices: `(0, ..., history-1, torch.arange(0, size-history), ..., torch.arange(history, size))`. `int` indices are used to initiate the Markov chain and `torch.Tensor` indices are used to construct vectorized transition probabilities for efficient elimination by the parallel-scan algorithm.

When `history==0` `vectorized_markov` behaves similar to `plate`.

After the for loop is run, Markov variables are identified and then the `step` information is constructed and added to the trace. `step` informs inference algorithms which variables belong to a Markov chain.

```

data = torch.ones(3, dtype=torch.float)

def model(data, vectorized=True):

    init = pyro.param("init", lambda: torch.rand(3), constraint=constraints.simplex)
    trans = pyro.param("trans", lambda: torch.rand((3, 3)), constraint=constraints.
        simplex)
    locs = pyro.param("locs", lambda: torch.rand(3,))

    markov_chain = \
        pyro.vectorized_markov(name="time", size=len(data), dim=-1) if vectorized \
        else pyro.markov(range(len(data)))
    for i in markov_chain:
        x_curr = pyro.sample("x_{}".format(i), dist.Categorical(
            init if isinstance(i, int) and i < 1 else trans[x_prev]),
            pyro.sample("y_{}".format(i),
                dist.Normal(Vindex(locs)[..., x_curr], 1.),
                obs=data[i])
        x_prev = x_curr

# trace.nodes["time"]["value"]
# frozenset({'x_0', 'x_slice(0, 2, None)', 'x_slice(1, 3, None)'})
#
# pyro.vectorized_markov trace
#
...
# Sample Sites:
#     locs dist      / 3
#     value       / 3
#     log_prob    /
#     x_0 dist    /
#     value      3 1 1 1 1 /
#     log_prob   3 1 1 1 1 /
#     y_0 dist   3 1 1 1 1 /
#     value      /
#     log_prob   3 1 1 1 1 /
# x_slice(1, 3, None) dist 3 1 1 1 1 2 /
#     value 3 1 1 1 1 1 /
#     log_prob 3 3 1 1 1 2 /
# y_slice(1, 3, None) dist 3 1 1 1 1 1 2 /
#     value      2 /
#     log_prob 3 1 1 1 1 1 2 /
#
# pyro.markov trace
#
...
# Sample Sites:
#     locs dist      / 3
#     value       / 3
#     log_prob    /
#     x_0 dist    /
#     value      3 1 1 1 1 /
#     log_prob   3 1 1 1 1 /
#     y_0 dist   3 1 1 1 1 /

```

(continues on next page)

(continued from previous page)

```

#      value      /
# log_prob 3 1 1 1 1 /
# x_1 dist 3 1 1 1 1 /
#      value 3 1 1 1 1 1 /
# log_prob 3 3 1 1 1 1 /
# y_1 dist 3 1 1 1 1 1 /
#      value      /
# log_prob 3 1 1 1 1 1 /
# x_2 dist 3 1 1 1 1 1 /
#      value 3 1 1 1 1 1 /
# log_prob 3 3 1 1 1 1 /
# y_2 dist 3 1 1 1 1 1 /
#      value      /
# log_prob 3 1 1 1 1 1 /

```

Warning: This is only valid if there is only one Markov dimension per branch.

Parameters

- **name** (`str`) – A unique name of a Markov dimension to help inference algorithm eliminate variables in the Markov chain.
- **size** (`int`) – Length (size) of the Markov chain.
- **dim** (`int`) – An optional dimension to use for this Markov dimension. If specified, `dim` should be negative, i.e. should index from the right. If not specified, `dim` is set to the right-most dim that is left of all enclosing `plate` contexts.
- **history** (`int`) – Memory (order) of the Markov chain. Also the number of previous contexts visible from the current context. Defaults to 1. If zero, this is similar to `plate`.

Returns Returns both `int` and 1-dimensional `torch.Tensor` indices: `(0, ..., history-1, torch.arange(size-history), ..., torch.arange(history, size))`.

18.2 Effect handlers

enum(`fn=None, *args, **kwargs`)

Convenient wrapper of `EnumMessenger`

This version of `EnumMessenger` uses `to_data()` to allocate a fresh enumeration dim for each discrete sample site.

markov(`fn=None, *args, **kwargs`)

Convenient wrapper of `MarkovMessenger`

Handler for converting to/from funsors consistent with Pyro's positional batch dimensions.

Parameters

- **history** (`int`) – The number of previous contexts visible from the current context. Defaults to 1. If zero, this is similar to `pyro.plate`.

- **keep** (*bool*) – If true, frames are replayable. This is important when branching: if `keep=True`, neighboring branches at the same level can depend on each other; if `keep=False`, neighboring branches are independent (conditioned on their shared ancestors).

named(*fn=None*, **args*, ***kwargs*)

Convenient wrapper of `NamedMessenger`

Base effect handler class for the `to_funsor()` and `to_data()` primitives. Any effect handlers that invoke these primitives internally or wrap code that does should inherit from `NamedMessenger`.

This design ensures that the global name-dim mapping is reset upon handler exit rather than potentially persisting until the entire program terminates.

plate(*fn=None*, **args*, ***kwargs*)

Convenient wrapper of `PlateMessenger`

Combines new `IndepMessenger` implementation with existing `pyro.poutine.BroadcastMessenger`. Should eventually be a drop-in replacement for `pyro.plate`.

replay(*fn=None*, **args*, ***kwargs*)

Convenient wrapper of `ReplayMessenger`

This version of `ReplayMessenger` is almost identical to the original version, except that it calls `to_data()` on the replayed funsor values. This may result in different unpacked shapes, but should produce correct allocations.

trace(*fn=None*, **args*, ***kwargs*)

Convenient wrapper of `TraceMessenger`

Setting `pack_online=True` packs online instead of after the fact, converting all distributions and values to Funsors as soon as they are available.

Setting `pack_online=False` computes information necessary to do packing after execution. Each sample site is annotated with a `dim_to_name` dictionary, which can be passed directly to `to_funsor()`.

vectorized_markov(*fn=None*, **args*, ***kwargs*)

Convenient wrapper of `VectorizedMarkovMessenger`

Construct for Markov chain of variables designed for efficient elimination of Markov dimensions using the parallel-scan algorithm. Whenever permissible, `vectorized_markov` is interchangeable with `markov`.

The for loop generates both `int` and 1-dimensional `torch.Tensor` indices: `(0, ..., history-1, torch.arange(0, size-history), ..., torch.arange(history, size))`. `int` indices are used to initiate the Markov chain and `torch.Tensor` indices are used to construct vectorized transition probabilities for efficient elimination by the parallel-scan algorithm.

When `history==0` `vectorized_markov` behaves similar to `plate`.

After the for loop is run, Markov variables are identified and then the `step` information is constructed and added to the trace. `step` informs inference algorithms which variables belong to a Markov chain.

```
data = torch.ones(3, dtype=torch.float)

def model(data, vectorized=True):

    init = pyro.param("init", lambda: torch.rand(3), constraint=constraints.simplex)
    trans = pyro.param("trans", lambda: torch.rand((3, 3)), constraint=constraints.
        simplex)
    locs = pyro.param("locs", lambda: torch.rand(3,))

    markov_chain = \
        pyro.vectorized_markov(name="time", size=len(data), dim=-1) if vectorized \
```

(continues on next page)

(continued from previous page)

```

else pyro.markov(range(len(data)))
for i in markov_chain:
    x_curr = pyro.sample("x_{}".format(i), dist.Categorical(
        init if isinstance(i, int) and i < 1 else trans[x_prev]),
    pyro.sample("y_{}".format(i),
                dist.Normal(Vindex(locs)[..., x_curr], 1.),
                obs=data[i])
    x_prev = x_curr

# trace.nodes["time"]["value"]
# frozenset({'x_0', 'x_slice(0, 2, None)', 'x_slice(1, 3, None)'})
#
# pyro.vectorized_markov trace
#
...
# Sample Sites:
#   locs dist      | 3
#   value       | 3
#   log_prob     |
#   x_0 dist     |
#   value       3 1 1 1 1 |
#   log_prob    3 1 1 1 1 |
#   y_0 dist     3 1 1 1 1 |
#   value       | 3
#   log_prob    3 1 1 1 1 |
# x_slice(1, 3, None) dist 3 1 1 1 1 2 |
#   value 3 1 1 1 1 1 |
#   log_prob 3 3 1 1 1 1 2 |
# y_slice(1, 3, None) dist 3 1 1 1 1 1 2 |
#   value      2 |
#   log_prob 3 1 1 1 1 1 2 |
#
# pyro.markov trace
#
...
# Sample Sites:
#   locs dist      | 3
#   value       | 3
#   log_prob     |
#   x_0 dist     |
#   value       3 1 1 1 1 |
#   log_prob    3 1 1 1 1 |
#   y_0 dist     3 1 1 1 1 |
#   value       | 3
#   log_prob    3 1 1 1 1 |
#   x_1 dist     3 1 1 1 1 |
#   value       3 1 1 1 1 |
#   log_prob    3 3 1 1 1 1 |
#   y_1 dist     3 1 1 1 1 1 |
#   value       | 3
#   log_prob    3 1 1 1 1 1 |
#   x_2 dist     3 1 1 1 1 1 |
#   value       3 1 1 1 1 1 |

```

(continues on next page)

(continued from previous page)

```
#      log_prob 3 3 1 1 1 1 /
#      y_2 dist 3 1 1 1 1 /
#      value      /
#      log_prob   3 1 1 1 1 /
```

Warning: This is only valid if there is only one Markov dimension per branch.

Parameters

- **name** (`str`) – A unique name of a Markov dimension to help inference algorithm eliminate variables in the Markov chain.
- **size** (`int`) – Length (size) of the Markov chain.
- **dim** (`int`) – An optional dimension to use for this Markov dimension. If specified, `dim` should be negative, i.e. should index from the right. If not specified, `dim` is set to the right-most dim that is left of all enclosing `plate` contexts.
- **history** (`int`) – Memory (order) of the Markov chain. Also the number of previous contexts visible from the current context. Defaults to 1. If zero, this is similar to `plate`.

Returns Returns both `int` and 1-dimensional `torch.Tensor` indices: `(0, ..., history-1, torch.arange(size-history), ..., torch.arange(history, size))`.

class NamedMessenger(first_available_dim=None)

Bases: `pyro.poutine.reentrant_messenger.ReentrantMessenger`

Base effect handler class for the `to_functor()` and `to_data()` primitives. Any effect handlers that invoke these primitives internally or wrap code that does should inherit from `NamedMessenger`.

This design ensures that the global name-dim mapping is reset upon handler exit rather than potentially persisting until the entire program terminates.

class MarkovMessenger(history=1, keep=False)

Bases: `pyro.contrib.functor.handlers.named_messenger.NamedMessenger`

Handler for converting to/from functors consistent with Pyro’s positional batch dimensions.

Parameters

- **history** (`int`) – The number of previous contexts visible from the current context. Defaults to 1. If zero, this is similar to `pyro.plate`.
- **keep** (`bool`) – If true, frames are replayable. This is important when branching: if `keep=True`, neighboring branches at the same level can depend on each other; if `keep=False`, neighboring branches are independent (conditioned on their shared ancestors).

class GlobalNamedMessenger(first_available_dim=None)

Bases: `pyro.contrib.functor.handlers.named_messenger.NamedMessenger`

Base class for any new effect handlers that use the `to_functor()` and `to_data()` primitives to allocate `DimType.GLOBAL` or `DimType.VISIBLE` dimensions.

Serves as a manual “scope” for dimensions that should not be recycled by `MarkovMessenger`: global dimensions will be considered active until the innermost `GlobalNamedMessenger` under which they were initially allocated exits.

to_functor(x, output=None, dim_to_name=None, dim_type=DimType.LOCAL)

```

to_data(x, name_to_dim=None, dim_type=DimType.LOCAL)
class StackFrame(name_to_dim, dim_to_name, history=1, keep=False)
    Bases: object

        Consistent bidirectional mapping between integer positional dimensions and names. Can be queried like a dictionary (value = frame[key], frame[key] = value).

class DimType(value)
    Bases: enum.Enum

        Enumerates the possible types of dimensions to allocate

LOCAL = 0
GLOBAL = 1
VISIBLE = 2

class DimRequest(value, dim_type)
    Bases: tuple

        property dim_type
            Alias for field number 1

        property value
            Alias for field number 0

class DimStack
    Bases: object

        Single piece of global state to keep track of the mapping between names and dimensions.

        Replaces the plate _DimAllocator, the enum _EnumAllocator, the stack in MarkovMessenger, _param_dims and _value_dims in EnumMessenger, and dim_to_symbol in msg['infer']

MAX_DIM = -25
DEFAULT_FIRST_DIM = -5
set_first_available_dim(dim)
push_global(frame)
pop_global()
push_iter(frame)
pop_iterpush_local(frame)
pop_localproperty global_frame
property local_frame
property current_write_env
property current_read_env
    Collect all frames necessary to compute the full name <-> dim mapping and interpret Funstor inputs or batch shapes at any point in a computation.

allocate(key_to_value_request)
names_from_batch_shape(batch_shape, dim_type=DimType.LOCAL)

```

18.3 Inference algorithms

```
class ELBO(num_particles=1, max_plate_nesting=inf, max_iarange_nesting=None, vectorize_particles=False,
           strict_enumeration_warning=True, ignore_jit_warnings=False, jit_options=None,
           retain_graph=None, tail_adaptive_beta=-1.0)
Bases: pyro.infer.elbo.ELBO

differentiable_loss(model, guide, *args, **kwargs)

loss(model, guide, *args, **kwargs)
See pyro.infer.traceenum_elbo.TraceEnum_ELBO.loss()

loss_and_grads(model, guide, *args, **kwargs)
See pyro.infer.traceenum_elbo.TraceEnum_ELBO.loss_and_grads()

class Jit_ELBO(num_particles=1, max_plate_nesting=inf, max_iarange_nesting=None,
               vectorize_particles=False, strict_enumeration_warning=True, ignore_jit_warnings=False,
               jit_options=None, retain_graph=None, tail_adaptive_beta=-1.0)
Bases: pyro.contrib.funsor.infer.elbo.ELBO

differentiable_loss(model, guide, *args, **kwargs)

class Trace_ELBO(num_particles=1, max_plate_nesting=inf, max_iarange_nesting=None,
                 vectorize_particles=False, strict_enumeration_warning=True, ignore_jit_warnings=False,
                 jit_options=None, retain_graph=None, tail_adaptive_beta=-1.0)
Bases: pyro.contrib.funsor.infer.elbo.ELBO

differentiable_loss(model, guide, *args, **kwargs)
See pyro.infer.trace_elbo.Trace_ELBO.differentiable_loss()

class JitTrace_ELBO(num_particles=1, max_plate_nesting=inf, max_iarange_nesting=None,
                     vectorize_particles=False, strict_enumeration_warning=True, ignore_jit_warnings=False,
                     jit_options=None, retain_graph=None, tail_adaptive_beta=-1.0)
Bases: pyro.contrib.funsor.infer.elbo.Jit_ELBO, pyro.contrib.funsor.infer.trace_elbo.
Trace_ELBO

apply_optimizer(x)

terms_from_trace(tr)
Helper function to extract elbo components from execution traces.

class TraceMarkovEnum_ELBO(num_particles=1, max_plate_nesting=inf, max_iarange_nesting=None,
                           vectorize_particles=False, strict_enumeration_warning=True,
                           ignore_jit_warnings=False, jit_options=None, retain_graph=None,
                           tail_adaptive_beta=-1.0)
Bases: pyro.contrib.funsor.infer.elbo.ELBO

differentiable_loss(model, guide, *args, **kwargs)
See pyro.infer.traceenum_elbo.TraceEnum_ELBO.differentiable_loss()

class TraceEnum_ELBO(num_particles=1, max_plate_nesting=inf, max_iarange_nesting=None,
                     vectorize_particles=False, strict_enumeration_warning=True,
                     ignore_jit_warnings=False, jit_options=None, retain_graph=None, tail_adaptive_beta=-1.0)
Bases: pyro.contrib.funsor.infer.elbo.ELBO

differentiable_loss(model, guide, *args, **kwargs)
See pyro.infer.traceenum_elbo.TraceEnum_ELBO.differentiable_loss()
```

```
class JitTraceEnum_ELBO(num_particles=1, max_plate_nesting=inf, max_iarange_nesting=None,
                        vectorize_particles=False, strict_enumeration_warning=True,
                        ignore_jit_warnings=False, jit_options=None, retain_graph=None,
                        tail_adaptive_beta=- 1.0)
Bases: pyro.contrib.functor.infer.elbo.Jit_ELBO, pyro.contrib.functor.infer.
traceenum_elbo.TraceEnum_ELBO

class JitTraceMarkovEnum_ELBO(num_particles=1, max_plate_nesting=inf, max_iarange_nesting=None,
                             vectorize_particles=False, strict_enumeration_warning=True,
                             ignore_jit_warnings=False, jit_options=None, retain_graph=None,
                             tail_adaptive_beta=- 1.0)
Bases: pyro.contrib.functor.infer.elbo.Jit_ELBO, pyro.contrib.functor.infer.
traceenum_elbo.TraceMarkovEnum_ELBO

class TraceTMC_ELBO(num_particles=1, max_plate_nesting=inf, max_iarange_nesting=None,
                     vectorize_particles=False, strict_enumeration_warning=True, ignore_jit_warnings=False,
                     jit_options=None, retain_graph=None, tail_adaptive_beta=- 1.0)
Bases: pyro.contrib.functor.infer.elbo.ELBO

differentiable_loss(model, guide, *args, **kwargs)
    See pyro.infer.tracetmc\_elbo.TraceTMC\_ELBO.differentiable\_loss\(\)

class JitTraceTMC_ELBO(num_particles=1, max_plate_nesting=inf, max_iarange_nesting=None,
                      vectorize_particles=False, strict_enumeration_warning=True,
                      ignore_jit_warnings=False, jit_options=None, retain_graph=None,
                      tail_adaptive_beta=- 1.0)
Bases: pyro.contrib.functor.infer.elbo.Jit_ELBO, pyro.contrib.functor.infer.
tracetmc_elbo.TraceTMC_ELBO
```


GAUSSIAN PROCESSES

See the [Gaussian Processes](#) tutorial for an introduction.

class Parameterized

Bases: `pyro.nn.module.PyroModule`

A wrapper of `PyroModule` whose parameters can be set constraints, set priors.

By default, when we set a prior to a parameter, an auto Delta guide will be created. We can use the method `autoguide()` to setup other auto guides.

Example:

```
>>> class Linear(Parameterized):
...     def __init__(self, a, b):
...         super().__init__()
...         self.a = Parameter(a)
...         self.b = Parameter(b)
...
...     def forward(self, x):
...         return self.a * x + self.b
...
>>> linear = Linear(torch.tensor(1.), torch.tensor(0.))
>>> linear.a = PyroParam(torch.tensor(1.), constraints.positive)
>>> linear.b = PyroSample(dist.Normal(0, 1))
>>> linear.autoguide("b", dist.Normal)
>>> assert "a_unconstrained" in dict(linear.named_parameters())
>>> assert "b_loc" in dict(linear.named_parameters())
>>> assert "b_scale_unconstrained" in dict(linear.named_parameters())
```

Note that by default, data of a parameter is a float `torch.Tensor` (unless we use `torch.set_default_tensor_type()` to change default tensor type). To cast these parameters to a correct data type or GPU device, we can call methods such as `double()` or `cuda()`. See `torch.nn.Module` for more information.

`set_prior(name, prior)`

Sets prior for a parameter.

Parameters

- `name (str)` – Name of the parameter.
- `prior (Distribution)` – A Pyro prior distribution.

`autoguide(name, dist_constructor)`

Sets an autoguide for an existing parameter with name `name` (mimic the behavior of module `pyro.infer.autoguide`).

Note: `dist_constructor` should be one of `Delta`, `Normal`, and `MultivariateNormal`. More distribution constructor will be supported in the future if needed.

Parameters

- `name` (`str`) – Name of the parameter.
- `dist_constructor` – A `Distribution` constructor.

`set_mode(mode)`

Sets `mode` of this object to be able to use its parameters in stochastic functions. If `mode="model"`, a parameter will get its value from its prior. If `mode="guide"`, the value will be drawn from its guide.

Note: This method automatically sets `mode` for submodules which belong to `Parameterized` class.

Parameters `mode` (`str`) – Either “model” or “guide”.

`property mode`

`training: bool`

19.1 Models

19.1.1 GPMModel

```
class GPMModel(X, y, kernel, mean_function=None, jitter=1e-06)
Bases: pyro.contrib.gp.parameterized.Parameterized
```

Base class for Gaussian Process models.

The core of a Gaussian Process is a covariance function k which governs the similarity between input points. Given k , we can establish a distribution over functions f by a multivariate normal distribution

$$p(f(X)) = \mathcal{N}(0, k(X, X)),$$

where X is any set of input points and $k(X, X)$ is a covariance matrix whose entries are outputs $k(x, z)$ of k over input pairs (x, z) . This distribution is usually denoted by

$$f \sim \mathcal{GP}(0, k).$$

Note: Generally, beside a covariance matrix k , a Gaussian Process can also be specified by a mean function m (which is a zero-value function by default). In that case, its distribution will be

$$p(f(X)) = \mathcal{N}(m(X), k(X, X)).$$

Gaussian Process models are `Parameterized` subclasses. So its parameters can be learned, set priors, or fixed by using corresponding methods from `Parameterized`. A typical way to define a Gaussian Process model is

```
>>> X = torch.tensor([[1., 5, 3], [4, 3, 7]])
>>> y = torch.tensor([2., 1])
>>> kernel = gp.kernels.RBF(input_dim=3)
>>> kernel.variance = pyro.nn.PyroSample(dist.Uniform(torch.tensor(0.5), torch.
-> tensor(1.5)))
>>> kernel.lengthscale = pyro.nn.PyroSample(dist.Uniform(torch.tensor(1.0), torch.
-> tensor(3.0)))
>>> gpr = gp.models.GPRegression(X, y, kernel)
```

There are two ways to train a Gaussian Process model:

- Using an MCMC algorithm (in module `pyro.infer.mcmc`) on `model()` to get posterior samples for the Gaussian Process's parameters. For example:

```
>>> hmc_kernel = HMC(gpr.model)
>>> mcmc = MCMC(hmc_kernel, num_samples=10)
>>> mcmc.run()
>>> ls_name = "kernel.lengthscale"
>>> posterior_ls = mcmc.get_samples()[ls_name]
```

- Using a variational inference on the pair `model()`, `guide()`:

```
>>> optimizer = torch.optim.Adam(gpr.parameters(), lr=0.01)
>>> loss_fn = pyro.infer.TraceMeanField_ELBO().differentiable_loss
>>>
>>> for i in range(1000):
...     svi.step()
...     optimizer.zero_grad()
...     loss = loss_fn(gpr.model, gpr.guide)
...     loss.backward()
...     optimizer.step()
```

To give a prediction on new dataset, simply use `forward()` like any PyTorch `torch.nn.Module`:

```
>>> Xnew = torch.tensor([[2., 3, 1]])
>>> f_loc, f_cov = gpr(Xnew, full_cov=True)
```

Reference:

[1] *Gaussian Processes for Machine Learning*, Carl E. Rasmussen, Christopher K. I. Williams

Parameters

- **X** (`torch.Tensor`) – A input data for training. Its first dimension is the number of data points.
- **y** (`torch.Tensor`) – An output data for training. Its last dimension is the number of data points.
- **kernel** (`Kernel`) – A Pyro kernel object, which is the covariance function k .
- **mean_function** (`callable`) – An optional mean function m of this Gaussian process. By default, we use zero mean.
- **jitter** (`float`) – A small positive term which is added into the diagonal part of a covariance matrix to help stablize its Cholesky decomposition.

model()

A “model” stochastic function. If `self.y` is `None`, this method returns mean and variance of the Gaussian Process prior.

guide()

A “guide” stochastic function to be used in variational inference methods. It also gives posterior information to the method `forward()` for prediction.

forward(*Xnew*, *full_cov=False*)

Computes the mean and covariance matrix (or variance) of Gaussian Process posterior on a test input data X_{new} :

$$p(f^* | X_{new}, X, y, k, \theta),$$

where θ are parameters of this model.

Note: Model’s parameters θ together with kernel’s parameters have been learned from a training procedure (MCMC or SVI).

Parameters

- **Xnew** (`torch.Tensor`) – A input data for testing. Note that `Xnew.shape[1:]` must be the same as `X.shape[1:]`.
- **full_cov** (`bool`) – A flag to decide if we want to predict full covariance matrix or just variance.

Returns loc and covariance matrix (or variance) of $p(f^*(X_{new}))$

Return type `tuple(torch.Tensor, torch.Tensor)`

set_data(*X*, *y=None*)

Sets data for Gaussian Process models.

Some examples to utilize this method are:

- Batch training on a sparse variational model:

```
>>> Xu = torch.tensor([[1., 0, 2]]) # inducing input
>>> likelihood = gp.likelihoods.Gaussian()
>>> vsgp = gp.models.VariationalSparseGP(X, y, kernel, Xu, likelihood)
>>> optimizer = torch.optim.Adam(vsgp.parameters(), lr=0.01)
>>> loss_fn = pyro.infer.TraceMeanField_ELBO().differentiable_loss
>>> batched_X, batched_y = X.split(split_size=10), y.split(split_size=10)
>>> for Xi, yi in zip(batched_X, batched_y):
...     optimizer.zero_grad()
...     vsgp.set_data(Xi, yi)
...     svi.step()
...     loss = loss_fn(vsgp.model, vsgp.guide)
...     loss.backward()
...     optimizer.step()
```

- Making a two-layer Gaussian Process stochastic function:

```
>>> gpr1 = gp.models.GPRegression(X, None, kernel)
>>> Z, _ = gpr1.model()
```

(continues on next page)

(continued from previous page)

```
>>> gpr2 = gp.models.GPRegression(Z, y, kernel)
>>> def two_layer_model():
...     Z, _ = gpr1.model()
...     gpr2.set_data(Z, y)
...     return gpr2.model()
```

References:

[1] *Scalable Variational Gaussian Process Classification*, James Hensman, Alexander G. de G. Matthews, Zoubin Ghahramani

[2] *Deep Gaussian Processes*, Andreas C. Damianou, Neil D. Lawrence

Parameters

- **x** (`torch.Tensor`) – A input data for training. Its first dimension is the number of data points.
- **y** (`torch.Tensor`) – An output data for training. Its last dimension is the number of data points.

training: `bool`

19.1.2 GPRegression

`class GPRegression(X, y, kernel, noise=None, mean_function=None, jitter=1e-06)`

Bases: `pyro.contrib.gp.models.model.GPModel`

Gaussian Process Regression model.

The core of a Gaussian Process is a covariance function k which governs the similarity between input points. Given k , we can establish a distribution over functions f by a multivariate normal distribution

$$p(f(X)) = \mathcal{N}(0, k(X, X)),$$

where X is any set of input points and $k(X, X)$ is a covariance matrix whose entries are outputs $k(x, z)$ of k over input pairs (x, z) . This distribution is usually denoted by

$$f \sim \mathcal{GP}(0, k).$$

Note: Generally, beside a covariance matrix k , a Gaussian Process can also be specified by a mean function m (which is a zero-value function by default). In that case, its distribution will be

$$p(f(X)) = \mathcal{N}(m(X), k(X, X)).$$

Given inputs X and their noisy observations y , the Gaussian Process Regression model takes the form

$$\begin{aligned} f &\sim \mathcal{GP}(0, k(X, X)), \\ y &\sim f + \epsilon, \end{aligned}$$

where ϵ is Gaussian noise.

Note: This model has $\mathcal{O}(N^3)$ complexity for training, $\mathcal{O}(N^3)$ complexity for testing. Here, N is the number of train inputs.

Reference:

[1] *Gaussian Processes for Machine Learning*, Carl E. Rasmussen, Christopher K. I. Williams

Parameters

- **X** (`torch.Tensor`) – A input data for training. Its first dimension is the number of data points.
- **y** (`torch.Tensor`) – An output data for training. Its last dimension is the number of data points.
- **kernel** (`Kernel`) – A Pyro kernel object, which is the covariance function k .
- **noise** (`torch.Tensor`) – Variance of Gaussian noise of this model.
- **mean_function** (`callable`) – An optional mean function m of this Gaussian process. By default, we use zero mean.
- **jitter** (`float`) – A small positive term which is added into the diagonal part of a covariance matrix to help stablize its Cholesky decomposition.

model()

guide()

forward(X_{new} , `full_cov=False`, `noiseless=True`)

Computes the mean and covariance matrix (or variance) of Gaussian Process posterior on a test input data X_{new} :

$$p(f^* \mid X_{new}, X, y, k, \epsilon) = \mathcal{N}(loc, cov).$$

Note: The noise parameter `noise` (ϵ) together with kernel's parameters have been learned from a training procedure (MCMC or SVI).

Parameters

- **Xnew** (`torch.Tensor`) – A input data for testing. Note that `Xnew.shape[1:]` must be the same as `self.X.shape[1:]`.
- **full_cov** (`bool`) – A flag to decide if we want to predict full covariance matrix or just variance.
- **noiseless** (`bool`) – A flag to decide if we want to include noise in the prediction output or not.

Returns loc and covariance matrix (or variance) of $p(f^*(X_{new}))$

Return type `tuple(torch.Tensor, torch.Tensor)`

iter_sample(`noiseless=True`)

Iteratively constructs a sample from the Gaussian Process posterior.

Recall that at test input points X_{new} , the posterior is multivariate Gaussian distributed with mean and covariance matrix given by `forward()`.

This method samples lazily from this multivariate Gaussian. The advantage of this approach is that later query points can depend upon earlier ones. Particularly useful when the querying is to be done by an optimisation routine.

Note: The noise parameter `noise` (ϵ) together with kernel's parameters have been learned from a training procedure (MCMC or SVI).

Parameters `noiseless` (`bool`) – A flag to decide if we want to add sampling noise to the samples beyond the noise inherent in the GP posterior.

Returns sampler

Return type function

training: `bool`

19.1.3 SparseGPRegression

class `SparseGPRegression`(*X*, *y*, *kernel*, *Xu*, *noise=None*, *mean_function=None*, *approx=None*, *jitter=1e-06*)
Bases: `pyro.contrib.gp.models.model.GPModel`

Sparse Gaussian Process Regression model.

In `GPRegression` model, when the number of input data X is large, the covariance matrix $k(X, X)$ will require a lot of computational steps to compute its inverse (for log likelihood and for prediction). By introducing an additional inducing-input parameter X_u , we can reduce computational cost by approximate $k(X, X)$ by a low-rank Nyström approximation Q (see reference [1]), where

$$Q = k(X, X_u)k(X, X)^{-1}k(X_u, X).$$

Given inputs X , their noisy observations y , and the inducing-input parameters X_u , the model takes the form:

$$\begin{aligned} u &\sim \mathcal{GP}(0, k(X_u, X_u)), \\ f &\sim q(f \mid X, X_u) = \mathbb{E}_{p(u)}q(f \mid X, X_u, u), \\ y &\sim f + \epsilon, \end{aligned}$$

where ϵ is Gaussian noise and the conditional distribution $q(f \mid X, X_u, u)$ is an approximation of

$$p(f \mid X, X_u, u) = \mathcal{N}(m, k(X, X) - Q),$$

whose terms m and $k(X, X) - Q$ is derived from the joint multivariate normal distribution:

$$[f, u] \sim \mathcal{GP}(0, k([X, X_u], [X, X_u])).$$

This class implements three approximation methods:

- Deterministic Training Conditional (DTC):

$$q(f \mid X, X_u, u) = \mathcal{N}(m, 0),$$

which in turns will imply

$$f \sim \mathcal{N}(0, Q).$$

- Fully Independent Training Conditional (FITC):

$$q(f \mid X, X_u, u) = \mathcal{N}(m, \text{diag}(k(X, X) - Q)),$$

which in turns will correct the diagonal part of the approximation in DTC:

$$f \sim \mathcal{N}(0, Q + \text{diag}(k(X, X) - Q)).$$

- Variational Free Energy (VFE), which is similar to DTC but has an additional *trace_term* in the model's log likelihood. This additional term makes "VFE" equivalent to the variational approach in `SparseVariationalGP` (see reference [2]).

Note: This model has $\mathcal{O}(NM^2)$ complexity for training, $\mathcal{O}(NM^2)$ complexity for testing. Here, N is the number of train inputs, M is the number of inducing inputs.

References:

- [1] *A Unifying View of Sparse Approximate Gaussian Process Regression*, Joaquin Quiñonero-Candela, Carl E. Rasmussen
- [2] *Variational learning of inducing variables in sparse Gaussian processes*, Michalis Titsias

Parameters

- **X** (`torch.Tensor`) – A input data for training. Its first dimension is the number of data points.
- **y** (`torch.Tensor`) – An output data for training. Its last dimension is the number of data points.
- **kernel** (`Kernel`) – A Pyro kernel object, which is the covariance function k .
- **Xu** (`torch.Tensor`) – Initial values for inducing points, which are parameters of our model.
- **noise** (`torch.Tensor`) – Variance of Gaussian noise of this model.
- **mean_function** (`callable`) – An optional mean function m of this Gaussian process. By default, we use zero mean.
- **approx** (`str`) – One of approximation methods: "DTC", "FITC", and "VFE" (default).
- **jitter** (`float`) – A small positive term which is added into the diagonal part of a covariance matrix to help stablize its Cholesky decomposition.
- **name** (`str`) – Name of this model.

```
model()
```

```
guide()
```

```
forward(Xnew, full_cov=False, noiseless=True)
```

Computes the mean and covariance matrix (or variance) of Gaussian Process posterior on a test input data X_{new} :

$$p(f^* \mid X_{new}, X, y, k, X_u, \epsilon) = \mathcal{N}(\text{loc}, \text{cov}).$$

Note: The noise parameter `noise` (ϵ), the inducing-point parameter `Xu`, together with kernel's parameters have been learned from a training procedure (MCMC or SVI).

Parameters

- **Xnew** (`torch.Tensor`) – A input data for testing. Note that `Xnew.shape[1:]` must be the same as `self.X.shape[1:]`.
- **full_cov** (`bool`) – A flag to decide if we want to predict full covariance matrix or just variance.
- **noiseless** (`bool`) – A flag to decide if we want to include noise in the prediction output or not.

Returns loc and covariance matrix (or variance) of $p(f^*(X_{new}))$

Return type `tuple(torch.Tensor, torch.Tensor)`

training: `bool`

19.1.4 VariationalGP

```
class VariationalGP(X, y, kernel, likelihood, mean_function=None, latent_shape=None, whiten=False,
                    jitter=1e-06)
```

Bases: `pyro.contrib.gp.models.model.GPModel`

Variational Gaussian Process model.

This model deals with both Gaussian and non-Gaussian likelihoods. Given inputs X and their noisy observations y , the model takes the form

$$\begin{aligned} f &\sim \mathcal{GP}(0, k(X, X)), \\ y &\sim p(y) = p(y | f)p(f), \end{aligned}$$

where $p(y | f)$ is the likelihood.

We will use a variational approach in this model by approximating $q(f)$ to the posterior $p(f | y)$. Precisely, $q(f)$ will be a multivariate normal distribution with two parameters `f_loc` and `f_scale_tril`, which will be learned during a variational inference process.

Note: This model can be seen as a special version of `SparseVariationalGP` model with $X_u = X$.

Note: This model has $\mathcal{O}(N^3)$ complexity for training, $\mathcal{O}(N^3)$ complexity for testing. Here, N is the number of train inputs. Size of variational parameters is $\mathcal{O}(N^2)$.

Parameters

- **X** (`torch.Tensor`) – A input data for training. Its first dimension is the number of data points.
- **y** (`torch.Tensor`) – An output data for training. Its last dimension is the number of data points.
- **kernel** (`Kernel`) – A Pyro kernel object, which is the covariance function k .
- **likelihood** (`likelihood Likelihood`) – A likelihood object.
- **mean_function** (`callable`) – An optional mean function m of this Gaussian process. By default, we use zero mean.

- **latent_shape** (`torch.Size`) – Shape for latent processes (`batch_shape` of $q(f)$). By default, it equals to output batch shape `y.shape[:-1]`. For the multi-class classification problems, `latent_shape[-1]` should correspond to the number of classes.
- **whiten** (`bool`) – A flag to tell if variational parameters `f_loc` and `f_scale_tril` are transformed by the inverse of `Lff`, where `Lff` is the lower triangular decomposition of `kernel(X, X)`. Enable this flag will help optimization.
- **jitter** (`float`) – A small positive term which is added into the diagonal part of a covariance matrix to help stabilize its Cholesky decomposition.

```
model()
guide()
forward(Xnew, full_cov=False)
    Computes the mean and covariance matrix (or variance) of Gaussian Process posterior on a test input data  $X_{new}$ :
    
$$p(f^* | X_{new}, X, y, k, f_{loc}, f_{scale\_tril}) = \mathcal{N}(loc, cov).$$

```

Note: Variational parameters `f_loc`, `f_scale_tril`, together with kernel's parameters have been learned from a training procedure (MCMC or SVI).

Parameters

- **Xnew** (`torch.Tensor`) – A input data for testing. Note that `Xnew.shape[1:]` must be the same as `self.X.shape[1:]`.
- **full_cov** (`bool`) – A flag to decide if we want to predict full covariance matrix or just variance.

Returns loc and covariance matrix (or variance) of $p(f^*(X_{new}))$

Return type `tuple(torch.Tensor, torch.Tensor)`

training: `bool`

19.1.5 VariationalSparseGP

```
class VariationalSparseGP(X, y, kernel, Xu, likelihood, mean_function=None, latent_shape=None,  
    num_data=None, whiten=False, jitter=1e-06)
Bases: pyro.contrib.gp.models.model.GPModel
```

Variational Sparse Gaussian Process model.

In `VariationalGP` model, when the number of input data X is large, the covariance matrix $k(X, X)$ will require a lot of computational steps to compute its inverse (for log likelihood and for prediction). This model introduces an additional inducing-input parameter X_u to solve that problem. Given inputs X , their noisy observations y , and the inducing-input parameters X_u , the model takes the form:

$$\begin{aligned} [f, u] &\sim \mathcal{GP}(0, k([X, X_u], [X, X_u])), \\ y &\sim p(y) = p(y | f)p(f), \end{aligned}$$

where $p(y | f)$ is the likelihood.

We will use a variational approach in this model by approximating $q(f, u)$ to the posterior $p(f, u \mid y)$. Precisely, $q(f) = p(f \mid u)q(u)$, where $q(u)$ is a multivariate normal distribution with two parameters `u_loc` and `u_scale_tril`, which will be learned during a variational inference process.

Note: This model can be learned using MCMC method as in reference [2]. See also [GPModel](#).

Note: This model has $\mathcal{O}(NM^2)$ complexity for training, $\mathcal{O}(M^3)$ complexity for testing. Here, N is the number of train inputs, M is the number of inducing inputs. Size of variational parameters is $\mathcal{O}(M^2)$.

References:

- [1] *Scalable variational Gaussian process classification*, James Hensman, Alexander G. de G. Matthews, Zoubin Ghahramani
- [2] *MCMC for Variationally Sparse Gaussian Processes*, James Hensman, Alexander G. de G. Matthews, Maurizio Filippone, Zoubin Ghahramani

Parameters

- **X** (`torch.Tensor`) – A input data for training. Its first dimension is the number of data points.
- **y** (`torch.Tensor`) – An output data for training. Its last dimension is the number of data points.
- **kernel** (`Kernel`) – A Pyro kernel object, which is the covariance function k .
- **Xu** (`torch.Tensor`) – Initial values for inducing points, which are parameters of our model.
- **likelihood** (`likelihood.Likelihood`) – A likelihood object.
- **mean_function** (`callable`) – An optional mean function m of this Gaussian process. By default, we use zero mean.
- **latent_shape** (`torch.Size`) – Shape for latent processes (`batch_shape` of $q(u)$). By default, it equals to output batch shape `y.shape[:-1]`. For the multi-class classification problems, `latent_shape[-1]` should correspond to the number of classes.
- **num_data** (`int`) – The size of full training dataset. It is useful for training this model with mini-batch.
- **whiten** (`bool`) – A flag to tell if variational parameters `u_loc` and `u_scale_tril` are transformed by the inverse of Luu , where Luu is the lower triangular decomposition of $kernel(X_u, X_u)$. Enable this flag will help optimization.
- **jitter** (`float`) – A small positive term which is added into the diagonal part of a covariance matrix to help stabilize its Cholesky decomposition.

```
model()
guide()
forward(Xnew, full_cov=False)
    Computes the mean and covariance matrix (or variance) of Gaussian Process posterior on a test input data
    Xnew:
```

$$p(f^* \mid X_{\text{new}}, X, y, k, X_u, u_{\text{loc}}, u_{\text{scale_tril}}) = \mathcal{N}(\text{loc}, \text{cov}).$$

Note: Variational parameters `u_loc`, `u_scale_tril`, the inducing-point parameter `Xu`, together with kernel's parameters have been learned from a training procedure (MCMC or SVI).

Parameters

- `Xnew` (`torch.Tensor`) – A input data for testing. Note that `Xnew.shape[1:]` must be the same as `self.X.shape[1:]`.
- `full_cov` (`bool`) – A flag to decide if we want to predict full covariance matrix or just variance.

Returns loc and covariance matrix (or variance) of $p(f^*(X_{new}))$

Return type `tuple(torch.Tensor, torch.Tensor)`

training: `bool`

19.1.6 GPLVM

```
class GPLVM(base_model)
Bases: pyro.contrib.gp.parameterized.Parameterized
```

Gaussian Process Latent Variable Model (GPLVM) model.

GPLVM is a Gaussian Process model with its train input data is a latent variable. This model is useful for dimensional reduction of high dimensional data. Assume the mapping from low dimensional latent variable to is a Gaussian Process instance. Then the high dimensional data will play the role of train output `y` and our target is to learn latent inputs which best explain `y`. For the purpose of dimensional reduction, latent inputs should have lower dimensions than `y`.

We follows reference [1] to put a unit Gaussian prior to the input and approximate its posterior by a multivariate normal distribution with two variational parameters: `X_loc` and `X_scale_tril`.

For example, we can do dimensional reduction on Iris dataset as follows:

```
>>> # With y as the 2D Iris data of shape 150x4 and we want to reduce its_
    ↵ dimension
>>> # to a tensor X of shape 150x2, we will use GPLVM.
```

```
>>> # First, define the initial values for X parameter:
>>> X_init = torch.zeros(150, 2)
>>> # Then, define a Gaussian Process model with input X_init and output y:
>>> kernel = gp.kernels.RBF(input_dim=2, lengthscale=torch.ones(2))
>>> Xu = torch.zeros(20, 2) # initial inducing inputs of sparse model
>>> gpmodule = gp.models.SparseGPRegression(X_init, y, kernel, Xu)
>>> # Finally, wrap gpmodule by GPLVM, optimize, and get the "learned" mean_
    ↵ of X:
>>> gplvm = gp.models.GPLVM(gpmodule)
>>> gp.util.train(gplvm)
>>> X = gplvm.X
```

Reference:

[1] Bayesian Gaussian Process Latent Variable Model Michalis K. Titsias, Neil D. Lawrence

Parameters `base_model` (`GPModel`) – A Pyro Gaussian Process model object. Note that `base_model.X` will be the initial value for the variational parameter `X_loc`.

```
model()
guide()
forward(**kwargs)
    Forward method has the same signal as its base_model. Note that the train input data of base_model is
    sampled from GPLVM.
training: bool
```

19.2 Kernels

19.2.1 Kernel

```
class Kernel(input_dim, active_dims=None)
Bases: pyro.contrib.gp.parameterized.Parameterized
```

Base class for kernels used in this Gaussian Process module.

Every inherited class should implement a `forward()` pass which takes inputs X, Z and returns their covariance matrix.

To construct a new kernel from the old ones, we can use methods `add()`, `mul()`, `exp()`, `warp()`, `vertical_scale()`.

References:

[1] *Gaussian Processes for Machine Learning*, Carl E. Rasmussen, Christopher K. I. Williams

Parameters

- `input_dim` (`int`) – Number of feature dimensions of inputs.
- `variance` (`torch.Tensor`) – Variance parameter of this kernel.
- `active_dims` (`list`) – List of feature dimensions of the input which the kernel acts on.

`forward(X, Z=None, diag=False)`

Calculates covariance matrix of inputs on active dimensional.

Parameters

- `X` (`torch.Tensor`) – A 2D tensor with shape $N \times \text{input_dim}$.
- `Z` (`torch.Tensor`) – An (optional) 2D tensor with shape $M \times \text{input_dim}$.
- `diag` (`bool`) – A flag to decide if we want to return full covariance matrix or just its diagonal part.

`Returns` covariance matrix of X and Z with shape $N \times M$

`Return type` `torch.Tensor`

`training: bool`

19.2.2 Brownian

```
class Brownian(input_dim, variance=None, active_dims=None)
Bases: pyro.contrib.gp.kernels.kernel.Kernel
```

This kernel corresponds to a two-sided Brownian motion (Wiener process):

$$k(x, z) = \begin{cases} \sigma^2 \min(|x|, |z|), & \text{if } x \cdot z \geq 0 \\ 0, & \text{otherwise.} \end{cases}$$

Note that the input dimension of this kernel must be 1.

Reference:

[1] *Theory and Statistical Applications of Stochastic Processes*, Yuliya Mishura, Georgiy Shevchenko

```
forward(X, Z=None, diag=False)
training: bool
```

19.2.3 Combination

```
class Combination(kern0, kern1)
Bases: pyro.contrib.gp.kernels.kernel.Kernel
```

Base class for kernels derived from a combination of kernels.

Parameters

- **kern0** (`Kernel`) – First kernel to combine.
- **kern1** (`Kernel or numbers.Number`) – Second kernel to combine.

```
training: bool
```

19.2.4 Constant

```
class Constant(input_dim, variance=None, active_dims=None)
Bases: pyro.contrib.gp.kernels.kernel.Kernel
```

Implementation of Constant kernel:

$$k(x, z) = \sigma^2.$$

```
forward(X, Z=None, diag=False)
training: bool
```

19.2.5 Coregionalize

```
class Coregionalize(input_dim, rank=None, components=None, diagonal=None, active_dims=None)
Bases: pyro.contrib.gp.kernels.kernel.Kernel
```

A kernel for the linear model of coregionalization $k(x, z) = x^T(WW^T + D)z$ where W is an `input_dim`-by-`rank` matrix and typically `rank < input_dim`, and D is a diagonal matrix.

This generalizes the `Linear` kernel to multiple features with a low-rank-plus-diagonal weight matrix. The typical use case is for modeling correlations among outputs of a multi-output GP, where outputs are coded as distinct data points with one-hot coded features denoting which output each datapoint represents.

If only `rank` is specified, the kernel ($W W^T + D$) will be randomly initialized to a matrix with expected value the identity matrix.

References:

[1] Mauricio A. Alvarez, Lorenzo Rosasco, Neil D. Lawrence (2012) Kernels for Vector-Valued Functions: a Review

Parameters

- `input_dim` (`int`) – Number of feature dimensions of inputs.
- `rank` (`int`) – Optional rank. This is only used if `components` is unspecified. If neither `rank` nor `components` is specified, then `rank` defaults to `input_dim`.
- `components` (`torch.Tensor`) – An optional (`input_dim`, `rank`) shaped matrix that maps features to `rank`-many components. If unspecified, this will be randomly initialized.
- `diagonal` (`torch.Tensor`) – An optional vector of length `input_dim`. If unspecified, this will be set to constant `0.5`.
- `active_dims` (`list`) – List of feature dimensions of the input which the kernel acts on.
- `name` (`str`) – Name of the kernel.

`forward(X, Z=None, diag=False)`

`training: bool`

19.2.6 Cosine

`class Cosine(input_dim, variance=None, lengthscale=None, active_dims=None)`
 Bases: `pyro.contrib.gp.kernels.isotropic.Isotropy`

Implementation of Cosine kernel:

$$k(x, z) = \sigma^2 \cos\left(\frac{|x-z|}{l}\right).$$

Parameters `lengthscale` (`torch.Tensor`) – Length-scale parameter of this kernel.

`forward(X, Z=None, diag=False)`

`training: bool`

19.2.7 DotProduct

`class DotProduct(input_dim, variance=None, active_dims=None)`
 Bases: `pyro.contrib.gp.kernels.kernel.Kernel`

Base class for kernels which are functions of $x \cdot z$.

`training: bool`

19.2.8 Exponent

```
class Exponent(kern)
    Bases: pyro.contrib.gp.kernels.kernel.Transforming
    Creates a new kernel according to
         $k_{new}(x, z) = \exp(k(x, z)).$ 
    forward(X, Z=None, diag=False)
    training: bool
```

19.2.9 Exponential

```
class Exponential(input_dim, variance=None, lengthscale=None, active_dims=None)
    Bases: pyro.contrib.gp.kernels.isotropic.Isotropy
    Implementation of Exponential kernel:
         $k(x, z) = \sigma^2 \exp\left(-\frac{|x-z|}{l}\right).$ 
    forward(X, Z=None, diag=False)
    training: bool
```

19.2.10 Isotropy

```
class Isotropy(input_dim, variance=None, lengthscale=None, active_dims=None)
    Bases: pyro.contrib.gp.kernels.kernel.Kernel
    Base class for a family of isotropic covariance kernels which are functions of the distance  $|x - z|/l$ , where  $l$  is the length-scale parameter.
    By default, the parameter lengthscale has size 1. To use the isotropic version (different lengthscale for each dimension), make sure that lengthscale has size equal to input_dim.
    Parameters lengthscale (torch.Tensor) – Length-scale parameter of this kernel.
    training: bool
```

19.2.11 Linear

```
class Linear(input_dim, variance=None, active_dims=None)
    Bases: pyro.contrib.gp.kernels.dot_product.DotProduct
    Implementation of Linear kernel:
         $k(x, z) = \sigma^2 x \cdot z.$ 
```

Doing Gaussian Process regression with linear kernel is equivalent to doing a linear regression.

Note: Here we implement the homogeneous version. To use the inhomogeneous version, consider using `Polynomial` kernel with `degree=1` or making a `Sum` with a `Constant` kernel.

`forward(X, Z=None, diag=False)`

training: `bool`

19.2.12 Matern32

class Matern32(*input_dim*, *variance=None*, *lengthscale=None*, *active_dims=None*)

Bases: `pyro.contrib.gp.kernels.isotropic.Isotropy`

Implementation of Matern32 kernel:

$$k(x, z) = \sigma^2 \left(1 + \sqrt{3} \times \frac{|x-z|}{l} \right) \exp \left(-\sqrt{3} \times \frac{|x-z|}{l} \right).$$

forward(*X*, *Z=None*, *diag=False*)

training: `bool`

19.2.13 Matern52

class Matern52(*input_dim*, *variance=None*, *lengthscale=None*, *active_dims=None*)

Bases: `pyro.contrib.gp.kernels.isotropic.Isotropy`

Implementation of Matern52 kernel:

$$k(x, z) = \sigma^2 \left(1 + \sqrt{5} \times \frac{|x-z|}{l} + \frac{5}{3} \times \frac{|x-z|^2}{l^2} \right) \exp \left(-\sqrt{5} \times \frac{|x-z|}{l} \right).$$

forward(*X*, *Z=None*, *diag=False*)

training: `bool`

19.2.14 Periodic

class Periodic(*input_dim*, *variance=None*, *lengthscale=None*, *period=None*, *active_dims=None*)

Bases: `pyro.contrib.gp.kernels.kernel.Kernel`

Implementation of Periodic kernel:

$$k(x, z) = \sigma^2 \exp \left(-2 \times \frac{\sin^2(\pi(x-z)/p)}{l^2} \right),$$

where p is the `period` parameter.

References:

[1] *Introduction to Gaussian processes*, David J.C. MacKay

Parameters

- **lengthscale** (`torch.Tensor`) – Length scale parameter of this kernel.
- **period** (`torch.Tensor`) – Period parameter of this kernel.

forward(*X*, *Z=None*, *diag=False*)

training: `bool`

19.2.15 Polynomial

```
class Polynomial(input_dim, variance=None, bias=None, degree=1, active_dims=None)
Bases: pyro.contrib.gp.kernels.dot_product.DotProduct
```

Implementation of Polynomial kernel:

$$k(x, z) = \sigma^2(\text{bias} + x \cdot z)^d.$$

Parameters

- **bias** (`torch.Tensor`) – Bias parameter of this kernel. Should be positive.
- **degree** (`int`) – Degree d of the polynomial.

```
forward(X, Z=None, diag=False)
```

training: `bool`

19.2.16 Product

```
class Product(kern0, kern1)
Bases: pyro.contrib.gp.kernels.kernel.Combination
```

Returns a new kernel which acts like a product/tensor product of two kernels. The second kernel can be a constant.

```
forward(X, Z=None, diag=False)
```

training: `bool`

19.2.17 RBF

```
class RBF(input_dim, variance=None, lengthscale=None, active_dims=None)
Bases: pyro.contrib.gp.kernels.isotropic.Isotropy
```

Implementation of Radial Basis Function kernel:

$$k(x, z) = \sigma^2 \exp\left(-0.5 \times \frac{|x-z|^2}{l^2}\right).$$

Note: This kernel also has name *Squared Exponential* in literature.

```
forward(X, Z=None, diag=False)
```

training: `bool`

19.2.18 RationalQuadratic

```
class RationalQuadratic(input_dim, variance=None, lengthscale=None, scale_mixture=None,  
    active_dims=None)
```

Bases: `pyro.contrib.gp.kernels.isotropic.Isotropy`

Implementation of RationalQuadratic kernel:

$$k(x, z) = \sigma^2 \left(1 + 0.5 \times \frac{|x-z|^2}{\alpha l^2}\right)^{-\alpha}.$$

Parameters `scale_mixture` (`torch.Tensor`) – Scale mixture (α) parameter of this kernel. Should have size 1.

```
forward(X, Z=None, diag=False)  
training: bool
```

19.2.19 Sum

```
class Sum(kern0, kern1)  
Bases: pyro.contrib.gp.kernels.kernel.Combination
```

Returns a new kernel which acts like a sum/direct sum of two kernels. The second kernel can be a constant.

```
forward(X, Z=None, diag=False)  
training: bool
```

19.2.20 Transforming

```
class Transforming(kern)  
Bases: pyro.contrib.gp.kernels.kernel.Kernel
```

Base class for kernels derived from a kernel by some transforms such as warping, exponent, vertical scaling.

Parameters `kern` (`Kernel`) – The original kernel.
training: `bool`

19.2.21 VerticalScaling

```
class VerticalScaling(kern, vscaling_fn)  
Bases: pyro.contrib.gp.kernels.kernel.Transforming
```

Creates a new kernel according to

$$k_{new}(x, z) = f(x)k(x, z)f(z),$$

where f is a function.

Parameters `vscaling_fn` (`callable`) – A vertical scaling function f .
forward(*X*, *Z=None*, *diag=False*)
training: `bool`

19.2.22 Warping

```
class Warping(kern, iwarping_fn=None, owarping_coef=None)
Bases: pyro.contrib.gp.kernels.kernel.Transforming
```

Creates a new kernel according to

$$k_{new}(x, z) = q(k(f(x), f(z))),$$

where f is a function and q is a polynomial with non-negative coefficients `owarping_coef`.

We can take advantage of f to combine a Gaussian Process kernel with a deep learning architecture. For example:

```
>>> linear = torch.nn.Linear(10, 3)
>>> # register its parameters to Pyro's ParamStore and wrap it by lambda
>>> # to call the primitive pyro.module each time we use the linear function
>>> pyro_linear_fn = lambda x: pyro.module("linear", linear)(x)
>>> kernel = gp.kernels.Matern52(input_dim=3, lengthscale=torch.ones(3))
>>> warped_kernel = gp.kernels.Warping(kernel, pyro_linear_fn)
```

Reference:

[1] *Deep Kernel Learning*, Andrew G. Wilson, Zhiting Hu, Ruslan Salakhutdinov, Eric P. Xing

Parameters

- `iwarping_fn` (`callable`) – An input warping function f .
- `owarping_coef` (`list`) – A list of coefficients of the output warping polynomial. These coefficients must be non-negative.

`forward(X, Z=None, diag=False)`

`training: bool`

19.2.23 WhiteNoise

```
class WhiteNoise(input_dim, variance=None, active_dims=None)
Bases: pyro.contrib.gp.kernels.kernel.Kernel
```

Implementation of WhiteNoise kernel:

$$k(x, z) = \sigma^2 \delta(x, z),$$

where δ is a Dirac delta function.

`forward(X, Z=None, diag=False)`

`training: bool`

19.3 Likelihoods

19.3.1 Likelihood

`class Likelihood`

Bases: `pyro.contrib.gp.parameterized.Parameterized`

Base class for likelihoods used in Gaussian Process.

Every inherited class should implement a forward pass which takes an input f and returns a sample y .

`forward(f_loc, f_var, y=None)`

Samples y given f_{loc} , f_{var} .

Parameters

- `f_loc` (`torch.Tensor`) – Mean of latent function output.
- `f_var` (`torch.Tensor`) – Variance of latent function output.
- `y` (`torch.Tensor`) – Training output tensor.

Returns a tensor sampled from likelihood

Return type `torch.Tensor`

`training: bool`

19.3.2 Binary

`class Binary(response_function=None)`

Bases: `pyro.contrib.gp.likelihoods.likelihood.Likelihood`

Implementation of Binary likelihood, which is used for binary classification problems.

Binary likelihood uses `Bernoulli` distribution, so the output of `response_function` should be in range (0, 1). By default, we use `sigmoid` function.

Parameters `response_function (callable)` – A mapping to correct domain for Binary likelihood.

`forward(f_loc, f_var, y=None)`

Samples y given f_{loc} , f_{var} according to

$$\begin{aligned} f &\sim \mathcal{N}(\mu, \sigma^2), \\ y &\sim \text{Bernoulli}(f). \end{aligned}$$

Note: The log likelihood is estimated using Monte Carlo with 1 sample of f .

Parameters

- `f_loc` (`torch.Tensor`) – Mean of latent function output.
- `f_var` (`torch.Tensor`) – Variance of latent function output.
- `y` (`torch.Tensor`) – Training output tensor.

Returns a tensor sampled from likelihood

Return type `torch.Tensor`

training: `bool`

19.3.3 Gaussian

class Gaussian(*variance=None*)

Bases: `pyro.contrib.gp.likelihoods.likelihood.Likelihood`

Implementation of Gaussian likelihood, which is used for regression problems.

Gaussian likelihood uses `Normal` distribution.

Parameters variance (`torch.Tensor`) – A variance parameter, which plays the role of noise in regression problems.

forward(*f_loc*, *f_var*, *y=None*)

Samples *y* given *f_loc*, *f_var* according to

$$y \sim \mathcal{N}(\mu, \sigma^2),$$

where μ is the mean parameter of this likelihood.

Parameters

- **f_loc** (`torch.Tensor`) – Mean of latent function output.
- **f_var** (`torch.Tensor`) – Variance of latent function output.
- **y** (`torch.Tensor`) – Training output tensor.

Returns a tensor sampled from likelihood

Return type `torch.Tensor`

training: `bool`

19.3.4 MultiClass

class MultiClass(*num_classes*, *response_function=None*)

Bases: `pyro.contrib.gp.likelihoods.likelihood.Likelihood`

Implementation of MultiClass likelihood, which is used for multi-class classification problems.

MultiClass likelihood uses `Categorical` distribution, so `response_function` should normalize its input's rightmost axis. By default, we use `softmax` function.

Parameters

- **num_classes** (`int`) – Number of classes for prediction.
- **response_function** (`callable`) – A mapping to correct domain for MultiClass likelihood.

forward(*f_loc*, *f_var*, *y=None*)

Samples *y* given *f_loc*, *f_var* according to

$$f \sim \mathcal{N}(\mu, \sigma^2), \\ y \sim \mathcal{P}(f)$$

Note: The log likelihood is estimated using Monte Carlo with 1 sample of f .

Parameters

- **f_loc** (`torch.Tensor`) – Mean of latent function output.
- **f_var** (`torch.Tensor`) – Variance of latent function output.
- **y** (`torch.Tensor`) – Training output tensor.

Returns a tensor sampled from likelihood

Return type `torch.Tensor`

training: `bool`

19.3.5 Poisson

class Poisson(response_function=None)

Bases: `pyro.contrib.gp.likelihoods.likelihood.Likelihood`

Implementation of Poisson likelihood, which is used for count data.

Poisson likelihood uses the `Poisson` distribution, so the output of `response_function` should be positive. By default, we use `torch.exp()` as response function, corresponding to a log-Gaussian Cox process.

Parameters `response_function (callable)` – A mapping to positive real numbers.

forward(f_loc, f_var, y=None)

Samples y given f_{loc} , f_{var} according to

$$f \sim \mathcal{N}(\mu, \sigma^2), \\ y \sim \mathcal{P}(f)$$

Note: The log likelihood is estimated using Monte Carlo with 1 sample of f .

Parameters

- **f_loc** (`torch.Tensor`) – Mean of latent function output.
- **f_var** (`torch.Tensor`) – Variance of latent function output.
- **y** (`torch.Tensor`) – Training output tensor.

Returns a tensor sampled from likelihood

Return type `torch.Tensor`

training: `bool`

19.4 Parameterized

class Parameterized

Bases: `pyro.nn.module.PyroModule`

A wrapper of `PyroModule` whose parameters can be set constraints, set priors.

By default, when we set a prior to a parameter, an auto Delta guide will be created. We can use the method `autoguide()` to setup other auto guides.

Example:

```
>>> class Linear(Parameterized):
...     def __init__(self, a, b):
...         super().__init__()
...         self.a = Parameter(a)
...         self.b = Parameter(b)
...
...     def forward(self, x):
...         return self.a * x + self.b
...
>>> linear = Linear(torch.tensor(1.), torch.tensor(0.))
>>> linear.a = PyroParam(torch.tensor(1.), constraints.positive)
>>> linear.b = PyroSample(dist.Normal(0, 1))
>>> linear.autoguide("b", dist.Normal)
>>> assert "a_unconstrained" in dict(linear.named_parameters())
>>> assert "b_loc" in dict(linear.named_parameters())
>>> assert "b_scale_unconstrained" in dict(linear.named_parameters())
```

Note that by default, data of a parameter is a float `torch.Tensor` (unless we use `torch.set_default_tensor_type()` to change default tensor type). To cast these parameters to a correct data type or GPU device, we can call methods such as `double()` or `cuda()`. See `torch.nn.Module` for more information.

`set_prior(name, prior)`

Sets prior for a parameter.

Parameters

- `name (str)` – Name of the parameter.
- `prior (Distribution)` – A Pyro prior distribution.

`autoguide(name, dist_constructor)`

Sets an autoguide for an existing parameter with name `name` (mimic the behavior of module `pyro.infer.autoguide`).

Note: `dist_constructor` should be one of `Delta`, `Normal`, and `MultivariateNormal`. More distribution constructor will be supported in the future if needed.

Parameters

- `name (str)` – Name of the parameter.
- `dist_constructor` – A `Distribution` constructor.

set_mode(*mode*)

Sets `mode` of this object to be able to use its parameters in stochastic functions. If `mode="model"`, a parameter will get its value from its prior. If `mode="guide"`, the value will be drawn from its guide.

Note: This method automatically sets `mode` for submodules which belong to *Parameterized* class.

Parameters `mode` (*str*) – Either “model” or “guide”.

property mode

training: `bool`

19.5 Util

conditional(*Xnew*, *X*, *kernel*, *f_loc*, *f_scale_tril*=None, *Lff*=None, *full_cov*=False, *whiten*=False, *jitter*=1e-06)

Given X_{new} , predicts loc and covariance matrix of the conditional multivariate normal distribution

$$p(f^*(X_{new}) \mid X, k, f_{loc}, f_{scale_tril}).$$

Here `f_loc` and `f_scale_tril` are variation parameters of the variational distribution

$$q(f \mid f_{loc}, f_{scale_tril}) \sim p(f \mid X, y),$$

where f is the function value of the Gaussian Process given input X

$$p(f(X)) \sim \mathcal{N}(0, k(X, X))$$

and y is computed from f by some likelihood function $p(y|f)$.

In case `f_scale_tril=None`, we consider $f = f_{loc}$ and computes

$$p(f^*(X_{new}) \mid X, k, f).$$

In case `f_scale_tril` is not `None`, we follow the derivation from reference [1]. For the case `f_scale_tril=None`, we follow the popular reference [2].

References:

[1] Sparse GPs: approximate the posterior, not the model

[2] *Gaussian Processes for Machine Learning*, Carl E. Rasmussen, Christopher K. I. Williams

Parameters

- `Xnew` (`torch.Tensor`) – A new input data.
- `X` (`torch.Tensor`) – An input data to be conditioned on.
- `kernel` (`Kernel`) – A Pyro kernel object.
- `f_loc` (`torch.Tensor`) – Mean of $q(f)$. In case `f_scale_tril=None`, $f_{loc} = f$.
- `f_scale_tril` (`torch.Tensor`) – Lower triangular decomposition of covariance matrix of $q(f)$ ’s .
- `Lff` (`torch.Tensor`) – Lower triangular decomposition of $\text{kernel}(X, X)$ (optional).

- **full_cov** (`bool`) – A flag to decide if we want to return full covariance matrix or just variance.
- **whiten** (`bool`) – A flag to tell if `f_loc` and `f_scale_tril` are already transformed by the inverse of `Lff`.
- **jitter** (`float`) – A small positive term which is added into the diagonal part of a covariance matrix to help stabilize its Cholesky decomposition.

Returns loc and covariance matrix (or variance) of $p(f^*(X_{new}))$

Return type `tuple(torch.Tensor, torch.Tensor)`

train(`gpmodule, optimizer=None, loss_fn=None, retain_graph=None, num_steps=1000`)

A helper to optimize parameters for a GP module.

Parameters

- **gpmodule** (`GPModel`) – A GP module.
- **optimizer** (`Optimizer`) – A PyTorch optimizer instance. By default, we use Adam with `lr=0.01`.
- **loss_fn** (`callable`) – A loss function which takes inputs are `gpmodule.model`, `gpmodule.guide`, and returns ELBO loss. By default, `loss_fn=TraceMeanField_ELBO().differentiable_loss`.
- **retain_graph** (`bool`) – An optional flag of `torch.autograd.backward`.
- **num_steps** (`int`) – Number of steps to run SVI.

Returns a list of losses during the training procedure

Return type `list`

MINIPYRO

20.1 Mini Pyro

This file contains a minimal implementation of the Pyro Probabilistic Programming Language. The API (method signatures, etc.) match that of the full implementation as closely as possible. This file is independent of the rest of Pyro, with the exception of the `pyro.distributions` module.

An accompanying example that makes use of this implementation can be found at `examples/minipyro.py`.

```
class Adam(optim_args)
    Bases: object
    __call__(params)

class JitTrace_ELBO(**kwargs)
    Bases: object
    __call__(model, guide, *args)

class Messenger(fn=None)
    Bases: object
    __call__(*args, **kwargs)
    postprocess_message(msg)
    process_message(msg)

class PlateMessenger(fn, size, dim)
    Bases: pyro.contrib.minipyro.Messenger
    process_message(msg)

class SVI(model, guide, optim, loss)
    Bases: object
    step(*args, **kwargs)

Trace_ELBO(**kwargs)

apply_stack(msg)

class block(fn=None, hide_fn=<function block.<lambda>>)
    Bases: pyro.contrib.minipyro.Messenger
    process_message(msg)

elbo(model, guide, *args, **kwargs)

get_param_store()
```

```
param(name, init_value=None, constraint=Real(), event_dim=None)
plate(name, size, dim=None)
class replay(fn, guide_trace)
    Bases: pyro.contrib.minipyro.Messenger
    process_message(msg)

sample(name, fn, *args, **kwargs)
class seed(fn=None, rng_seed=None)
    Bases: pyro.contrib.minipyro.Messenger
class trace(fn=None)
    Bases: pyro.contrib.minipyro.Messenger
    get_trace(*args, **kwargs)
    postprocess_message(msg)
```

BIOLOGICAL SEQUENCE MODELS WITH MUE

Warning: Code in `pyro.contrib.mue` is under development. This code makes no guarantee about maintaining backwards compatibility.

`pyro.contrib.mue` provides modeling tools for working with biological sequence data. In particular it implements MuE distributions, which are used as a fully generative alternative to multiple sequence alignment-based preprocessing.

Reference: MuE models were described in Weinstein and Marks (2021), <https://www.biorxiv.org/content/10.1101/2020.07.31.231381v2>.

21.1 Example MuE Models

Example MuE observation models.

```
class ProfileHMM(latent_seq_length, alphabet_length, prior_scale=1.0, indel_prior_bias=10.0, cuda=False, pin_memory=False)
```

Bases: `torch.nn.modules.module.Module`

Profile HMM.

This model consists of a constant distribution (a delta function) over the regressor sequence, plus a MuE observation distribution. The priors are all Normal distributions, and are pushed through a softmax function onto the simplex.

Parameters

- `latent_seq_length` (`int`) – Length of the latent regressor sequence M. Must be greater than or equal to 1.
- `alphabet_length` (`int`) – Length of the sequence alphabet (e.g. 20 for amino acids).
- `prior_scale` (`float`) – Standard deviation of the prior distribution.
- `indel_prior_bias` (`float`) – Mean of the prior distribution over the log probability of an indel not occurring. Higher values lead to lower probability of indels.
- `cuda` (`bool`) – Transfer data onto the GPU during training.
- `pin_memory` (`bool`) – Pin memory for faster GPU transfer.

```
fit_svi(dataset, epochs=2, batch_size=1, scheduler=None, jit=False)
```

Infer approximate posterior with stochastic variational inference.

This runs `SVI`. It is an approximate inference method useful for quickly iterating on probabilistic models.

Parameters

- **dataset** (`Dataset`) – The training dataset.
- **epochs** (`int`) – Number of epochs of training.
- **batch_size** (`int`) – Minibatch size (number of sequences).
- **scheduler** (`pyro.optim.MultiStepLR`) – Optimization scheduler. (Default: Adam optimizer, 0.01 constant learning rate.)
- **jit** (`bool`) – Whether to use a jit compiled ELBO.

evaluate(`dataset_train, dataset_test=None, jit=False`)

Evaluate performance (log probability and per residue perplexity) on train and test datasets.

Parameters

- **dataset** (`Dataset`) – The training dataset.
- **dataset** – The testing dataset.
- **jit** (`bool`) – Whether to use a jit compiled ELBO.

```
class FactorMuE(data_length, alphabet_length, z_dim, batch_size=10, latent_seq_length=None,
    indel_factor_dependence=False, indel_prior_scale=1.0, indel_prior_bias=10.0,
    inverse_temp_prior=100.0, weights_prior_scale=1.0, offset_prior_scale=1.0,
    z_prior_distribution='Normal', ARD_prior=False, substitution_matrix=True,
    substitution_prior_scale=10.0, latent_alphabet_length=None, cuda=False, pin_memory=False,
    epsilon=1e-32)
```

Bases: `torch.nn.modules.module.Module`

This model consists of probabilistic PCA plus a MuE output distribution.

The priors are all Normal distributions, and where relevant pushed through a softmax onto the simplex.

Parameters

- **data_length** (`int`) – Length of the input sequence matrix, including zero padding at the end.
- **alphabet_length** (`int`) – Length of the sequence alphabet (e.g. 20 for amino acids).
- **z_dim** (`int`) – Number of dimensions of the z space.
- **batch_size** (`int`) – Minibatch size.
- **latent_seq_length** (`int`) – Length of the latent regressor sequence (M). Must be greater than or equal to 1. (Default: 1.1 x data_length.)
- **indel_factor_dependence** (`bool`) – Indel probabilities depend on the latent variable z.
- **indel_prior_scale** (`float`) – Standard deviation of the prior distribution on indel parameters.
- **indel_prior_bias** (`float`) – Mean of the prior distribution over the log probability of an indel not occurring. Higher values lead to lower probability of indels.
- **inverse_temp_prior** (`float`) – Mean of the prior distribution over the inverse temperature parameter.
- **weights_prior_scale** (`float`) – Standard deviation of the prior distribution over the factors.
- **offset_prior_scale** (`float`) – Standard deviation of the prior distribution over the offset (constant) in the pPCA model.

- **`z_prior_distribution`** (`str`) – Prior distribution over the latent variable z. Either ‘Normal’ (pPCA model) or ‘Laplace’ (an ICA model).
- **`ARD_prior`** (`bool`) – Use automatic relevance determination prior on factors.
- **`substitution_matrix`** (`bool`) – Use a learnable substitution matrix rather than the identity matrix.
- **`substitution_prior_scale`** (`float`) – Standard deviation of the prior distribution over substitution matrix parameters (when `substitution_matrix` is True).
- **`latent_alphabet_length`** (`int`) – Length of the alphabet in the latent regressor sequence.
- **`cuda`** (`bool`) – Transfer data onto the GPU during training.
- **`pin_memory`** (`bool`) – Pin memory for faster GPU transfer.
- **`epsilon`** (`float`) – A small value for numerical stability.

`fit_svi`(`dataset, epochs=2, anneal_length=1.0, batch_size=None, scheduler=None, jit=False`)

Infer approximate posterior with stochastic variational inference.

This runs `SVI`. It is an approximate inference method useful for quickly iterating on probabilistic models.

Parameters

- **`dataset`** (`Dataset`) – The training dataset.
- **`epochs`** (`int`) – Number of epochs of training.
- **`anneal_length`** (`float`) – Number of epochs over which to linearly anneal the prior KL divergence weight from 0 to 1, for improved training.
- **`batch_size`** (`int`) – Minibatch size (number of sequences).
- **`scheduler`** (`pyro.optim.MultiStepLR`) – Optimization scheduler. (Default: Adam optimizer, 0.01 constant learning rate.)
- **`jit`** (`bool`) – Whether to use a jit compiled ELBO.

`evaluate`(`dataset_train, dataset_test=None, jit=False`)

Evaluate performance (log probability and per residue perplexity) on train and test datasets.

Parameters

- **`dataset`** (`Dataset`) – The training dataset.
- **`dataset`** – The testing dataset (optional).
- **`jit`** (`bool`) – Whether to use a jit compiled ELBO.

`embed`(`dataset, batch_size=None`)

Get the latent space embedding (mean posterior value of z).

Parameters

- **`dataset`** (`Dataset`) – The dataset to embed.
- **`batch_size`** (`int`) – Minibatch size (number of sequences). (Defaults to `batch_size` of the model object.)

21.2 State Arrangers for Parameterizing MuEs

```
class Profile(M, epsilon=1e-32)
Bases: torch.nn.modules.module.Module
```

Profile HMM state arrangement. Parameterizes an HMM according to Equation S40 in [1] (with $r_{\{M+1,j\}} = 1$ and $u_{\{M+1,j\}} = 0$ for $j \in \{0, 1, 2\}$). For further background on profile HMMs see [2].

References

- [1] E. N. Weinstein, D. S. Marks (2021) “Generative probabilistic biological sequence models that account for mutational variability” <https://www.biorxiv.org/content/10.1101/2020.07.31.231381v2.full.pdf>
- [2] R. Durbin, S. R. Eddy, A. Krogh, and G. Mitchison (1998) “Biological sequence analysis: probabilistic models of proteins and nucleic acids” Cambridge university press

Parameters

- **M** (`int`) – Length of regressor sequence.
- **epsilon** (`float`) – A small value for numerical stability.

forward(precursor_seq_logits, insert_seq_logits, insert_logits, delete_logits, substitute_logits=None)

Assemble HMM parameters given profile parameters.

Parameters

- **precursor_seq_logits** (`Tensor`) – Regressor sequence $\log(x)$. Should have rightmost dimension (M, D) and be broadcastable to $(batch_size, M, D)$, where D is the latent alphabet size. Should be normalized to one along the final axis, i.e. $\text{precursor_seq_logits.logsumexp(-1)} = \text{zeros}$.
- **insert_seq_logits** (`Tensor`) – Insertion sequence $\log(c)$. Should have rightmost dimension ($M+1, D$) and be broadcastable to $(batch_size, M+1, D)$. Should be normalized along the final axis.
- **insert_logits** (`Tensor`) – Insertion probabilities $\log(r)$. Should have rightmost dimension ($M, 3, 2$) and be broadcastable to $(batch_size, M, 3, 2)$. Should be normalized along the final axis.
- **delete_logits** (`Tensor`) – Deletion probabilities $\log(u)$. Should have rightmost dimension ($M, 3, 2$) and be broadcastable to $(batch_size, M, 3, 2)$. Should be normalized along the final axis.
- **substitute_logits** (`Tensor`) – Substitution probabilities $\log(l)$. Should have rightmost dimension (D, B), where B is the alphabet size of the data, and broadcastable to $(batch_size, D, B)$. Must be normalized along the final axis.

Returns `initial_logits`, `transition_logits`, and `observation_logits`. These parameters can be used to directly initialize the `MissingDataDiscreteHMM` distribution.

Return type `Tensor, Tensor, Tensor`

mg2k(m, g, M)

Convert from (m, g) indexing to k indexing.

21.3 Missing or Variable Length Data HMM

```
class MissingDataDiscreteHMM(*args, **kwargs)
    Bases: pyro.distributions.torch_distribution.TorchDistribution
HMM with discrete latent states and discrete observations, allowing for missing data or variable length sequences.
Observations are assumed to be one hot encoded; rows with all zeros indicate missing data.
```

Warning: Unlike in pyro's `pyro.distributions.DiscreteHMM`, which computes the probability of the first state as initial.`T @ transition @ emission` this distribution uses the standard HMM convention, `initial.T @ emission`

Parameters

- **initial_logits** (`Tensor`) – A logits tensor for an initial categorical distribution over latent states. Should have rightmost size `state_dim` and be broadcastable to `(batch_size, state_dim)`.
- **transition_logits** (`Tensor`) – A logits tensor for transition conditional distributions between latent states. Should have rightmost shape `(state_dim, state_dim)` (old, new), and be broadcastable to `(batch_size, state_dim, state_dim)`.
- **observation_logits** (`Tensor`) – A logits tensor for observation distributions from latent states. Should have rightmost shape `(state_dim, categorical_size)`, where `categorical_size` is the dimension of the categorical output, and be broadcastable to `(batch_size, state_dim, categorical_size)`.

log_prob(`value`)

Parameters `value` (`Tensor`) – One-hot encoded observation. Must be real-valued (float) and broadcastable to `(batch_size, num_steps, categorical_size)` where `categorical_size` is the dimension of the categorical output. Missing data is represented by zeros, i.e. `value[batch, step, :] == tensor([0, ..., 0])`. Variable length observation sequences can be handled by padding the sequence with zeros at the end.

sample(`sample_shape=torch.Size([])`)

Parameters `sample_shape` (`Size`) – Sample shape, last dimension must be `num_steps` and must be broadcastable to `(batch_size, num_steps)`. `batch_size` must be int not tuple.

filter(`value`)

Compute the marginal probability of the state variable at each step conditional on the previous observations.

Parameters `value` (`Tensor`) – One-hot encoded observation. Must be real-valued (float) and broadcastable to `(batch_size, num_steps, categorical_size)` where `categorical_size` is the dimension of the categorical output.

smooth(`value`)

Compute posterior expected value of state at each position (smoothing).

Parameters `value` (`Tensor`) – One-hot encoded observation. Must be real-valued (float) and broadcastable to `(batch_size, num_steps, categorical_size)` where `categorical_size` is the dimension of the categorical output.

sample_states(`value`)

Sample states with forward filtering-backward sampling algorithm.

Parameters `value` (`Tensor`) – One-hot encoded observation. Must be real-valued (float) and broadcastable to (`batch_size`, `num_steps`, `categorical_size`) where `categorical_size` is the dimension of the categorical output.

map_states(`value`)

Compute maximum a posteriori (MAP) estimate of state variable with Viterbi algorithm.

Parameters `value` (`Tensor`) – One-hot encoded observation. Must be real-valued (float) and broadcastable to (`batch_size`, `num_steps`, `categorical_size`) where `categorical_size` is the dimension of the categorical output.

given_states(`states`)

Distribution conditional on the state variable.

Parameters `map_states` (`Tensor`) – State trajectory. Must be integer-valued (long) and broadcastable to (`batch_size`, `num_steps`).

sample_given_states(`states`)

Sample an observation conditional on the state variable.

Parameters `map_states` (`Tensor`) – State trajectory. Must be integer-valued (long) and broadcastable to (`batch_size`, `num_steps`).

21.4 Biosequence Dataset Loading

```
class BiosequenceDataset(source, source_type='list', alphabet='amino-acid', max_length=None,
                        include_stop=False, device=None)
```

Bases: `torch.utils.data.dataset.Dataset`

Load biological sequence data, either from a fasta file or a python list.

Parameters

- `source` – Either the input fasta file path (str) or the input list of sequences (list of str).
- `source_type` (`str`) – Type of input, either ‘list’ or ‘fasta’.
- `alphabet` (`str`) – Alphabet to use. Alphabets ‘amino-acid’ and ‘dna’ are preset; any other input will be interpreted as the alphabet itself, i.e. you can use ‘ACGU’ for RNA.
- `max_length` (`int`) – Total length of the one-hot representation of the sequences, including zero padding. Defaults to the maximum sequence length in the dataset.
- `include_stop` (`bool`) – Append stop symbol to the end of each sequence and add the stop symbol to the alphabet.
- `device` (`torch.device`) – Device on which data should be stored in memory.

```
write(x, alphabet, file, truncate_stop=False, append=False, scores=None)
```

Write sequence samples to file.

Parameters

- `x` (`Tensor`) – One-hot encoded sequences, with size (`data_size`, `seq_length`, `alphabet_length`). May be padded with zeros for variable length sequences.
- `alphabet` (`array`) – Alphabet.
- `file` (`str`) – Output file, where sequences will be written in fasta format.

- **truncate_stop** (`bool`) – If True, sequences will be truncated at the first stop symbol (i.e. the stop symbol and everything after will not be written). If False, the whole sequence will be written, including any internal stop symbols.
- **append** (`bool`) – If True, sequences are appended to the end of the output file. If False, the file is first erased.

CHAPTER
TWENTYTWO

OPTIMAL EXPERIMENT DESIGN

Tasks such as choosing the next question to ask in a psychology study, designing an election polling strategy, and deciding which compounds to synthesize and test in biological sciences are all fundamentally asking the same question: how do we design an experiment to maximize the information gathered? Pyro is designed to support automated optimal experiment design: specifying a model and guide is enough to obtain optimal designs for many different kinds of experiment scenarios. Check out our experimental design tutorials that use Pyro to [design an adaptive psychology study](#) that uses past data to select the next question, and [design an election polling strategy](#) that aims to give the strongest prediction about the eventual winner of the election.

Bayesian optimal experimental design (BOED) is a powerful methodology for tackling experimental design problems and is the framework adopted by Pyro. In the BOED framework, we begin with a Bayesian model with a likelihood $p(y|\theta, d)$ and a prior $p(\theta)$ on the target latent variables. In Pyro, any fully Bayesian model can be used in the BOED framework. The sample sites corresponding to experimental outcomes are the *observation* sites, those corresponding to latent variables of interest are the *target* sites. The design d is the argument to the model, and is not a random variable.

In the BOED framework, we choose the design that optimizes the expected information gain (EIG) on the targets θ from running the experiment

$$\text{EIG}(d) = \mathbf{E}_{p(y|d)}[H[p(\theta)]H[p(\theta|y, d)]],$$

where $H[]$ represents the entropy and $p(\theta|y, d) \propto p(\theta)p(y|\theta, d)$ is the posterior we get from running the experiment with design d and observing y . In other words, the optimal design is the one that, in expectation over possible future observations, most reduces posterior entropy over the target latent variables. If the predictive model is correct, this forms a design strategy that is (one-step) optimal from an information-theoretic viewpoint. For further details, see [1, 2].

The `pyro.contrib.oed` module provides tools to create optimal experimental designs for Pyro models. In particular, it provides estimators for the expected information gain (EIG).

To estimate the EIG for a particular design, we first set up our Pyro model. For example:

```
def model(design):

    # This line allows batching of designs, treating all batch dimensions as independent
    with pyro.plate_stack("plate_stack", design.shape):

        # We use a Normal prior for theta
        theta = pyro.sample("theta", dist.Normal(torch.tensor(0.0), torch.tensor(1.0)))

        # We use a simple logistic regression model for the likelihood
        logit_p = theta - design
        y = pyro.sample("y", dist.Bernoulli(logits=logit_p))

    return y
```

We then select an appropriate EIG estimator, such as:

```
eig = nmc_eig(model, design, observation_labels=["y"], target_labels=["theta"], N=2500, ↵
← M=50)
```

It is possible to estimate the EIG across a grid of designs:

```
designs = torch.stack([design1, design2], dim=0)
```

to find the best design from a number of options.

[1] Chaloner, Kathryn, and Isabella Verdinelli. “Bayesian experimental design: A review.” Statistical Science (1995): 273-304.

[2] Foster, Adam, et al. “Variational Bayesian Optimal Experimental Design.” arXiv preprint arXiv:1903.05480 (2019).

22.1 Expected Information Gain

`laplace_eig(model, design, observation_labels, target_labels, guide, loss, optim, num_steps, final_num_samples, y_dist=None, eig=True, **prior_entropy_kwargs)`

Estimates the expected information gain (EIG) by making repeated Laplace approximations to the posterior.

Parameters

- **model** (*function*) – Pyro stochastic function taking *design* as only argument.
- **design** (`torch.Tensor`) – Tensor of possible designs.
- **observation_labels** (`list`) – labels of sample sites to be regarded as observables.
- **target_labels** (`list`) – labels of sample sites to be regarded as latent variables of interest, i.e. the sites that we wish to gain information about.
- **guide** (*function*) – Pyro stochastic function corresponding to *model*.
- **loss** – a Pyro loss such as `pyro.infer.Trace_ELBO().differentiable_loss`.
- **optim** – optimizer for the loss
- **num_steps** (`int`) – Number of gradient steps to take per sampled pseudo-observation.
- **final_num_samples** (`int`) – Number of *y* samples (pseudo-observations) to take.
- **y_dist** – Distribution to sample *y* from- if *None* we use the Bayesian marginal distribution.
- **eig** (`bool`) – Whether to compute the EIG or the average posterior entropy (APE). The EIG is given by $EIG = prior\ entropy - APE$. If *True*, the prior entropy will be estimated analytically, or by Monte Carlo as appropriate for the *model*. If *False* the APE is returned.
- **prior_entropy_kwargs** (`dict`) – parameters for estimating the prior entropy: *num_prior_samples* indicating the number of samples for a MC estimate of prior entropy, and *mean_field* indicating if an analytic form for a mean-field prior should be tried.

Returns EIG estimate, optionally includes full optimization history

Return type `torch.Tensor`

`vi_eig(model, design, observation_labels, target_labels, vi_parameters, is_parameters, y_dist=None, eig=True, **prior_entropy_kwargs)`

Deprecated since version 0.4.1: Use `posterior_eig` instead.

Estimates the expected information gain (EIG) using variational inference (VI).

The APE is defined as

$$APE(d) = E_{Y \sim p(y|\theta,d)}[H(p(\theta|Y,d))]$$

where $H[p(x)]$ is the differential entropy. The APE is related to expected information gain (EIG) by the equation

$$EIG(d) = H[p(\theta)] - APE(d)$$

in particular, minimising the APE is equivalent to maximising EIG.

Parameters

- **model** (*function*) – A pyro model accepting *design* as only argument.
- **design** (*torch.Tensor*) – Tensor representation of design
- **observation_labels** (*list*) – A subset of the sample sites present in *model*. These sites are regarded as future observations and other sites are regarded as latent variables over which a posterior is to be inferred.
- **target_labels** (*list*) – A subset of the sample sites over which the posterior entropy is to be measured.
- **vi_parameters** (*dict*) – Variational inference parameters which should include: *optim*: an instance of `pyro.Optim`, *guide*: a guide function compatible with *model*, *num_steps*: the number of VI steps to make, and *loss*: the loss function to use for VI
- **is_parameters** (*dict*) – Importance sampling parameters for the marginal distribution of *Y*. May include *num_samples*: the number of samples to draw from the marginal.
- **y_dist** (*pyro.distributions.Distribution*) – (optional) the distribution assumed for the response variable *Y*
- **eig** (*bool*) – Whether to compute the EIG or the average posterior entropy (APE). The EIG is given by $EIG = prior\ entropy - APE$. If *True*, the prior entropy will be estimated analytically, or by Monte Carlo as appropriate for the *model*. If *False* the APE is returned.
- **prior_entropy_kwargs** (*dict*) – parameters for estimating the prior entropy: *num_prior_samples* indicating the number of samples for a MC estimate of prior entropy, and *mean_field* indicating if an analytic form for a mean-field prior should be tried.

Returns EIG estimate, optionally includes full optimization history

Return type *torch.Tensor*

nmc_eig(*model*, *design*, *observation_labels*, *target_labels=None*, *N=100*, *M=10*, *M_prime=None*, *independent_priors=False*)

Nested Monte Carlo estimate of the expected information gain (EIG). The estimate is, when there are not any random effects,

$$\frac{1}{N} \sum_{n=1}^N \log p(y_n|\theta_n, d) - \frac{1}{N} \sum_{n=1}^N \log \left(\frac{1}{M} \sum_{m=1}^M p(y_n|\theta_m, d) \right)$$

where $\theta_n, y_n \sim p(\theta, y|d)$ and $\theta_m \sim p(\theta)$. The estimate in the presence of random effects is

$$\frac{1}{N} \sum_{n=1}^N \log \left(\frac{1}{M'} \sum_{m=1}^{M'} p(y_n|\theta_n, \tilde{\theta}_{nm}, d) \right) - \frac{1}{N} \sum_{n=1}^N \log \left(\frac{1}{M} \sum_{m=1}^M p(y_n|\theta_m, \tilde{\theta}_m, d) \right)$$

where $\tilde{\theta}$ are the random effects with $\tilde{\theta}_{nm} \sim p(\tilde{\theta}|\theta = \theta_n)$ and $\theta_m, \tilde{\theta}_m \sim p(\theta, \tilde{\theta})$. The latter form is used when *M_prime != None*.

Parameters

- **model** (*function*) – A pyro model accepting *design* as only argument.
- **design** (*torch.Tensor*) – Tensor representation of design
- **observation_labels** (*list*) – A subset of the sample sites present in *model*. These sites are regarded as future observations and other sites are regarded as latent variables over which a posterior is to be inferred.
- **target_labels** (*list*) – A subset of the sample sites over which the posterior entropy is to be measured.
- **N** (*int*) – Number of outer expectation samples.
- **M** (*int*) – Number of inner expectation samples for $p(y|d)$.
- **M_prime** (*int*) – Number of samples for $p(y | \theta, d)$ if required.
- **independent_priors** (*bool*) – Only used when *M_prime* is not *None*. Indicates whether the prior distributions for the target variables and the nuisance variables are independent. In this case, it is not necessary to sample the targets conditional on the nuisance variables.

Returns EIG estimate, optionally includes full optimization history

Return type *torch.Tensor*

donsker_varadhan_eig(*model*, *design*, *observation_labels*, *target_labels*, *num_samples*, *num_steps*, *T*, *optim*,
return_history=False, *final_design=None*, *final_num_samples=None*)

Donsker-Varadhan estimate of the expected information gain (EIG).

The Donsker-Varadhan representation of EIG is

$$\sup_T E_{p(y,\theta|d)}[T(y,\theta)] - \log E_{p(y|d)p(\theta)}[\exp(T(\bar{y},\bar{\theta}))]$$

where *T* is any (measurable) function.

This methods optimises the loss function over a pre-specified class of functions *T*.

Parameters

- **model** (*function*) – A pyro model accepting *design* as only argument.
- **design** (*torch.Tensor*) – Tensor representation of design
- **observation_labels** (*list*) – A subset of the sample sites present in *model*. These sites are regarded as future observations and other sites are regarded as latent variables over which a posterior is to be inferred.
- **target_labels** (*list*) – A subset of the sample sites over which the posterior entropy is to be measured.
- **num_samples** (*int*) – Number of samples per iteration.
- **num_steps** (*int*) – Number of optimization steps.
- **T** (*function or torch.nn.Module*) – optimisable function *T* for use in the Donsker-Varadhan loss function.
- **optim** (*pyro.optim.Optim*) – Optimiser to use.
- **return_history** (*bool*) – If *True*, also returns a tensor giving the loss function at each step of the optimization.
- **final_design** (*torch.Tensor*) – The final design tensor to evaluate at. If *None*, uses *design*.

- **final_num_samples** (`int`) – The number of samples to use at the final evaluation, If `None`, uses `num_samples`.

Returns EIG estimate, optionally includes full optimization history

Return type `torch.Tensor` or `tuple`

```
posterior_eig(model, design, observation_labels, target_labels, num_samples, num_steps, guide, optim,
               return_history=False, final_design=None, final_num_samples=None, eig=True,
               prior_entropy_kwargs={}, *args, **kwargs)
```

Posterior estimate of expected information gain (EIG) computed from the average posterior entropy (APE) using $EIG(d) = H[p(\theta)] - APE(d)$. See [1] for full details.

The posterior representation of APE is

$$\sup_q E_{p(y, \theta|d)}[\log q(\theta|y, d)]$$

where q is any distribution on θ .

This method optimises the loss over a given `guide` family representing q .

[1] Foster, Adam, et al. “Variational Bayesian Optimal Experimental Design.” arXiv preprint arXiv:1903.05480 (2019).

Parameters

- **model** (`function`) – A pyro model accepting `design` as only argument.
- **design** (`torch.Tensor`) – Tensor representation of design
- **observation_labels** (`list`) – A subset of the sample sites present in `model`. These sites are regarded as future observations and other sites are regarded as latent variables over which a posterior is to be inferred.
- **target_labels** (`list`) – A subset of the sample sites over which the posterior entropy is to be measured.
- **num_samples** (`int`) – Number of samples per iteration.
- **num_steps** (`int`) – Number of optimization steps.
- **guide** (`function`) – guide family for use in the (implicit) posterior estimation. The parameters of `guide` are optimised to maximise the posterior objective.
- **optim** (`pyro.optim.Optim`) – Optimiser to use.
- **return_history** (`bool`) – If `True`, also returns a tensor giving the loss function at each step of the optimization.
- **final_design** (`torch.Tensor`) – The final design tensor to evaluate at. If `None`, uses `design`.
- **final_num_samples** (`int`) – The number of samples to use at the final evaluation, If `None`, uses `num_samples`.
- **eig** (`bool`) – Whether to compute the EIG or the average posterior entropy (APE). The EIG is given by $EIG = prior\ entropy - APE$. If `True`, the prior entropy will be estimated analytically, or by Monte Carlo as appropriate for the `model`. If `False` the APE is returned.
- **prior_entropy_kwargs** (`dict`) – parameters for estimating the prior entropy: `num_prior_samples` indicating the number of samples for a MC estimate of prior entropy, and `mean_field` indicating if an analytic form for a mean-field prior should be tried.

Returns EIG estimate, optionally includes full optimization history

Return type `torch.Tensor or tuple`

marginal_eig(*model*, *design*, *observation_labels*, *target_labels*, *num_samples*, *num_steps*, *guide*, *optim*,
return_history=*False*, *final_design*=*None*, *final_num_samples*=*None*)

Estimate EIG by estimating the marginal entropy $p(y|d)$. See [1] for full details.

The marginal representation of EIG is

$$\inf_q E_{p(y,\theta|d)} \left[\log \frac{p(y|\theta,d)}{q(y|d)} \right]$$

where q is any distribution on y . A variational family for q is specified in the *guide*.

Warning: This method does **not** estimate the correct quantity in the presence of random effects.

[1] Foster, Adam, et al. “Variational Bayesian Optimal Experimental Design.” arXiv preprint arXiv:1903.05480 (2019).

Parameters

- **model** (*function*) – A pyro model accepting *design* as only argument.
- **design** (`torch.Tensor`) – Tensor representation of design
- **observation_labels** (`list`) – A subset of the sample sites present in *model*. These sites are regarded as future observations and other sites are regarded as latent variables over which a posterior is to be inferred.
- **target_labels** (`list`) – A subset of the sample sites over which the posterior entropy is to be measured.
- **num_samples** (`int`) – Number of samples per iteration.
- **num_steps** (`int`) – Number of optimization steps.
- **guide** (*function*) – guide family for use in the marginal estimation. The parameters of *guide* are optimised to maximise the log-likelihood objective.
- **optim** (`pyro.optim.Optim`) – Optimiser to use.
- **return_history** (`bool`) – If *True*, also returns a tensor giving the loss function at each step of the optimization.
- **final_design** (`torch.Tensor`) – The final design tensor to evaluate at. If *None*, uses *design*.
- **final_num_samples** (`int`) – The number of samples to use at the final evaluation, If *None*, uses *num_samples*.

Returns EIG estimate, optionally includes full optimization history

Return type `torch.Tensor or tuple`

lfire_eig(*model*, *design*, *observation_labels*, *target_labels*, *num_y_samples*, *num_theta_samples*, *num_steps*,
classifier, *optim*, *return_history*=*False*, *final_design*=*None*, *final_num_samples*=*None*)

Estimates the EIG using the method of Likelihood-Free Inference by Ratio Estimation (LFIRE) as in [1]. LFIRE is run separately for several samples of θ .

[1] Kleinegesse, Steven, and Michael Gutmann. “Efficient Bayesian Experimental Design for Implicit Models.” arXiv preprint arXiv:1810.09912 (2018).

Parameters

- **model** (*function*) – A pyro model accepting *design* as only argument.

- **design** (`torch.Tensor`) – Tensor representation of design
- **observation_labels** (`list`) – A subset of the sample sites present in `model`. These sites are regarded as future observations and other sites are regarded as latent variables over which a posterior is to be inferred.
- **target_labels** (`list`) – A subset of the sample sites over which the posterior entropy is to be measured.
- **num_y_samples** (`int`) – Number of samples to take in y for each θ .
- **num_steps** (`int`) – Number of optimization steps.
- **classifier** (`function`) – a Pytorch or Pyro classifier used to distinguish between samples of y under $p(y|d)$ and samples under $p(y|\theta, d)$ for some θ .
- **optim** (`pyro.optim.Optim`) – Optimiser to use.
- **return_history** (`bool`) – If `True`, also returns a tensor giving the loss function at each step of the optimization.
- **final_design** (`torch.Tensor`) – The final design tensor to evaluate at. If `None`, uses `design`.
- **final_num_samples** (`int`) – The number of samples to use at the final evaluation, If `None`, uses `num_samples`.

Param `int num_theta_samples`: Number of initial samples in θ to take. The likelihood ratio is estimated by LFIRE for each sample.

Returns EIG estimate, optionally includes full optimization history

Return type `torch.Tensor` or `tuple`

```
vmmc_eig(model, design, observation_labels, target_labels, num_samples, num_steps, guide, optim,
           return_history=False, final_design=None, final_num_samples=None)
```

Estimates the EIG using Variational Nested Monte Carlo (VNMC). The VNMC estimate [1] is

$$\frac{1}{N} \sum_{n=1}^N \left[\log p(y_n|\theta_n, d) - \log \left(\frac{1}{M} \sum_{m=1}^M \frac{p(\theta_{mn})p(y_n|\theta_{mn}, d)}{q(\theta_{mn}|y_n)} \right) \right]$$

where $q(\theta|y)$ is the learned variational posterior approximation and $\theta_n, y_n \sim p(\theta, y|d)$, $\theta_{mn} \sim q(\theta|y = y_n)$.

As $N \rightarrow \infty$ this is an upper bound on EIG. We minimise this upper bound by stochastic gradient descent.

Warning: This method cannot be used in the presence of random effects.

[1] Foster, Adam, et al. “Variational Bayesian Optimal Experimental Design.” arXiv preprint arXiv:1903.05480 (2019).

Parameters

- **model** (`function`) – A pyro model accepting `design` as only argument.
- **design** (`torch.Tensor`) – Tensor representation of design
- **observation_labels** (`list`) – A subset of the sample sites present in `model`. These sites are regarded as future observations and other sites are regarded as latent variables over which a posterior is to be inferred.
- **target_labels** (`list`) – A subset of the sample sites over which the posterior entropy is to be measured.

- **num_samples** (`tuple`) – Number of (N, M) samples per iteration.
- **num_steps** (`int`) – Number of optimization steps.
- **guide** (`function`) – guide family for use in the posterior estimation. The parameters of `guide` are optimised to minimise the VNMC upper bound.
- **optim** (`pyro.optim.Optim`) – Optimiser to use.
- **return_history** (`bool`) – If `True`, also returns a tensor giving the loss function at each step of the optimization.
- **final_design** (`torch.Tensor`) – The final design tensor to evaluate at. If `None`, uses `design`.
- **final_num_samples** (`tuple`) – The number of (N, M) samples to use at the final evaluation. If `None`, uses `num_samples`.

Returns EIG estimate, optionally includes full optimization history

Return type `torch.Tensor` or `tuple`

22.2 Generalised Linear Mixed Models

Warning: This module will eventually be deprecated in favor of `brmp`

The `pyro.contrib.oed.glmm` module provides models and guides for generalised linear mixed models (GLMM). It also includes the Normal-inverse-gamma family.

To create a classical Bayesian linear model, use:

```
from pyro.contrib.oed.glmm import known_covariance_linear_model

# Note: coef is a p-vector, observation_sd is a scalar
# Here, p=1 (one feature)
model = known_covariance_linear_model(coef_mean=torch.tensor([0.]),
                                       coef_sd=torch.tensor([10.]),
                                       observation_sd=torch.tensor(2.))

# An n x p design tensor
# Here, n=2 (two observations)
design = torch.tensor(torch.tensor([[1.], [-1.]]))

model(design)
```

A non-linear link function may be introduced, for instance:

```
from pyro.contrib.oed.glmm import logistic_regression_model

# No observation_sd is needed for logistic models
model = logistic_regression_model(coef_mean=torch.tensor([0.]),
                                   coef_sd=torch.tensor([10.]))
```

Random effects may be incorporated as regular Bayesian regression coefficients. For random effects with a shared covariance matrix, see `pyro.contrib.oed.glmm.lmer_model()`.

CHAPTER
TWENTYTHREE

RANDOM VARIABLES

23.1 Random Variable

```
class RandomVariable(distribution)
    Bases: pyro.contrib.randomvariable.random_variable.RVMagicOps, pyro.contrib.
    randomvariable.random_variable.RVChainOps
```

EXPERIMENTAL random variable container class around a distribution

Representation of a distribution interpreted as a random variable. Rather than directly manipulating a probability density by applying pointwise transformations to it, this allows for simple arithmetic transformations of the random variable the distribution represents. For more flexibility, consider using the *transform* method. Note that if you perform a non-invertible transform (like *abs(X)* or *X**2*), certain things might not work properly.

Can switch between *RandomVariable* and *Distribution* objects with the convenient *Distribution.rv* and *RandomVariable.dist* properties.

Supports either chaining operations or arithmetic operator overloading.

Example usage:

```
# This should be equivalent to an Exponential distribution.
RandomVariable(Uniform(0, 1)).log().neg().dist

# These two distributions Y1, Y2 should be the same
X = Uniform(0, 1).rv
Y1 = X.mul(4).pow(0.5).sub(1).abs().neg().dist
Y2 = (-abs((4*X)**(0.5) - 1)).dist
```

property dist

Convenience property for exposing the distribution underlying the random variable.

Returns The *Distribution* object underlying the random variable

Return type *Distribution*

transform(*t*: *torch.distributions.transforms.Transform*)

Performs a transformation on the distribution underlying the RV.

Parameters *t* (*Transform*) – The transformation (or sequence of transformations) to be applied to the distribution. There are many examples to be found in *torch.distributions.transforms* and *pyro.distributions.transforms*, or you can subclass directly from *Transform*.

Returns The transformed *RandomVariable*

Return type *RandomVariable*

CHAPTER
TWENTYFOUR

TIME SERIES

The `pyro.contrib.timeseries` module provides a collection of Bayesian time series models useful for forecasting applications.

See the [GP example](#) for example usage.

24.1 Abstract Models

```
class TimeSeriesModel(name='')
```

Bases: `pyro.nn.module.PyroModule`

Base class for univariate and multivariate time series models.

`log_prob(targets)`

Log probability function.

Parameters `targets` (`torch.Tensor`) – A 2-dimensional tensor of real-valued targets of shape $(T, \text{obs_dim})$, where T is the length of the time series and `obs_dim` is the dimension of the real-valued `targets` at each time step

Returns `torch.Tensor` A 0-dimensional log probability for the case of properly multivariate time series models in which the output dimensions are correlated; otherwise returns a 1-dimensional tensor of log probabilities for batched univariate time series models.

`forecast(targets, dts)`

Parameters

- `targets` (`torch.Tensor`) – A 2-dimensional tensor of real-valued targets of shape $(T, \text{obs_dim})$, where T is the length of the time series and `obs_dim` is the dimension of the real-valued targets at each time step. These represent the training data that are conditioned on for the purpose of making forecasts.
- `dts` (`torch.Tensor`) – A 1-dimensional tensor of times to forecast into the future, with zero corresponding to the time of the final target `targets[-1]`.

Returns `torch.distributions.Distribution` Returns a predictive distribution with batch shape $(S,)$ and event shape $(\text{obs_dim},)$, where S is the size of `dts`. That is, the resulting predictive distributions do not encode correlations between distinct times in `dts`.

`get_dist()`

Get a `Distribution` object corresponding to this time series model. Often this is a `GaussianHMM`.

`training: bool`

24.2 Gaussian Processes

```
class IndependentMaternGP(nu=1.5, dt=1.0, obs_dim=1, length_scale_init=None, kernel_scale_init=None,
                           obs_noise_scale_init=None)
Bases: pyro.contrib.timeseries.base.TimeSeriesModel
```

A time series model in which each output dimension is modeled independently with a univariate Gaussian Process with a Matern kernel. The targets are assumed to be evenly spaced in time. Training and inference are logarithmic in the length of the time series T.

Parameters

- **nu** (`float`) – The order of the Matern kernel; one of 0.5, 1.5 or 2.5.
- **dt** (`float`) – The time spacing between neighboring observations of the time series.
- **obs_dim** (`int`) – The dimension of the targets at each time step.
- **length_scale_init** (`torch.Tensor`) – optional initial values for the kernel length scale given as a `obs_dim`-dimensional tensor
- **kernel_scale_init** (`torch.Tensor`) – optional initial values for the kernel scale given as a `obs_dim`-dimensional tensor
- **obs_noise_scale_init** (`torch.Tensor`) – optional initial values for the observation noise scale given as a `obs_dim`-dimensional tensor

get_dist(duration=None)

Get the [GaussianHMM](#) distribution that corresponds to `obs_dim`-many independent Matern GPs.

Parameters **duration** (`int`) – Optional size of the time axis event_shape[0]. This is required when sampling from homogeneous HMMs whose parameters are not expanded along the time axis.

log_prob(targets)

Parameters **targets** (`torch.Tensor`) – A 2-dimensional tensor of real-valued targets of shape (T, `obs_dim`), where T is the length of the time series and `obs_dim` is the dimension of the real-valued targets at each time step

Returns `torch.Tensor` A 1-dimensional tensor of log probabilities of shape (`obs_dim`,)

forecast(targets, dts)

Parameters

- **targets** (`torch.Tensor`) – A 2-dimensional tensor of real-valued targets of shape (T, `obs_dim`), where T is the length of the time series and `obs_dim` is the dimension of the real-valued targets at each time step. These represent the training data that are conditioned on for the purpose of making forecasts.
- **dts** (`torch.Tensor`) – A 1-dimensional tensor of times to forecast into the future, with zero corresponding to the time of the final target `targets[-1]`.

Returns `torch.distributions.Normal` Returns a predictive Normal distribution with batch shape (S,) and event shape (`obs_dim`,), where S is the size of `dts`.

training: `bool`

```
class LinearlyCoupledMaternGP(nu=1.5, dt=1.0, obs_dim=2, num_gps=1, length_scale_init=None,
                                kernel_scale_init=None, obs_noise_scale_init=None)
```

Bases: `pyro.contrib.timeseries.base.TimeSeriesModel`

A time series model in which each output dimension is modeled as a linear combination of shared univariate Gaussian Processes with Matern kernels.

In more detail, the generative process is:

$$y_i(t) = \sum_j A_{ij} f_j(t) + \epsilon_i(t)$$

The targets y_i are assumed to be evenly spaced in time. Training and inference are logarithmic in the length of the time series T.

Parameters

- **nu** (`float`) – The order of the Matern kernel; one of 0.5, 1.5 or 2.5.
- **dt** (`float`) – The time spacing between neighboring observations of the time series.
- **obs_dim** (`int`) – The dimension of the targets at each time step.
- **num_gps** (`int`) – The number of independent GPs that are mixed to model the time series. Typical values might be $N_{\text{gp}} \in [\frac{D_{\text{obs}}}{2}, D_{\text{obs}}]$
- **length_scale_init** (`torch.Tensor`) – optional initial values for the kernel length scale given as a `num_gps`-dimensional tensor
- **kernel_scale_init** (`torch.Tensor`) – optional initial values for the kernel scale given as a `num_gps`-dimensional tensor
- **obs_noise_scale_init** (`torch.Tensor`) – optional initial values for the observation noise scale given as a `obs_dim`-dimensional tensor

get_dist(duration=None)

Get the `GaussianHMM` distribution that corresponds to a `LinearlyCoupledMaternGP`.

Parameters duration (`int`) – Optional size of the time axis `event_shape[0]`. This is required when sampling from homogeneous HMMs whose parameters are not expanded along the time axis.

log_prob(targets)

Parameters targets (`torch.Tensor`) – A 2-dimensional tensor of real-valued targets of shape $(T, \text{obs_dim})$, where T is the length of the time series and `obs_dim` is the dimension of the real-valued `targets` at each time step

Returns torch.Tensor a (scalar) log probability

forecast(targets, dts)

Parameters

- **targets** (`torch.Tensor`) – A 2-dimensional tensor of real-valued targets of shape $(T, \text{obs_dim})$, where T is the length of the time series and `obs_dim` is the dimension of the real-valued targets at each time step. These represent the training data that are conditioned on for the purpose of making forecasts.
- **dts** (`torch.Tensor`) – A 1-dimensional tensor of times to forecast into the future, with zero corresponding to the time of the final target `targets[-1]`.

Returns torch.distributions.MultivariateNormal Returns a predictive `MultivariateNormal` distribution with batch shape $(S,)$ and event shape $(\text{obs_dim},)$, where S is the size of `dts`.

```
training: bool

class DependentMaternGP(nu=1.5, dt=1.0, obs_dim=1, linearly_coupled=False, length_scale_init=None,
obs_noise_scale_init=None)
Bases: pyro.contrib.timeseries.base.TimeSeriesModel
```

A time series model in which each output dimension is modeled as a univariate Gaussian Process with a Matern kernel. The different output dimensions become correlated because the Gaussian Processes are driven by a correlated Wiener process; see reference [1] for details. If, in addition, *linearly_coupled* is True, additional correlation is achieved through linear mixing as in *LinearlyCoupledMaternGP*. The targets are assumed to be evenly spaced in time. Training and inference are logarithmic in the length of the time series T.

Parameters

- **nu** (*float*) – The order of the Matern kernel; must be 1.5.
- **dt** (*float*) – The time spacing between neighboring observations of the time series.
- **obs_dim** (*int*) – The dimension of the targets at each time step.
- **linearly_coupled** (*bool*) – Whether to linearly mix the various gaussian processes in the likelihood. Defaults to False.
- **length_scale_init** (*torch.Tensor*) – optional initial values for the kernel length scale given as a `obs_dim`-dimensional tensor
- **obs_noise_scale_init** (*torch.Tensor*) – optional initial values for the observation noise scale given as a `obs_dim`-dimensional tensor

References [1] “Dependent Matern Processes for Multivariate Time Series,” Alexander Vandenberg-Rodes, Babak Shahbaba.

get_dist(*duration=None*)

Get the *GaussianHMM* distribution that corresponds to a *DependentMaternGP*

Parameters **duration** (*int*) – Optional size of the time axis `event_shape[0]`. This is required when sampling from homogeneous HMMs whose parameters are not expanded along the time axis.

log_prob(*targets*)

Parameters **targets** (*torch.Tensor*) – A 2-dimensional tensor of real-valued targets of shape $(T, \text{obs_dim})$, where T is the length of the time series and `obs_dim` is the dimension of the real-valued targets at each time step

Returns *torch.Tensor* A (scalar) log probability

training: bool

forecast(*targets, dts*)

Parameters

- **targets** (*torch.Tensor*) – A 2-dimensional tensor of real-valued targets of shape $(T, \text{obs_dim})$, where T is the length of the time series and `obs_dim` is the dimension of the real-valued targets at each time step. These represent the training data that are conditioned on for the purpose of making forecasts.
- **dts** (*torch.Tensor*) – A 1-dimensional tensor of times to forecast into the future, with zero corresponding to the time of the final target `targets[-1]`.

Returns `torch.distributions.MultivariateNormal` Returns a predictive MultivariateNormal distribution with batch shape $(S,)$ and event shape $(\text{obs_dim},)$, where S is the size of `dts`.

24.3 Linear Gaussian State Space Models

```
class GenericLGSSM(obs_dim=1, state_dim=2, obs_noise_scale_init=None, learnable_observation_loc=False)
Bases: pyro.contrib.timeseries.base.TimeSeriesModel
```

A generic Linear Gaussian State Space Model parameterized with arbitrary time invariant transition and observation dynamics. The targets are (implicitly) assumed to be evenly spaced in time. Training and inference are logarithmic in the length of the time series T .

Parameters

- **`obs_dim` (`int`)** – The dimension of the targets at each time step.
- **`state_dim` (`int`)** – The dimension of latent state at each time step.
- **`learnable_observation_loc` (`bool`)** – whether the mean of the observation model should be learned or not; defaults to False.

`get_dist(duration=None)`

Get the `GaussianHMM` distribution that corresponds to `GenericLGSSM`.

Parameters `duration` (`int`) – Optional size of the time axis `event_shape[0]`. This is required when sampling from homogeneous HMMs whose parameters are not expanded along the time axis.

`log_prob(targets)`

Parameters `targets` (`torch.Tensor`) – A 2-dimensional tensor of real-valued targets of shape $(T, \text{obs_dim})$, where T is the length of the time series and `obs_dim` is the dimension of the real-valued targets at each time step

Returns `torch.Tensor` A (scalar) log probability.

`forecast(targets, N_timesteps)`

Parameters

- **`targets` (`torch.Tensor`)** – A 2-dimensional tensor of real-valued targets of shape $(T, \text{obs_dim})$, where T is the length of the time series and `obs_dim` is the dimension of the real-valued targets at each time step. These represent the training data that are conditioned on for the purpose of making forecasts.
- **`N_timesteps` (`int`)** – The number of timesteps to forecast into the future from the final target `targets[-1]`.

Returns `torch.distributions.MultivariateNormal` Returns a predictive MultivariateNormal distribution with batch shape $(N_{\text{timesteps}},)$ and event shape $(\text{obs_dim},)$

`training: bool`

```
class GenericLGSSMWithGPNoiseModel(obs_dim=1, state_dim=2, nu=1.5, obs_noise_scale_init=None,
length_scale_init=None, kernel_scale_init=None,
learnable_observation_loc=False)
Bases: pyro.contrib.timeseries.base.TimeSeriesModel
```

A generic Linear Gaussian State Space Model parameterized with arbitrary time invariant transition and observation dynamics together with separate Gaussian Process noise models for each output dimension. In more detail, the generative process is:

$$y_i(t) = \sum_j A_{ij} z_j(t) + f_i(t) + \epsilon_i(t)$$

where the latent variables $\mathbf{z}(t)$ follow generic time invariant Linear Gaussian dynamics and the $f_i(t)$ are Gaussian Processes with Matern kernels.

The targets are (implicitly) assumed to be evenly spaced in time. In particular a timestep of $dt = 1.0$ for the continuous-time GP dynamics corresponds to a single discrete step of the \mathbf{z} -space dynamics. Training and inference are logarithmic in the length of the time series T.

Parameters

- **obs_dim** (`int`) – The dimension of the targets at each time step.
- **state_dim** (`int`) – The dimension of the \mathbf{z} latent state at each time step.
- **nu** (`float`) – The order of the Matern kernel; one of 0.5, 1.5 or 2.5.
- **length_scale_init** (`torch.Tensor`) – optional initial values for the kernel length scale given as a `obs_dim`-dimensional tensor
- **kernel_scale_init** (`torch.Tensor`) – optional initial values for the kernel scale given as a `obs_dim`-dimensional tensor
- **obs_noise_scale_init** (`torch.Tensor`) – optional initial values for the observation noise scale given as a `obs_dim`-dimensional tensor
- **learnable_observation_loc** (`bool`) – whether the mean of the observation model should be learned or not; defaults to False.

`get_dist(duration=None)`

Get the `GaussianHMM` distribution that corresponds to `GenericLGSSMWithGPNoiseModel`.

Parameters **duration** (`int`) – Optional size of the time axis `event_shape[0]`. This is required when sampling from homogeneous HMMs whose parameters are not expanded along the time axis.

`log_prob(targets)`

Parameters **targets** (`torch.Tensor`) – A 2-dimensional tensor of real-valued targets of shape $(T, \text{obs_dim})$, where T is the length of the time series and `obs_dim` is the dimension of the real-valued `targets` at each time step

Returns `torch.Tensor` A (scalar) log probability.

`forecast(targets, N_timesteps)`

Parameters

- **targets** (`torch.Tensor`) – A 2-dimensional tensor of real-valued targets of shape $(T, \text{obs_dim})$, where T is the length of the time series and `obs_dim` is the dimension of the real-valued targets at each time step. These represent the training data that are conditioned on for the purpose of making forecasts.
- **N_timesteps** (`int`) – The number of timesteps to forecast into the future from the final target `targets[-1]`.

Returns `torch.distributions.MultivariateNormal` Returns a predictive MultivariateNormal distribution with batch shape $(N_timesteps,)$ and event shape $(\text{obs_dim},)$

```
training: bool
```


TRACKING

25.1 Data Association

```
class MarginalAssignment(exists_logits, assign_logits, bp_iters=None)
```

Computes marginal data associations between objects and detections.

This assumes that each detection corresponds to zero or one object, and each object corresponds to zero or more detections. Specifically this does not assume detections have been partitioned into frames of mutual exclusion as is common in 2-D assignment problems.

Parameters

- **exists_logits** (`torch.Tensor`) – a tensor of shape [num_objects] representing per-object factors for existence of each potential object.
- **assign_logits** (`torch.Tensor`) – a tensor of shape [num_detections, num_objects] representing per-edge factors of assignment probability, where each edge denotes that a given detection associates with a single object.
- **bp_iters** (`int`) – optional number of belief propagation iterations. If unspecified or None an expensive exact algorithm will be used.

Variables

- **num_detections** (`int`) – the number of detections
- **num_objects** (`int`) – the number of (potentially existing) objects
- **exists_dist** (`pyro.distributions.Bernoulli`) – a mean field posterior distribution over object existence.
- **assign_dist** (`pyro.distributions.Categorical`) – a mean field posterior distribution over the object (or None) to which each detection associates. This has `.event_shape == (num_objects + 1,)` where the final element denotes spurious detection, and `.batch_shape == (num_frames, num_detections)`.

```
class MarginalAssignmentSparse(num_objects, num_detections, edges, exists_logits, assign_logits, bp_iters)
```

A cheap sparse version of `MarginalAssignment`.

Parameters

- **num_detections** (`int`) – the number of detections
- **num_objects** (`int`) – the number of (potentially existing) objects
- **edges** (`torch.LongTensor`) – a [2, num_edges]-shaped tensor of (detection, object) index pairs specifying feasible associations.

- **exists_logits** (`torch.Tensor`) – a tensor of shape [num_objects] representing per-object factors for existence of each potential object.
- **assign_logits** (`torch.Tensor`) – a tensor of shape [num_edges] representing per-edge factors of assignment probability, where each edge denotes that a given detection associates with a single object.
- **bp_iters** (`int`) – optional number of belief propagation iterations. If unspecified or `None` an expensive exact algorithm will be used.

Variables

- **num_detections** (`int`) – the number of detections
- **num_objects** (`int`) – the number of (potentially existing) objects
- **exists_dist** (`pyro.distributions.Bernoulli`) – a mean field posterior distribution over object existence.
- **assign_dist** (`pyro.distributions.Categorical`) – a mean field posterior distribution over the object (or `None`) to which each detection associates. This has `.event_shape == (num_objects + 1,)` where the final element denotes spurious detection, and `.batch_shape == (num_frames, num_detections)`.

```
class MarginalAssignmentPersistent(exists_logits, assign_logits, bp_iters=None, bp_momentum=0.5)
```

This computes marginal distributions of a multi-frame multi-object data association problem with an unknown number of persistent objects.

The inputs are factors in a factor graph (existence probabilities for each potential object and assignment probabilities for each object-detection pair), and the outputs are marginal distributions of posterior existence probability of each potential object and posterior assignment probabilities of each object-detection pair.

This assumes a shared (maximum) number of detections per frame; to handle variable number of detections, simply set corresponding elements of `assign_logits` to `-float('inf')`.

Parameters

- **exists_logits** (`torch.Tensor`) – a tensor of shape [num_objects] representing per-object factors for existence of each potential object.
- **assign_logits** (`torch.Tensor`) – a tensor of shape [num_frames, num_detections, num_objects] representing per-edge factors of assignment probability, where each edge denotes that at a given time frame a given detection associates with a single object.
- **bp_iters** (`int`) – optional number of belief propagation iterations. If unspecified or `None` an expensive exact algorithm will be used.
- **bp_momentum** (`float`) – optional momentum to use for belief propagation. Should be in the interval $[0, 1]$.

Variables

- **num_frames** (`int`) – the number of time frames
- **num_detections** (`int`) – the (maximum) number of detections per frame
- **num_objects** (`int`) – the number of (potentially existing) objects
- **exists_dist** (`pyro.distributions.Bernoulli`) – a mean field posterior distribution over object existence.
- **assign_dist** (`pyro.distributions.Categorical`) – a mean field posterior distribution over the object (or `None`) to which each detection associates. This has `.event_shape`

```
    == (num_objects + 1,) where the final element denotes spurious detection, and .
batch_shape == (num_frames, num_detections).
```

`compute_marginals(exists_logits, assign_logits)`

This implements exact inference of pairwise marginals via enumeration. This is very expensive and is only useful for testing.

See [MarginalAssignment](#) for args and problem description.

`compute_marginals_bp(exists_logits, assign_logits, bp_iters)`

This implements approximate inference of pairwise marginals via loopy belief propagation, adapting the approach of [1].

See [MarginalAssignment](#) for args and problem description.

- [1] Jason L. Williams, Roslyn A. Lau (2014) Approximate evaluation of marginal association probabilities with belief propagation <https://arxiv.org/abs/1209.6299>

`compute_marginals_sparse_bp(num_objects, num_detections, edges, exists_logits, assign_logits, bp_iters)`

This implements approximate inference of pairwise marginals via loopy belief propagation, adapting the approach of [1].

See [MarginalAssignmentSparse](#) for args and problem description.

- [1] Jason L. Williams, Roslyn A. Lau (2014) Approximate evaluation of marginal association probabilities with belief propagation <https://arxiv.org/abs/1209.6299>

`compute_marginals_persistent(exists_logits, assign_logits)`

This implements exact inference of pairwise marginals via enumeration. This is very expensive and is only useful for testing.

See [MarginalAssignmentPersistent](#) for args and problem description.

`compute_marginals_persistent_bp(exists_logits, assign_logits, bp_iters, bp_momentum=0.5)`

This implements approximate inference of pairwise marginals via loopy belief propagation, adapting the approach of [1], [2].

See [MarginalAssignmentPersistent](#) for args and problem description.

- [1] Jason L. Williams, Roslyn A. Lau (2014) Approximate evaluation of marginal association probabilities with belief propagation <https://arxiv.org/abs/1209.6299>

- [2] Ryan Turner, Steven Bottone, Bhargav Avasarala (2014) A Complete Variational Tracker <https://papers.nips.cc/paper/5572-a-complete-variational-tracker.pdf>

25.2 Distributions

`class EKFDistribution(*args, **kwargs)`

Distribution over EKF states. See [EKFState](#). Currently only supports `log_prob`.

Parameters

- `x0 (torch.Tensor)` – PV tensor (mean)
- `P0 (torch.Tensor)` – covariance
- `dynamic_model` – [DynamicModel](#) object
- `measurement_cov (torch.Tensor)` – measurement covariance
- `time_steps (int)` – number time step
- `dt (torch.Tensor)` – time step

filter_states(*value*)

Returns the ekf states given measurements

Parameters **value** (*torch.Tensor*) – measurement means of shape (*time_steps, event_shape*)

log_prob(*value*)

Returns the joint log probability of the innovations of a tensor of measurements

Parameters **value** (*torch.Tensor*) – measurement means of shape (*time_steps, event_shape*)

25.3 Dynamic Models

class DynamicModel(*dimension, dimension_pv, num_process_noise_parameters=None*)

Dynamic model interface.

Parameters

- **dimension** – native state dimension.
- **dimension_pv** – PV state dimension.
- **num_process_noise_parameters** – process noise parameter space dimension. This for UKF applications. Can be left as None for EKF and most other filters.

property dimension

Native state dimension access.

property dimension_pv

PV state dimension access.

property num_process_noise_parameters

Process noise parameters space dimension access.

abstract forward(*x, dt, do_normalization=True*)

Integrate native state *x* over time interval *dt*.

Parameters

- **x** – current native state. If the DynamicModel is non-differentiable, be sure to handle the case of *x* being augmented with process noise parameters.
- **dt** – time interval to integrate over.
- **do_normalization** – whether to perform normalization on output, e.g., mod’ing angles into an interval.

Returns Native state *x* integrated *dt* into the future.

geodesic_difference(*x1, x0*)

Compute and return the geodesic difference between 2 native states. This is a generalization of the Euclidean operation *x1 - x0*.

Parameters

- **x1** – native state.
- **x0** – native state.

Returns Geodesic difference between native states *x1* and *x2*.

abstract mean2pv(*x*)

Compute and return PV state from native state. Useful for combining state estimates of different types in IMM (Interacting Multiple Model) filtering.

Parameters `x` – native state estimate mean.

Returns PV state estimate mean.

abstract cov2pv(P)
Compute and return PV covariance from native covariance. Useful for combining state estimates of different types in IMM (Interacting Multiple Model) filtering.

Parameters `P` – native state estimate covariance.

Returns PV state estimate covariance.

abstract process_noise_cov($dt=0.0$)
Compute and return process noise covariance (Q).

Parameters `dt` – time interval to integrate over.

Returns Read-only covariance (Q). For a DifferentiableDynamicModel, this is the covariance of the native state `x` resulting from stochastic integration (for use with EKF). Otherwise, it is the covariance directly of the process noise parameters (for use with UKF).

process_noise_dist($dt=0.0$)
Return a distribution object of state displacement from the process noise distribution over a time interval.

Parameters `dt` – time interval that process noise accumulates over.

Returns `MultivariateNormal`.

class DifferentiableDynamicModel($dimension, dimension_pv, num_process_noise_parameters=None$)
DynamicModel for which state transition Jacobians can be efficiently calculated, usu. analytically or by automatic differentiation.

abstract jacobian(dt)
Compute and return native state transition Jacobian (F) over time interval `dt`.

Parameters `dt` – time interval to integrate over.

Returns Read-only Jacobian (F) of integration map (f).

class Ncp($dimension, sv2$)
NCP (Nearly-Constant Position) dynamic model. May be subclassed, e.g., with CWNV (Continuous White Noise Velocity) or DWNV (Discrete White Noise Velocity).

Parameters

- `dimension` – native state dimension.
- `sv2` – variance of velocity. Usually chosen so that the standard deviation is roughly half of the max velocity one would ever expect to observe.

forward($x, dt, do_normalization=True$)
Integrate native state `x` over time interval `dt`.

Parameters

- `x` – current native state. If the DynamicModel is non-differentiable, be sure to handle the case of `x` being augmented with process noise parameters.
- `dt` – time interval to integrate over. `do_normalization`: whether to perform normalization on output, e.g., mod'ing angles into an interval. Has no effect for this subclass.

Returns Native state `x` integrated `dt` into the future.

mean2pv(x)
Compute and return PV state from native state. Useful for combining state estimates of different types in IMM (Interacting Multiple Model) filtering.

Parameters `x` – native state estimate mean.

Returns PV state estimate mean.

cov2pv(P)

Compute and return PV covariance from native covariance. Useful for combining state estimates of different types in IMM (Interacting Multiple Model) filtering.

Parameters `P` – native state estimate covariance.

Returns PV state estimate covariance.

jacobian(dt)

Compute and return cached native state transition Jacobian (`F`) over time interval `dt`.

Parameters `dt` – time interval to integrate over.

Returns Read-only Jacobian (`F`) of integration map (`f`).

abstract process_noise_cov($dt=0.0$)

Compute and return cached process noise covariance (`Q`).

Parameters `dt` – time interval to integrate over.

Returns Read-only covariance (`Q`) of the native state `x` resulting from stochastic integration (for use with EKF).

class Ncv($dimension, sa2$)

NCV (Nearly-Constant Velocity) dynamic model. May be subclassed, e.g., with CWNA (Continuous White Noise Acceleration) or DWNA (Discrete White Noise Acceleration).

Parameters

- `dimension` – native state dimension.
- `sa2` – variance of acceleration. Usually chosen so that the standard deviation is roughly half of the max acceleration one would ever expect to observe.

forward($x, dt, do_normalization=True$)

Integrate native state `x` over time interval `dt`.

Parameters

- `x` – current native state. If the DynamicModel is non-differentiable, be sure to handle the case of `x` being augmented with process noise parameters.
- `dt` – time interval to integrate over.
- `do_normalization` – whether to perform normalization on output, e.g., mod’ing angles into an interval. Has no effect for this subclass.

Returns Native state `x` integrated `dt` into the future.

mean2pv(x)

Compute and return PV state from native state. Useful for combining state estimates of different types in IMM (Interacting Multiple Model) filtering.

Parameters `x` – native state estimate mean.

Returns PV state estimate mean.

cov2pv(P)

Compute and return PV covariance from native covariance. Useful for combining state estimates of different types in IMM (Interacting Multiple Model) filtering.

Parameters `P` – native state estimate covariance.

Returns PV state estimate covariance.

jacobian(*dt*)

Compute and return cached native state transition Jacobian (F) over time interval dt .

Parameters **dt** – time interval to integrate over.

Returns Read-only Jacobian (F) of integration map (f).

abstract process_noise_cov(*dt*=0.0)

Compute and return cached process noise covariance (Q).

Parameters **dt** – time interval to integrate over.

Returns Read-only covariance (Q) of the native state x resulting from stochastic integration (for use with EKF).

class NcpContinuous(*dimension*, *sv2*)

NCP (Nearly-Constant Position) dynamic model with CWNW (Continuous White Noise Velocity).

References: “Estimation with Applications to Tracking and Navigation” by Y. Bar- Shalom et al, 2001, p.269.

Parameters

- **dimension** – native state dimension.
- **sv2** – variance of velocity. Usually chosen so that the standard deviation is roughly half of the max velocity one would ever expect to observe.

process_noise_cov(*dt*=0.0)

Compute and return cached process noise covariance (Q).

Parameters **dt** – time interval to integrate over.

Returns Read-only covariance (Q) of the native state x resulting from stochastic integration (for use with EKF).

class NcvContinuous(*dimension*, *sa2*)

NCV (Nearly-Constant Velocity) dynamic model with CWNA (Continuous White Noise Acceleration).

References: “Estimation with Applications to Tracking and Navigation” by Y. Bar- Shalom et al, 2001, p.269.

Parameters

- **dimension** – native state dimension.
- **sa2** – variance of acceleration. Usually chosen so that the standard deviation is roughly half of the max acceleration one would ever expect to observe.

process_noise_cov(*dt*=0.0)

Compute and return cached process noise covariance (Q).

Parameters **dt** – time interval to integrate over.

Returns Read-only covariance (Q) of the native state x resulting from stochastic integration (for use with EKF).

class NcpDiscrete(*dimension*, *sv2*)

NCP (Nearly-Constant Position) dynamic model with DWNV (Discrete White Noise Velocity).

Parameters

- **dimension** – native state dimension.

- **sv2** – variance of velocity. Usually chosen so that the standard deviation is roughly half of the max velocity one would ever expect to observe.

References: “Estimation with Applications to Tracking and Navigation” by Y. Bar- Shalom et al, 2001, p.273.

process_noise_cov($dt=0.0$)

Compute and return cached process noise covariance (Q).

Parameters **dt** – time interval to integrate over.

Returns Read-only covariance (Q) of the native state x resulting from stochastic integration (for use with EKF).

class NcvDiscrete($dimension, sa2$)

NCV (Nearly-Constant Velocity) dynamic model with DWNA (Discrete White Noise Acceleration).

Parameters

- **dimension** – native state dimension.
- **sa2** – variance of acceleration. Usually chosen so that the standard deviation is roughly half of the max acceleration one would ever expect to observe.

References: “Estimation with Applications to Tracking and Navigation” by Y. Bar- Shalom et al, 2001, p.273.

process_noise_cov($dt=0.0$)

Compute and return cached process noise covariance (Q).

Parameters **dt** – time interval to integrate over.

Returns Read-only covariance (Q) of the native state x resulting from stochastic integration (for use with EKF). (Note that this Q, modulo numerical error, has rank $dimension/2$. So, it is only positive semi-definite.)

25.4 Extended Kalman Filter

class EKFState($dynamic_model, mean, cov, time=None, frame_num=None$)

State-Centric EKF (Extended Kalman Filter) for use with either an NCP (Nearly-Constant Position) or NCV (Nearly-Constant Velocity) target dynamic model. Stores a target dynamic model, state estimate, and state time. Incoming Measurement provide sensor information for updates.

Warning: For efficiency, the dynamic model is only shallow-copied. Make a deep copy outside as necessary to protect against unexpected changes.

Parameters

- **dynamic_model** – target dynamic model.
- **mean** – mean of target state estimate.
- **cov** – covariance of target state estimate.
- **time** – time of state estimate.

property dynamic_model

Dynamic model access.

property dimension

Native state dimension access.

property mean

Native state estimate mean access.

property cov

Native state estimate covariance access.

property dimension_pv

PV state dimension access.

mean_pv()

Compute and return cached PV state estimate mean.

cov_pv()

Compute and return cached PV state estimate covariance.

property time

Continuous State time access.

property frame_num

Discrete State time access.

predict(*dt=None, destination_time=None, destination_frame_num=None*)

Use dynamic model to predict (aka propagate aka integrate) state estimate in-place.

Parameters

- **dt** – time to integrate over. The state time will be automatically incremented this amount unless you provide `destination_time`. Using `destination_time` may be preferable for prevention of roundoff error accumulation.
- **destination_time** – optional value to set continuous state time to after integration. If this is not provided, then `destination_frame_num` must be.
- **destination_frame_num** – optional value to set discrete state time to after integration. If this is not provided, then `destination_time` must be.

innovation(*measurement*)

Compute and return the innovation that a measurement would induce if it were used for an update, but don't actually perform the update. Assumes state and measurement are time-aligned. Useful for computing Chi^2 stats and likelihoods.

Parameters `measurement` – measurement

Returns Innovation mean and covariance of hypothetical update.

Return type tuple(torch.Tensor, torch.Tensor)

log_likelihood_of_update(*measurement*)

Compute and return the likelihood of a potential update, but don't actually perform the update. Assumes state and measurement are time-aligned. Useful for gating and calculating costs in assignment problems for data association.

Param `measurement`.

Returns Likelihood of hypothetical update.

update(*measurement*)

Use `measurement` to update state estimate in-place and return innovation. The innovation is useful, e.g., for evaluating filter consistency or updating model likelihoods when the `EKFState` is part of an `IMMFState`.

Param `measurement`.

Returns EKF State, Innovation mean and covariance.

25.5 Hashing

class LSH(radius)

Implements locality-sensitive hashing for low-dimensional euclidean space.

Allows to efficiently find neighbours of a point. Provides 2 guarantees:

- Difference between coordinates of points not returned by `nearby()` and input point is larger than `radius`.
- Difference between coordinates of points returned by `nearby()` and input point is smaller than 2 `radius`.

Example:

```
>>> radius = 1
>>> lsh = LSH(radius)
>>> a = torch.tensor([-0.51, -0.51]) # hash(a)=(-1,-1)
>>> b = torch.tensor([-0.49, -0.49]) # hash(a)=(0,0)
>>> c = torch.tensor([1.0, 1.0]) # hash(b)=(1,1)
>>> lsh.add('a', a)
>>> lsh.add('b', b)
>>> lsh.add('c', c)
>>> # even though c is within 2radius of a
>>> lsh.nearby('a')
{'b'}
>>> lsh.nearby('b')
{'a', 'c'}
>>> lsh.remove('b')
>>> lsh.nearby('a')
set()
```

Parameters `radius` (`float`) – Scaling parameter used in hash function. Determines the size of the neighbourhood.

`add(key, point)`

Adds (key, point) pair to the hash.

Parameters

- `key` – Key used identify point.
- `point` (`torch.Tensor`) – data, should be detached and on cpu.

`remove(key)`

Removes key and corresponding point from the hash.

Raises `KeyError` if key is not in hash.

Parameters

`key` – key used to identify point.

`nearby(key)`

Returns a set of keys which are neighbours of the point identified by `key`.

Two points are nearby if difference of each element of their hashes is smaller than 2. In euclidean space, this corresponds to all points \mathbf{p} where $|\mathbf{p}_k - (\mathbf{p}_{\text{key}})_k| < r$, and some points (all points not guaranteed) where $|\mathbf{p}_k - (\mathbf{p}_{\text{key}})_k| < 2r$.

Parameters `key` – key used to identify input point.

Returns a set of keys identifying neighbours of the input point.

Return type `set`

class `ApproxSet(radius)`

Queries low-dimensional euclidean space for approximate occupancy.

Parameters `radius` (`float`) – scaling parameter used in hash function. Determines the size of the bin. See [LSH](#) for details.

`try_add(point)`

Attempts to add `point` to set. Only adds there are no points in the `point`'s bin.

Parameters `point` (`torch.Tensor`) – Point to be queried, should be detached and on cpu.

Returns True if point is successfully added, False if there is already a point in `point`'s bin.

Return type `bool`

`merge_points(points, radius)`

Greedily merge points that are closer than given radius.

This uses [LSH](#) to achieve complexity that is linear in the number of merged clusters and quadratic in the size of the largest merged cluster.

Parameters

- `points` (`torch.Tensor`) – A tensor of shape (K,D) where K is the number of points and D is the number of dimensions.
- `radius` (`float`) – The minimum distance nearer than which points will be merged.

Returns A tuple (`merged_points`, `groups`) where `merged_points` is a tensor of shape (J,D) where J <= K, and `groups` is a list of tuples of indices mapping merged points to original points. Note that `len(groups) == J` and `sum(len(group) for group in groups) == K`.

Return type `tuple`

25.6 Measurements

class `Measurement(mean, cov, time=None, frame_num=None)`

Gaussian measurement interface.

Parameters

- `mean` – mean of measurement distribution.
- `cov` – covariance of measurement distribution.
- `time` – continuous time of measurement. If this is not provided, `frame_num` must be.
- `frame_num` – discrete time of measurement. If this is not provided, `time` must be.

`property dimension`

Measurement space dimension access.

`property mean`

Measurement mean (z in most Kalman Filtering literature).

`property cov`

Noise covariance (R in most Kalman Filtering literature).

property time

Continuous time of measurement.

property frame_num

Discrete time of measurement.

geodesic_difference(z1, z0)

Compute and return the geodesic difference between 2 measurements. This is a generalization of the Euclidean operation $z1 - z0$.

Parameters

- **z1** – measurement.
- **z0** – measurement.

Returns Geodesic difference between $z1$ and $z2$.

class DifferentiableMeasurement(mean, cov, time=None, frame_num=None)

Interface for Gaussian measurement for which Jacobians can be efficiently calculated, usu. analytically or by automatic differentiation.

abstract jacobian(x=None)

Compute and return Jacobian (H) of measurement map (h) at target PV state x .

Parameters x – PV state. Use default argument None when the Jacobian is not state-dependent.

Returns Read-only Jacobian (H) of measurement map (h).

class PositionMeasurement(mean, cov, time=None, frame_num=None)

Full-rank Gaussian position measurement in Euclidean space.

Parameters

- **mean** – mean of measurement distribution.
- **cov** – covariance of measurement distribution.
- **time** – time of measurement.

jacobian(x=None)

Compute and return Jacobian (H) of measurement map (h) at target PV state x .

Parameters x – PV state. The default argument None may be used in this subclass since the Jacobian is not state-dependent.

Returns Read-only Jacobian (H) of measurement map (h).

CHAPTER
TWENTYSIX

INDICES AND TABLES

- genindex
- search

PYTHON MODULE INDEX

p

pyro.contrib.autoname, 237
pyro.contrib.autoname.named, 240
pyro.contrib.autoname.scoping, 242
pyro.contrib.bnn, 245
pyro.contrib.bnn.hidden_layer, 245
pyro.contrib.cevae, 247
pyro.contrib.easyguide, 255
pyro.contrib.epidemiology, 259
pyro.contrib.epidemiology.compartmental, 259
pyro.contrib.epidemiology.distributions, 271
pyro.contrib.epidemiology.models, 264
pyro.contrib.examples.bart, 275
pyro.contrib.examples.multi_mnist, 275
pyro.contrib.examples.nextstrain, 276
pyro.contrib.examples.util, 276
pyro.contrib.forecast, 277
pyro.contrib.forecast.evaluate, 281
pyro.contrib.forecast.forecaster, 277
pyro.contrib.functor, 283
pyro.contrib.functor.handlers, 289
pyro.contrib.functor.handlers.named_messenger, 292
pyro.contrib.functor.handlers.primitives, 292
pyro.contrib.functor.handlers.runtime, 293
pyro.contrib.functor.infer.elbo, 294
pyro.contrib.functor.infer.trace_elbo, 294
pyro.contrib.functor.infer.traceenum_elbo, 294
pyro.contrib.functor.infer.tracetmc_elbo, 295
pyro.contrib.gp, 297
pyro.contrib.gp.kernels, 309
pyro.contrib.gp.likelihoods, 317
pyro.contrib.gp.models.gplvm, 308
pyro.contrib.gp.models.gpr, 301
pyro.contrib.gp.models.model, 298
pyro.contrib.gp.models.sgpr, 303
pyro.contrib.gp.models.vgp, 305
pyro.contrib.gp.models.vsgp, 306
pyro.contrib.gp.parameterized, 320
pyro.contrib.gp.util, 321
pyro.contrib.minipyro, 323
pyro.contrib.mue, 325
pyro.contrib.mue.dataloaders, 330
pyro.contrib.mue.missingdatahmm, 329
pyro.contrib.mue.models, 325
pyro.contrib.mue.statearrangers, 328
pyro.contrib.oed, 333
pyro.contrib.oed.eig, 334
pyro.contrib.oed.glmm, 340
pyro.contrib.randomvariable, 341
pyro.contrib.timeseries, 343
pyro.contrib.timeseries.base, 343
pyro.contrib.timeseries.gp, 344
pyro.contrib.timeseries.lgssm, 347
pyro.contrib.timeseries.lgssmgp, 347
pyro.contrib.tracking, 351
pyro.contrib.tracking.assignment, 351
pyro.contrib.tracking.distributions, 353
pyro.contrib.tracking.dynamic_models, 354
pyro.contrib.tracking.extended_kalman_filter, 358
pyro.contrib.tracking.hashing, 360
pyro.contrib.tracking.measurements, 361
pyro.distributions.constraints, 159
pyro.distributions.testing.gof, 233
pyro.distributions.torch, 67
pyro.infer.abstract_infer, 26
pyro.infer.autoguide, 37
pyro.infer.autoguide.initialization, 54
pyro.infer.discrete, 24
pyro.infer.elbo, 10
pyro.infer.energy_distance, 23
pyro.infer.importance, 17
pyro.infer.inspect, 64
pyro.infer.predictive, 25
pyro.infer.renyi_elbo, 15
pyro.infer.reparam, 55
pyro.infer.reparam.conjugate, 57
pyro.infer.reparam.discrete_cosine, 58
pyro.infer.reparam.haar, 59
pyro.infer.reparam.hmm, 61
pyro.infer.reparam.loc_scale, 57
pyro.infer.reparam.neutra, 62
pyro.infer.reparam.projected_normal, 61

pyro.infer.reparam.reparam, 55
pyro.infer.reparam.softmax, 58
pyro.infer.reparam.split, 62
pyro.infer.reparam.stable, 60
pyro.infer.reparam.strategies, 55
pyro.infer.reparam.structured, 63
pyro.infer.reparam.studentt, 60
pyro.infer.reparam.transform, 58
pyro.infer.reparam.unit_jacobian, 59
pyro.infer.rws, 18
pyro.infer.smcfilter, 20
pyro.infer.svgd, 21
pyro.infer.svi, 9
pyro.infer.trace_elbo, 11
pyro.infer.trace_mean_field_elbo, 14
pyro.infer.trace_tail_adaptive_elbo, 15
pyro.infer.traceenum_elbo, 12
pyro.infer.tracegraph_elbo, 11
pyro.infer.tracetmc_elbo, 16
pyro.nn.module, 169
pyro.ops.dual_averaging, 211
pyro.ops.einsum, 221
pyro.ops.gaussian, 223
pyro.ops.indexing, 219
pyro.ops.integrator, 212
pyro.ops.newton, 213
pyro.ops.special, 215
pyro.ops.ssm_gp, 231
pyro.ops.stats, 226
pyro.ops.streaming, 228
pyro.ops.tensor_utils, 216
pyro.ops.welford, 212
pyro.optim.adagrad_rmsprop, 180
pyro.optim.clipped_adam, 181
pyro.optim.horovod, 181
pyro.optim.lr_scheduler, 180
pyro.optim.multi, 183
pyro.optim.optim, 179
pyro.optim.pytorch_optimizers, 182
pyro.params.param_store, 165
pyro.poutine.block_messenger, 199
pyro.poutine.broadcast_messenger, 200
pyro.poutine.collapse_messenger, 201
pyro.poutine.condition_messenger, 201
pyro.poutine.do_messenger, 202
pyro.poutine.enum_messenger, 202
pyro.poutine.escape_messenger, 203
pyro.poutine.guide, 209
pyro.poutine.handlers, 185
pyro.poutine.indep_messenger, 203
pyro.poutine.infer_config_messenger, 203
pyro.poutine.lift_messenger, 204
pyro.poutine.markov_messenger, 204
pyro.poutine.mask_messenger, 205
pyro.poutine.messenger, 198
pyro.poutine.plate_messenger, 205
pyro.poutine.reentrant_messenger, 206
pyro.poutine.reparam_messenger, 206
pyro.poutine.replay_messenger, 206
pyro.poutine.runtime, 196
pyro.poutine.scale_messenger, 207
pyro.poutine.seed_messenger, 207
pyro.poutine.subsample_messenger, 208
pyro.poutine.trace_messenger, 208
pyro.poutine.uncondition_messenger, 209
pyro.poutine.util, 197
pyro.primitives, 3

INDEX

Symbols

_CorrMatrix (*class in pyro.distributions.constraints*), 160
_Integer (*class in pyro.distributions.constraints*), 160
_OrderedVector (*class pyro.distributions.constraints*), 161
_PositiveOrderedVector (*class pyro.distributions.constraints*), 162
_SoftplusLowerCholesky (*class pyro.distributions.constraints*), 162
_SoftplusPositive (*class pyro.distributions.constraints*), 162
_Sphere (*class in pyro.distributions.constraints*), 163
_UnitLowerCholesky (*class pyro.distributions.constraints*), 163
__add__(*AffineNormal method*), 225
__add__(*Gaussian method*), 223
__call__(*Adam method*), 323
__call__(*CoalescentRateLikelihood method*), 273
__call__(*Distribution method*), 73
__call__(*EnergyDistance method*), 23
__call__(*Forecaster method*), 279
__call__(*GuideMessenger method*), 209
__call__(*HMCForecaster method*), 280
__call__(*HorovodOptimizer method*), 182
__call__(*JitTrace_ELBO method*), 323
__call__(*Messenger method*), 323
__call__(*PyroLRScheduler method*), 180
__call__(*PyroOptim method*), 179
__call__(*Reparam method*), 55
__call__(*Strategy method*), 55
__call__(*TorchDistributionMixin method*), 75
__getitem__(*AffineNormal method*), 225
__getitem__(*Gaussian method*), 223

A

Adadelta(*in module pyro.optim.pytorch_optimizers*), 182
Adagrad(*in module pyro.optim.pytorch_optimizers*), 182
AdagradRMSProp (*class pyro.optim.adagrad_rmsprop*), 180
AdagradRMSProp() (*in module pyro.optim.optim*), 180
Adam (*class in pyro.contrib.minipyro*), 323
Adam() (*in module pyro.optim.pytorch_optimizers*), 182
Adamax() (*in module pyro.optim.pytorch_optimizers*), 182
AdamW() (*in module pyro.optim.pytorch_optimizers*), 182
add() (*AutoGuideList method*), 38
add() (*List method*), 242
add() (*LSH method*), 360
add_edge() (*Trace method*), 194
add_module() (*PyroModule method*), 172
add_node() (*Trace method*), 194
affine_autoregressive() (*in module pyro.distributions.transforms*), 151
affine_coupling() (*in module pyro.distributions.transforms*), 151
AffineAutoregressive (*class in pyro.distributions.transforms*), 123
AffineBeta (*class in pyro.distributions*), 78
AffineCoupling (*class pyro.distributions.transforms*), 124
AffineNormal (*class in pyro.ops.gaussian*), 224
all_escape() (*in module pyro.poutine.util*), 197
allocate() (*DimStack method*), 293
am_i_wrapped() (*in module pyro.poutine.runtime*), 196
append() (*AutoGuideList method*), 38
append() (*FullyConnected method*), 251
apply() (*ConjugateReparam method*), 57
apply() (*GumbelSoftmaxReparam method*), 58
apply() (*LatentStableReparam method*), 60
apply() (*LinearHMMReparam method*), 61
apply() (*LocScaleReparam method*), 58
apply() (*NeuTraReparam method*), 62
apply() (*ProjectedNormalReparam method*), 61
apply() (*Reparam method*), 55
apply() (*SplitReparam method*), 62
apply() (*StableReparam method*), 61
apply() (*StructuredReparam method*), 63
apply() (*StudentTReparam method*), 60
apply() (*SymmetricStableReparam method*), 60
apply() (*TransformReparam method*), 58
apply() (*UnitJacobianReparam method*), 59

apply_optimizer() (in module `pyro.contrib.functor.infer.traceenum_elbo`), 294
apply_stack() (in module `pyro.contrib.minipyro`), 323
apply_stack() (in module `pyro.poutine.runtime`), 196
approx_log_prob_tol (`BetaBinomial` attribute), 80
`ApproxSet` (class in `pyro.contrib.tracking.hashing`), 361
arg_constraints (`AffineBeta` attribute), 78
arg_constraints (`AsymmetricLaplace` attribute), 79
arg_constraints (`AVFMultivariateNormal` attribute), 80
arg_constraints (`BetaBinomial` attribute), 80
arg_constraints (`CoalescentTimes` attribute), 81
arg_constraints (`CoalescentTimesWithRate` attribute), 82
arg_constraints (`Delta` attribute), 83
arg_constraints (`DirichletMultinomial` attribute), 83
arg_constraints (`DiscreteHMM` attribute), 84
arg_constraints (`Empirical` attribute), 85
arg_constraints (`ExtendedBetaBinomial` attribute), 86
arg_constraints (`ExtendedBinomial` attribute), 86
arg_constraints (`GammaGaussianHMM` attribute), 88
arg_constraints (`GammaPoisson` attribute), 89
arg_constraints (`GaussianHMM` attribute), 90
arg_constraints (`GaussianMRF` attribute), 91
arg_constraints (`GaussianScaleMixture` attribute), 92
arg_constraints (`ImproperUniform` attribute), 93
arg_constraints (`IndependentHMM` attribute), 94
arg_constraints (`InverseGamma` attribute), 94
arg_constraints (`LinearHMM` attribute), 95
arg_constraints (`LKJ` attribute), 96
arg_constraints (`Logistic` attribute), 97
arg_constraints (`MaskedDistribution` attribute), 97
arg_constraints (`MaskedMixture` attribute), 98
arg_constraints (`MixtureOfDiagNormals` attribute), 99
arg_constraints (`MixtureOfDiagNormalsSharedCovariance` attribute), 99
arg_constraints (`MultivariateStudentT` attribute), 100
arg_constraints (`OMTMultivariateNormal` attribute), 100
arg_constraints (`OneOneMatching` attribute), 101
arg_constraints (`OneTwoMatching` attribute), 102
arg_constraints (`OrderedLogistic` attribute), 103
arg_constraints (`ProjectedNormal` attribute), 104
arg_constraints (`Rejector` attribute), 105
arg_constraints (`SineBivariateVonMises` attribute), 107
arg_constraints (`SineSkewed` attribute), 108
arg_constraints (`SkewLogistic` attribute), 109
arg_constraints (`SoftAsymmetricLaplace` attribute), 110
arg_constraints (`SoftLaplace` attribute), 111
arg_constraints (`SpanningTree` attribute), 112
arg_constraints (`Stable` attribute), 113
arg_constraints (`TruncatedPolyaGamma` attribute), 114
arg_constraints (`Unit` attribute), 114
arg_constraints (`VonMises3D` attribute), 115
arg_constraints (`ZeroInflatedDistribution` attribute), 115
arg_constraints (`ZeroInflatedNegativeBinomial` attribute), 116
arg_constraints (`ZeroInflatedPoisson` attribute), 116
as_complex() (in module `pyro.ops.tensor_utils`), 216
ASGD() (in module `pyro.optim.pytorch_optimizers`), 182
`AsymmetricLaplace` (class in `pyro.distributions`), 79
auto_goodness_of_fit() (in module `pyro.distributions.testing.gof`), 234
`AutoCallable` (class in `pyro.infer.autoguide`), 39
`AutoContinuous` (class in `pyro.infer.autoguide`), 41
autocorrelation() (in module `pyro.ops.stats`), 226
autocovariance() (in module `pyro.ops.stats`), 226
`AutoDelta` (class in `pyro.infer.autoguide`), 40
`AutoDiagonalNormal` (class in `pyro.infer.autoguide`), 44
`AutoDiscreteParallel` (class in `pyro.infer.autoguide`), 47
`AutoGaussian` (class in `pyro.infer.autoguide`), 49
`AutoGuide` (class in `pyro.infer.autoguide`), 37
autoguide() (Parameterized method), 297, 320
`AutoGuideList` (class in `pyro.infer.autoguide`), 38
`AutoHierarchicalNormalMessenger` (class in `pyro.infer.autoguide`), 52
`AutoIAFNormal` (class in `pyro.infer.autoguide`), 45
`AutoLaplaceApproximation` (class in `pyro.infer.autoguide`), 46
`AutoLowRankMultivariateNormal` (class in `pyro.infer.autoguide`), 44
`AutoMessenger` (class in `pyro.infer.autoguide`), 50
`AutoMultivariateNormal` (class in `pyro.infer.autoguide`), 43
autoname() (in module `pyro.contrib.autoname`), 238
`AutoNormal` (class in `pyro.infer.autoguide`), 39
`AutoNormalizingFlow` (class in `pyro.infer.autoguide`), 45
`AutoNormalMessenger` (class in `pyro.infer.autoguide`), 50
autoregressive (`AffineAutoregressive` attribute), 124
autoregressive (`BlockAutoregressive` attribute), 127
autoregressive (`NeuralAutoregressive` attribute), 143
autoregressive (`Polynomial` attribute), 144
autoregressive (`SplineAutoregressive` attribute), 147
`AutoRegressiveMessenger` (class in `pyro.infer.autoguide`), 53
`AutoRegressiveNN` (class in `pyro.nn.auto_reg_nn`), 174
`AutoReparam` (class in `pyro.infer.reparam.strategies`), 56
`AutoStructured` (class in `pyro.infer.autoguide`), 47

`AVFMultivariateNormal` (*class in pyro.distributions*), 79

B

`backtest()` (*in module pyro.contrib.forecast.evaluate*), 281

`BackwardSampleMessenger` (*class in pyro.infer.traceenum_elbo*), 12

`bandwidth_factor` (*IMQSteinKernel property*), 21

`bandwidth_factor` (*RBFSteinKernel property*), 21

`barrier()` (*in module pyro.primitives*), 7

`batch_shape()` (*AffineNormal method*), 224

`batch_shape()` (*Gaussian method*), 223

`BatchNorm` (*class in pyro.distributions.transforms*), 125

`batchnorm()` (*in module pyro.distributions.transforms*), 152

`Bernoulli` (*class in pyro.distributions*), 67

`BernoulliNet` (*class in pyro.contrib.cevae*), 251

`Beta` (*class in pyro.distributions*), 67

`beta_binomial_dist()` (*in module pyro.contrib.epidemiology.distributions*), 272

`BetaBinomial` (*class in pyro.distributions*), 80

`bijective` (*AffineAutoregressive attribute*), 124

`bijective` (*AffineCoupling attribute*), 125

`bijective` (*BatchNorm attribute*), 126

`bijective` (*BlockAutoregressive attribute*), 127

`bijective` (*CholeskyTransform attribute*), 117

`bijective` (*ConditionalAffineAutoregressive attribute*), 129

`bijective` (*ConditionalAffineCoupling attribute*), 130

`bijective` (*ConditionalGeneralizedChannelPermute attribute*), 131

`bijective` (*ConditionalHouseholder attribute*), 132

`bijective` (*ConditionalMatrixExponential attribute*), 134

`bijective` (*ConditionalNeuralAutoregressive attribute*), 135

`bijective` (*ConditionalPlanar attribute*), 135

`bijective` (*ConditionalRadial attribute*), 136

`bijective` (*ConditionalSpline attribute*), 137

`bijective` (*ConditionalSplineAutoregressive attribute*), 139

`bijective` (*CorrLCholeskyTransform attribute*), 117

`bijective` (*CorrMatrixCholeskyTransform attribute*), 118

`bijective` (*DiscreteCosineTransform attribute*), 118

`bijective` (*ELUTransform attribute*), 118

`bijective` (*GeneralizedChannelPermute attribute*), 140

`bijective` (*HaarTransform attribute*), 119

`bijective` (*Householder attribute*), 141

`bijective` (*LeakyReLUTransform attribute*), 119

`bijective` (*LowerCholeskyAffine attribute*), 120

`bijective` (*MatrixExponential attribute*), 142

`bijective` (*NeuralAutoregressive attribute*), 143

`bijective` (*Normalize attribute*), 120

`bijective` (*OrderedTransform attribute*), 120

`bijective` (*Permute attribute*), 121

`bijective` (*Planar attribute*), 143

`bijective` (*Polynomial attribute*), 144

`bijective` (*PositivePowerTransform attribute*), 122

`bijective` (*Radial attribute*), 145

`bijective` (*SoftplusTransform attribute*), 122

`bijective` (*Spline attribute*), 146

`bijective` (*SplineAutoregressive attribute*), 147

`bijective` (*SplineCoupling attribute*), 149

`bijective` (*Sylvester attribute*), 149

`Binary` (*class in pyro.contrib.gp.likelihoods*), 317

`Binomial` (*class in pyro.distributions*), 67

`binomial_dist()` (*in module pyro.contrib.epidemiology.distributions*), 271

`bio_phylo_to_times()` (*in module pyro.distributions.coalescent*), 274

`BiosequenceDataset` (*class in pyro.contrib.mue.dataloaders*), 330

`block` (*class in pyro.contrib.minipyro*), 323

`block()` (*in module pyro.poutine.handlers*), 186

`block_autoregressive()` (*in module pyro.distributions.transforms*), 152

`block_diag_embed()` (*in module pyro.ops.tensor_utils*), 216

`block_diagonal()` (*in module pyro.ops.tensor_utils*), 216

`block_messengers()` (*in module pyro.poutine.messenger*), 199

`block_plate()` (*in module pyro.poutine.plate_messenger*), 205

`BlockAutoregressive` (*class in pyro.distributions.transforms*), 127

`BlockMassMatrix` (*class in pyro.infer.mcmc*), 34

`BlockMessenger` (*class in module pyro.poutine.block_messenger*), 199

`broadcast()` (*in module pyro.poutine.handlers*), 187

`BroadcastMessenger` (*class in module pyro.poutine.broadcast_messenger*), 200

`Brownian` (*class in pyro.contrib.gp.kernels*), 310

C

`call()` (*AutoGuide method*), 37

`call()` (*AutoMessenger method*), 50

`call()` (*Predictive method*), 25

`cat()` (*Gaussian static method*), 223

`Categorical` (*class in pyro.distributions*), 67

`Cauchy` (*class in pyro.distributions*), 68

`cdf()` (*Logistic method*), 97

`cdf()` (*SkewLogistic method*), 109

`cdf()` (*SoftLaplace method*), 111

CEVAE (*class in pyro.contrib.cevae*), 247
Chi2 (*class in pyro.distributions*), 68
cholesky() (*in module pyro.ops.tensor_utils*), 218
cholesky_solve() (*in module pyro.ops.tensor_utils*),
 218
CholeskyTransform (*class* *in* pyro.distributions.transforms), 117
cleanup() (*HMC method*), 32
cleanup() (*MCMCKernel method*), 30
clear() (*in module pyro.nn.module*), 173
clear() (*ParamStoreDict method*), 165
clear_cache() (*ConditionalTransformedDistribution*
 method), 82
clear_cache() (*HMC method*), 32
clear_param_store() (*in module pyro.contrib.funsor*),
 283
clear_param_store() (*in module pyro.primitives*), 3
ClippedAdam (*class in pyro.optim.clipped_adam*), 181
ClippedAdam() (*in module pyro.optim.optim*), 180
CoalescentRateLikelihood (*class* *in* pyro.distributions), 273
CoalescentTimes (*class in pyro.distributions*), 81
CoalescentTimesWithRate (*class* *in* pyro.distributions), 81
codomain (*AffineAutoregressive attribute*), 124
codomain (*AffineCoupling property*), 125
codomain (*BatchNorm attribute*), 126
codomain (*BlockAutoregressive attribute*), 127
codomain (*CholeskyTransform attribute*), 117
codomain (*ConditionalAffineAutoregressive attribute*),
 129
codomain (*ConditionalAffineCoupling attribute*), 130
codomain (*ConditionalGeneralizedChannelPermute attribute*), 131
codomain (*ConditionalHouseholder attribute*), 132
codomain (*ConditionalMatrixExponential attribute*), 134
codomain (*ConditionalNeuralAutoregressive attribute*),
 135
codomain (*ConditionalPlanar attribute*), 135
codomain (*ConditionalRadial attribute*), 136
codomain (*ConditionalSpline attribute*), 138
codomain (*ConditionalSplineAutoregressive attribute*),
 139
codomain (*CorrLCholeskyTransform attribute*), 117
codomain (*CorrMatrixCholeskyTransform attribute*),
 118
codomain (*DiscreteCosineTransform property*), 118
codomain (*ELUTransform attribute*), 118
codomain (*GeneralizedChannelPermute attribute*), 140
codomain (*HaarTransform property*), 119
codomain (*Householder attribute*), 141
codomain (*LeakyReLUTransform attribute*), 119
codomain (*LowerCholeskyAffine attribute*), 120
codomain (*MatrixExponential attribute*), 142
codomain (*NeuralAutoregressive attribute*), 143
codomain (*Normalize attribute*), 120
codomain (*OrderedTransform attribute*), 120
codomain (*Permute property*), 121
codomain (*Planar attribute*), 143
codomain (*Polynomial attribute*), 145
codomain (*PositivePowerTransform attribute*), 122
codomain (*Radial attribute*), 145
codomain (*SoftplusLowerCholeskyTransform attribute*),
 122
codomain (*SoftplusTransform attribute*), 122
codomain (*Spline attribute*), 146
codomain (*SplineAutoregressive attribute*), 147
codomain (*SplineCoupling attribute*), 149
codomain (*Sylvester attribute*), 149
codomain (*TransformModule attribute*), 150
codomain (*UnitLowerCholeskyTransform attribute*), 123
collapse() (*in module pyro.poutine.handlers*), 187
CollapseMessenger (*class* *in* pyro.poutine.collapse_messenger), 201
Combination (*class in pyro.contrib.gp.kernels*), 310
CompartmentalModel (*class* *in* pyro.contrib.epidemiology.compartmental),
 259
ComposeTransformModule (*class in pyro.distributions*),
 150
compute_flows() (*CompartmentalModel method*), 261
compute_log_prob() (*Trace method*), 194
compute_marginals() (*in module* pyro.contrib.tracking.assignment), 353
compute_marginals() (*TraceEnum_ELBO method*), 13
compute_marginals_bp() (*in module* pyro.contrib.tracking.assignment), 353
compute_marginals_persistent() (*in module* pyro.contrib.tracking.assignment), 353
compute_marginals_persistent_bp() (*in module* pyro.contrib.tracking.assignment), 353
compute_marginals_sparse_bp() (*in module* pyro.contrib.tracking.assignment), 353
compute_score_parts() (*Trace method*), 194
concentration (*DirichletMultinomial property*), 83
concentration (*GammaPoisson property*), 89
concentration (*InverseGamma property*), 94
concentration0 (*AffineBeta property*), 78
concentration0 (*BetaBinomial property*), 80
concentration1 (*AffineBeta property*), 78
concentration1 (*BetaBinomial property*), 80
CondIndepStackFrame (*class* *in* pyro.poutine.indep_messenger), 203
condition() (*AffineNormal method*), 224
condition() (*ConditionalAffineAutoregressive method*),
 129
condition() (*ConditionalAffineCoupling method*), 130
condition() (*ConditionalDistribution method*), 82

condition() (*ConditionalGeneralizedChannelPermute method*), 131
 condition() (*ConditionalHouseholder method*), 132
 condition() (*ConditionalMatrixExponential method*), 134
 condition() (*ConditionalNeuralAutoregressive method*), 135
 condition() (*ConditionalPlanar method*), 135
 condition() (*ConditionalRadial method*), 136
 condition() (*ConditionalSpline method*), 138
 condition() (*ConditionalSplineAutoregressive method*), 139
 condition() (*ConditionalTransform method*), 117
 condition() (*ConditionalTransformedDistribution method*), 82
 condition() (*Gaussian method*), 223
 condition() (*in module pyro.contrib.functor*), 283
 condition() (*in module pyro.poutine.handlers*), 187
 conditional() (*in module pyro.contrib.gp.util*), 321
 conditional_affine_autoregressive() (*in module pyro.distributions.transforms*), 152
 conditional_affine_coupling() (*in module pyro.distributions.transforms*), 153
 conditional_generalized_channel_permute() (*in module pyro.distributions.transforms*), 153
 conditional_householder() (*in module pyro.distributions.transforms*), 153
 conditional_matrix_exponential() (*in module pyro.distributions.transforms*), 154
 conditional_neural_autoregressive() (*in module pyro.distributions.transforms*), 154
 conditional_planar() (*in module pyro.distributions.transforms*), 155
 conditional_radial() (*in module pyro.distributions.transforms*), 155
 conditional_spline() (*in module pyro.distributions.transforms*), 155
 conditional_spline_autoregressive() (*in module pyro.distributions.transforms*), 156
 ConditionalAffineAutoregressive (*class in pyro.distributions.transforms*), 128
 ConditionalAffineCoupling (*class in pyro.distributions.transforms*), 129
 ConditionalAutoRegressiveNN (*class in pyro.nn.auto_reg_nn*), 175
 ConditionalDenseNN (*class in pyro.nn.dense_nn*), 176
 ConditionalDistribution (*class in pyro.distributions*), 82
 ConditionalGeneralizedChannelPermute (*class in pyro.distributions.transforms*), 130
 ConditionalHouseholder (*class in pyro.distributions.transforms*), 132
 ConditionalMatrixExponential (*class in pyro.distributions.transforms*), 133
 ConditionalNeuralAutoregressive (*class in pyro.distributions.transforms*), 134
 ConditionalPlanar (*class in pyro.distributions.transforms*), 135
 ConditionalRadial (*class in pyro.distributions.transforms*), 136
 ConditionalSpline (*class in pyro.distributions.transforms*), 137
 ConditionalSplineAutoregressive (*class in pyro.distributions.transforms*), 138
 ConditionalTransform (*class in pyro.distributions*), 117
 ConditionalTransformedDistribution (*class in pyro.distributions*), 82
 ConditionalTransformModule (*class in pyro.distributions*), 139
 ConditionMessenger (*class in pyro.poutine.condition_messenger*), 201
 config_enumerate() (*in module pyro.infer.enum*), 192
 configure() (*AutoReparam method*), 56
 configure() (*BlockMassMatrix method*), 34
 configure() (*MinimalReparam method*), 56
 configure() (*Strategy method*), 55
 conjugate_update() (*Distribution method*), 73
 conjugate_update() (*GaussianHMM method*), 90
 conjugate_update() (*MaskedDistribution method*), 97
 ConjugateReparam (*class in pyro.infer.reparam.conjugate*), 57
 Constant (*class in pyro.contrib.gp.kernels*), 310
 constrained_gamma (*BatchNorm property*), 126
 ContinuousBernoulli (*class in pyro.distributions*), 68
 contract() (*in module pyro.ops.einsum*), 221
 contract_expression() (*in module pyro.ops.einsum*), 221
 convolve() (*in module pyro.ops.tensor_utils*), 217
 copy() (*Trace method*), 194
 Coregionalize (*class in pyro.contrib.gp.kernels*), 310
 CorrLCholeskyTransform (*class in pyro.distributions.transforms*), 117
 CorrMatrixCholeskyTransform (*class in pyro.distributions.transforms*), 118
 Cosine (*class in pyro.contrib.gp.kernels*), 311
 CosineAnnealingLR() (*in module pyro.optim.pytorch_optimizers*), 182
 CosineAnnealingWarmRestarts() (*in module pyro.optim.pytorch_optimizers*), 183
 CountMeanStats (*class in pyro.ops.streaming*), 230
 CountMeanVarianceStats (*class in pyro.ops.streaming*), 230
 CountStats (*class in pyro.ops.streaming*), 230
 cov (*EKFState property*), 359
 cov (*Measurement property*), 361
 cov2pv() (*DynamicModel method*), 355
 cov2pv() (*Ncp method*), 356

cov2pv() (*Ncv method*), 356
cov_pv() (*EKFState method*), 359
covariance_matrix() (*MultivariateStudentT method*), 100
crps_empirical() (*in module pyro.ops.stats*), 228
current_read_env (*DimStack property*), 293
current_write_env (*DimStack property*), 293
CyclicLR() (*in module pyro.optim.pytorch_optimizers*), 183

D

dct() (*in module pyro.ops.tensor_utils*), 218
DCTAdam() (*in module pyro.optim.optim*), 180
DEFAULT_FIRST_DIM (*DimStack attribute*), 293
default_process_message() (*in module pyro.poutine.runtime*), 196
Delta (*class in pyro.distributions*), 83
DenseNN (*class in pyro.nn.dense_nn*), 175
density_goodness_of_fit() (*in module pyro.distributions.testing.gof*), 234
DependentMaternGP (*class in pyro.contrib.timeseries.gp*), 346
detach_() (*Trace method*), 195
deterministic() (*in module pyro.contrib.funsor*), 283
deterministic() (*in module pyro.primitives*), 4
DiagNormalNet (*class in pyro.contrib.cevae*), 252
diagnostics() (*HMC method*), 32
diagnostics() (*in module pyro.infer.mcmc.util*), 36
diagnostics() (*MCMC method*), 29
diagnostics() (*MCMCKernel method*), 30
diagnostics() (*StreamingMCMC method*), 29
Dict (*class in pyro.contrib.autoname.named*), 242
differentiable_loss() (*ELBO method*), 294
differentiable_loss() (*Jit_ELBO method*), 294
differentiable_loss() (*JitTrace_ELBO method*), 11
differentiable_loss() (*JitTraceEnum_ELBO method*), 14
differentiable_loss() (*JitTraceMeanField_ELBO method*), 15
differentiable_loss() (*Trace_ELBO method*), 11, 294
differentiable_loss() (*TraceEnum_ELBO method*), 13, 294
differentiable_loss() (*TraceMarkovEnum_ELBO method*), 294
differentiable_loss() (*TraceTMC_ELBO method*), 16, 295
DifferentiableDynamicModel (*class in pyro.contrib.tracking.dynamic_models*), 355
DifferentiableMeasurement (*class in pyro.contrib.tracking.measurements*), 362
dim() (*Gaussian method*), 223
dim_type (*DimRequest property*), 293
dimension (*DynamicModel property*), 354
dimension (*EKFState property*), 358
dimension (*Measurement property*), 361
dimension_pv (*DynamicModel property*), 354
dimension_pv (*EKFState property*), 359
DimRequest (*class in pyro.contrib.funsor.handlers.runtime*), 293
DimStack (*class in pyro.contrib.funsor.handlers.runtime*), 293
DimType (*class in pyro.contrib.funsor.handlers.runtime*), 293
Dirichlet (*class in pyro.distributions*), 68
DirichletMultinomial (*class in pyro.distributions*), 83
discrete_escape() (*in module pyro.poutine.util*), 197
DiscreteCosineReparam (*class in pyro.infer.reparam.discrete_cosine*), 58
DiscreteCosineTransform (*class in pyro.distributions.transforms*), 118
DiscreteHMM (*class in pyro.distributions*), 84
dist (*RandomVariable property*), 341
Distribution (*class in pyro.distributions*), 72
DistributionNet (*class in pyro.contrib.cevae*), 251
do() (*in module pyro.contrib.funsor*), 284
do() (*in module pyro.poutine.handlers*), 188
domain (*AffineAutoregressive attribute*), 124
domain (*AffineCoupling property*), 125
domain (*BatchNorm attribute*), 126
domain (*BlockAutoregressive attribute*), 127
domain (*CholeskyTransform attribute*), 117
domain (*ConditionalAffineAutoregressive attribute*), 129
domain (*ConditionalAffineCoupling attribute*), 130
domain (*ConditionalGeneralizedChannelPermute attribute*), 131
domain (*ConditionalHouseholder attribute*), 132
domain (*ConditionalMatrixExponential attribute*), 134
domain (*ConditionalNeuralAutoregressive attribute*), 135
domain (*ConditionalPlanar attribute*), 136
domain (*ConditionalRadial attribute*), 136
domain (*ConditionalSpline attribute*), 138
domain (*ConditionalSplineAutoregressive attribute*), 139
domain (*CorrLCholeskyTransform attribute*), 117
domain (*CorrMatrixCholeskyTransform attribute*), 118
domain (*DiscreteCosineTransform property*), 118
domain (*ELUTransform attribute*), 118
domain (*GeneralizedChannelPermute attribute*), 140
domain (*HaarTransform property*), 119
domain (*Householder attribute*), 141
domain (*LeakyReLUTransform attribute*), 119
domain (*LowerCholeskyAffine attribute*), 120
domain (*MatrixExponential attribute*), 142
domain (*NeuralAutoregressive attribute*), 143
domain (*Normalize attribute*), 120
domain (*OrderedTransform attribute*), 121
domain (*Permute property*), 121

domain (*Planar attribute*), 144
 domain (*Polynomial attribute*), 145
 domain (*PositivePowerTransform attribute*), 122
 domain (*Radial attribute*), 145
 domain (*SoftplusLowerCholeskyTransform attribute*),
 122
 domain (*SoftplusTransform attribute*), 122
 domain (*Spline attribute*), 146
 domain (*SplineAutoregressive attribute*), 147
 domain (*SplineCoupling attribute*), 149
 domain (*Sylvester attribute*), 149
 domain (*TransformModule attribute*), 150
 domain (*UnitLowerCholeskyTransform attribute*), 123
 DoMessenger (*class in pyro.poutine.do_messenger*), 202
 donsker_varadhan_eig() (*in module*
 pyro.contrib.oed.eig), 336
 DotProduct (*class in pyro.contrib.gp.kernels*), 311
 dtanh_dx() (*Sylvester method*), 150
 DualAveraging (*class in pyro.ops.dual_averaging*), 211
 duration (*CoalescentTimesWithRate property*), 82
 duration (*IndependentHMM property*), 94
 dynamic_model (*EKFState property*), 358
 DynamicModel (*class* *in*
 pyro.contrib.tracking.dynamic_models), 354

E

easy_guide() (*in module* *pyro.contrib.easyguide*), 256
 EasyGuide (*class in pyro.contrib.easyguide*), 255
 edge_mean (*SpanningTree property*), 112
 edges (*Trace property*), 195
 effectful() (*in module* *pyro.poutine.runtime*), 196
 effective_sample_size() (*in module* *pyro.ops.stats*),
 226
 einsum() (*in module* *pyro.ops.contract*), 221
 EKFDistribution (*class* *in*
 pyro.contrib.tracking.distributions), 353
 EKFState (*class in pyro.contrib.tracking.extended_kalman*),
 358
 ELBO (*class in pyro.contrib.funsor.infer.elbo*), 294
 ELBO (*class in pyro.infer.elbo*), 10
 elbo() (*in module* *pyro.contrib.minipyro*), 323
 elu() (*in module* *pyro.distributions.transforms*), 156
 ELUTransform (*class in pyro.distributions.transforms*),
 118
 embed() (*FactorMuE method*), 327
 Empirical (*class in pyro.distributions*), 85
 empirical (*Marginals property*), 26
 EmpiricalMarginal (*class in pyro.infer.abstract_infer*),
 26
 enable_validation() (*in module* *pyro.contrib.funsor*),
 284
 enable_validation() (*in module* *pyro.infer.util*), 64
 enable_validation() (*in module* *pyro.poutine.util*),
 197
 enable_validation() (*in module* *pyro.primitives*), 7
 end_adaptation() (*BlockMassMatrix method*), 35
 end_warmup() (*MCMCKernel method*), 30
 EnergyDistance (*class in pyro.infer.energy_distance*),
 23
 entropy() (*Logistic method*), 97
 enum() (*in module* *pyro.contrib.funsor.handlers*), 289
 enum() (*in module* *pyro.poutine.handlers*), 188
 enum_extend() (*in module* *pyro.poutine.util*), 197
 enumerate_site() (*in module*
 pyro.poutine.enum_messenger), 202
 enumerate_support() (*BetaBinomial method*), 80
 enumerate_support() (*Distribution method*), 73
 enumerate_support() (*Empirical method*), 85
 enumerate_support() (*MaskedDistribution method*),
 97
 enumerate_support() (*OneOneMatching method*),
 101
 enumerate_support() (*OneTwoMatching method*), 102
 enumerate_support() (*SpanningTree method*), 112
 EnumMessenger (*class* *in*
 pyro.poutine.enum_messenger), 202
 eps (*NeuralAutoregressive attribute*), 143
 escape() (*in module* *pyro.poutine.handlers*), 189
 EscapeMessenger (*class* *in*
 pyro.poutine.escape_messenger), 203
 eval_crps() (*in module* *pyro.contrib.forecast.evaluate*),
 281
 eval_mae() (*in module* *pyro.contrib.forecast.evaluate*),
 281
 eval_rmse() (*in module* *pyro.contrib.forecast.evaluate*),
 281
 evaluate() (*FactorMuE method*), 327
 evaluate() (*ProfileHMM method*), 326
 evaluate_loss() (*SVI method*), 9
 event_dim (*TorchDistributionMixin property*), 75
 event_logsumexp() (*Gaussian method*), 224
 event_pad() (*Gaussian method*), 223
 event_permute() (*AffineNormal method*), 225
 event_permute() (*Gaussian method*), 223
 event_shape (*Empirical property*), 85
 exp_goodness_of_fit() (*in module*
 pyro.distributions.testing.gof), 234
 expand() (*AffineBeta method*), 78
 expand() (*AffineNormal method*), 225
 expand() (*AsymmetricLaplace method*), 79
 expand() (*BetaBinomial method*), 80
 expand() (*CoalescentTimesWithRate method*), 82
 expand() (*Delta method*), 83
 expand() (*DirichletMultinomial method*), 83
 expand() (*DiscreteHMM method*), 84
 expand() (*FoldedDistribution method*), 87
 expand() (*GammaGaussianHMM method*), 88
 expand() (*GammaPoisson method*), 89

expand() (*Gaussian method*), 223
expand() (*GaussianHMM method*), 90
expand() (*GaussianMRF method*), 92
expand() (*ImproperUniform method*), 93
expand() (*IndependentHMM method*), 94
expand() (*InverseGamma method*), 94
expand() (*LinearHMM method*), 95
expand() (*LKJ method*), 96
expand() (*Logistic method*), 97
expand() (*MaskedDistribution method*), 97
expand() (*MaskedMixture method*), 98
expand() (*MixtureOfDiagNormals method*), 99
expand() (*MixtureOfDiagNormalsSharedCovariance method*), 99
expand() (*MultivariateStudentT method*), 100
expand() (*OrderedLogistic method*), 103
expand() (*ProjectedNormal method*), 104
expand() (*SineBivariateVonMises method*), 107
expand() (*SineSkewed method*), 108
expand() (*SkewLogistic method*), 109
expand() (*SoftAsymmetricLaplace method*), 110
expand() (*SoftLaplace method*), 111
expand() (*Stable method*), 113
expand() (*TorchDistribution method*), 77
expand() (*TorchDistributionMixin method*), 75
expand() (*TruncatedPolyaGamma method*), 114
expand() (*Unit method*), 114
expand() (*VonMises3D method*), 115
expand() (*ZeroInflatedDistribution method*), 115
expand_by() (*TorchDistributionMixin method*), 76
Exponent (*class in pyro.contrib.gp.kernels*), 312
Exponential (*class in pyro.contrib.gp.kernels*), 312
Exponential (*class in pyro.distributions*), 68
ExponentialFamily (*class in pyro.distributions*), 68
ExponentialLR() (*in module pyro.optim.pytorch_optimizers*), 182
ExponentialNet (*class in pyro.contrib.cevae*), 251
ExtendedBetaBinomial (*class in pyro.distributions*), 86
ExtendedBinomial (*class in pyro.distributions*), 86

F

factor() (*in module pyro.contrib.funsor*), 285
factor() (*in module pyro.primitives*), 4
FactorMuE (*class in pyro.contrib.mue.models*), 326
filter() (*DiscreteHMM method*), 84
filter() (*GammaGaussianHMM method*), 88
filter() (*GaussianHMM method*), 90
filter() (*MissingDataDiscreteHMM method*), 329
filter_states() (*EKFDistribution method*), 354
finalize() (*CompartmentalModel method*), 261
FisherSnedecor (*class in pyro.distributions*), 68
fit() (*CEVAE method*), 248

fit_generalized_pareto() (*in module pyro.ops.stats*), 228
fit_mcmc() (*CompartmentalModel method*), 263
fit_svi() (*CompartmentalModel method*), 262
fit_svi() (*FactorMuE method*), 327
fit_svi() (*ProfileHMM method*), 325
FoldedDistribution (*class in pyro.distributions*), 87
forecast() (*DependentMaternGP method*), 346
forecast() (*GenericLGSSM method*), 347
forecast() (*GenericLGSSMWithGPNoiseModel method*), 348
forecast() (*IndependentMaternGP method*), 344
forecast() (*LinearlyCoupledMaternGP method*), 345
forecast() (*TimeSeriesModel method*), 343
Forecaster (*class in pyro.contrib.forecast.forecaster*), 278
ForecastingModel (*class in pyro.contrib.forecast.forecaster*), 277
format_shapes() (*Trace method*), 195
forward() (*AutoCallable method*), 39
forward() (*AutoContinuous method*), 42
forward() (*AutoDelta method*), 41
forward() (*AutoDiscreteParallel method*), 47
forward() (*AutoGaussian method*), 49
forward() (*AutoGuideList method*), 38
forward() (*AutoNormal method*), 40
forward() (*AutoRegressiveNN method*), 174
forward() (*AutoStructured method*), 48
forward() (*BernoulliNet method*), 251
forward() (*Binary method*), 317
forward() (*Brownian method*), 310
forward() (*ConditionalAutoRegressiveNN method*), 176
forward() (*ConditionalDenseNN method*), 177
forward() (*Constant method*), 310
forward() (*Coregionalize method*), 311
forward() (*Cosine method*), 311
forward() (*DenseNN method*), 175
forward() (*DiagNormalNet method*), 253
forward() (*DynamicModel method*), 354
forward() (*EasyGuide method*), 255
forward() (*Exponent method*), 312
forward() (*Exponential method*), 312
forward() (*ExponentialNet method*), 251
forward() (*Gaussian method*), 318
forward() (*GPLVM method*), 309
forward() (*GPMModel method*), 300
forward() (*GPRegression method*), 302
forward() (*Guide method*), 250
forward() (*Kernel method*), 309
forward() (*LaplaceNet method*), 252
forward() (*Likelihood method*), 317
forward() (*Linear method*), 312
forward() (*Matern32 method*), 313
forward() (*Matern52 method*), 313

`forward()` (*Model method*), 250
`forward()` (*MultiClass method*), 318
`forward()` (*Ncp method*), 355
`forward()` (*Ncv method*), 356
`forward()` (*NormalNet method*), 252
`forward()` (*Periodic method*), 313
`forward()` (*Poisson method*), 319
`forward()` (*Polynomial method*), 314
`forward()` (*Predictive method*), 26
`forward()` (*Product method*), 314
`forward()` (*Profile method*), 328
`forward()` (*RationalQuadratic method*), 315
`forward()` (*RBF method*), 314
`forward()` (*SparseGPRegression method*), 304
`forward()` (*StudentTNet method*), 252
`forward()` (*Sum method*), 315
`forward()` (*VariationalGP method*), 306
`forward()` (*VariationalSparseGP method*), 307
`forward()` (*VerticalScaling method*), 315
`forward()` (*Warping method*), 316
`forward()` (*WhiteNoise method*), 316
`forward_shape()` (*DiscreteCosineTransform method*), 118
`forward_shape()` (*HaarTransform method*), 119
`forward_shape()` (*PositivePowerTransform method*), 122
`frame_num` (*EKFState property*), 359
`frame_num` (*Measurement property*), 362
`full_mass()` (*CompartmentalModel method*), 260
FullyConnected (*class in pyro.contrib.cevae*), 251

G

`Gamma` (*class in pyro.distributions*), 68
`GammaGaussianHMM` (*class in pyro.distributions*), 87
`GammaPoisson` (*class in pyro.distributions*), 88
`gate()` (*ZeroInflatedDistribution method*), 115
`gate_logits()` (*ZeroInflatedDistribution method*), 115
`Gaussian` (*class in pyro.contrib.gp.likelihoods*), 318
`Gaussian` (*class in pyro.ops.gaussian*), 223
`gaussian_tensordot()` (*in module pyro.ops.gaussian*), 225
`GaussianHMM` (*class in pyro.distributions*), 89
`GaussianMRF` (*class in pyro.distributions*), 91
`GaussianScaleMixture` (*class in pyro.distributions*), 92
`gelman_rubin()` (*in module pyro.ops.stats*), 226
`generalized_channel_permute()` (*in module pyro.distributions.transforms*), 156
GeneralizedChannelPermute (*class in pyro.distributions.transforms*), 139
`generate()` (*CompartmentalModel method*), 262
`generator()` (*MarkovMessenger method*), 204
GenericLGSSM (*class in pyro.contrib.timeseries.lgssm*), 347

`GenericLGSSMWithGPNoiseModel` (*class in pyro.contrib.timeseries.lgssm*), 347
`geodesic_difference()` (*DynamicModel method*), 354
`geodesic_difference()` (*Measurement method*), 362
Geometric (*class in pyro.distributions*), 69
`get()` (*CountMeanStats method*), 230
`get()` (*CountMeanVarianceStats method*), 230
`get()` (*CountStats method*), 230
`get()` (*StackStats method*), 230
`get()` (*StatsOfDict method*), 229
`get()` (*StreamingStats method*), 229
`get_all_param_names()` (*ParamStoreDict method*), 166
`get_base_dist()` (*AutoContinuous method*), 42
`get_base_dist()` (*AutoDiagonalNormal method*), 44
`get_base_dist()` (*AutoMultivariateNormal method*), 43
`get_base_dist()` (*AutoNormalizingFlow method*), 45
`get_class()` (*DistributionNet static method*), 251
`get_covariance()` (*WelfordArrowheadCovariance method*), 212
`get_covariance()` (*WelfordCovariance method*), 212
`get_data_directory()` (*in module pyro.contrib.examples.util*), 276
`get_data_loader()` (*in module pyro.contrib.examples.util*), 276
`get_deltas()` (*AutoStructured method*), 48
`get_dependencies()` (*in module pyro.infer.inspect*), 64
`get_dist()` (*DependentMaternGP method*), 346
`get_dist()` (*GenericLGSSM method*), 347
`get_dist()` (*GenericLGSSMWithGPNoiseModel method*), 348
`get_dist()` (*IndependentMaternGP method*), 344
`get_dist()` (*LinearlyCoupledMaternGP method*), 345
`get_dist()` (*TimeSeriesModel method*), 343
`get_empirical()` (*SMCFilter method*), 20
`get_ESS()` (*Importance method*), 17
`get_log_normalizer()` (*Importance method*), 17
`get_mask()` (*in module pyro.poutine.runtime*), 196
`get_named_particles()` (*SVGD method*), 22
`get_normalized_weights()` (*Importance method*), 17
`get_param()` (*ParamStoreDict method*), 166
`get_param_store()` (*in module pyro.contrib.functor*), 285
`get_param_store()` (*in module pyro.contrib.minipyro*), 323
`get_param_store()` (*in module pyro.primitives*), 3
`get_permutation()` (*ConditionalAutoRegressiveNN method*), 176
`get_plates()` (*in module pyro.poutine.runtime*), 197
`get_posterior()` (*AutoContinuous method*), 42
`get_posterior()` (*AutoDiagonalNormal method*), 44

get_posterior() (*AutoHierarchicalNormalMessenger method*), 52
get_posterior() (*AutoLaplaceApproximation method*), 46
get_posterior() (*AutoLowRankMultivariateNormal method*), 45
get_posterior() (*AutoMultivariateNormal method*), 43
get_posterior() (*AutoNormalizingFlow method*), 45
get_posterior() (*AutoNormalMessenger method*), 51
get_posterior() (*AutoRegressiveMessenger method*), 53
get_posterior() (*GuideMessenger method*), 209
get_samples() (*MCMC method*), 29
get_samples() (*Predictive method*), 26
get_state() (*DualAveraging method*), 212
get_state() (*ParamStoreDict method*), 167
get_state() (*PyroOptim method*), 179
get_statistics() (*StreamingMCMC method*), 30
get_step() (*MixedMultiOptimizer method*), 184
get_step() (*MultiOptimizer method*), 183
get_step() (*Newton method*), 184
get_trace() (*trace method*), 324
get_trace() (*TraceHandler method*), 208
get_trace() (*TraceMessenger method*), 209
get_traces() (*GuideMessenger method*), 210
get_transform() (*AutoContinuous method*), 42
get_transform() (*AutoDiagonalNormal method*), 44
get_transform() (*AutoMultivariateNormal method*), 43
get_transform() (*AutoNormalizingFlow method*), 45
get_vectorized_trace() (*Predictive method*), 26
given_states() (*MissingDataDiscreteHMM method*), 330
GLOBAL (*DimType attribute*), 293
global_frame (*DimStack property*), 293
global_model() (*CompartmentalModel method*), 261
GlobalNamedMessenger (*class in pyro.contrib.functor.handlers.named_messenger*), 292
GPLVM (*class in pyro.contrib.gp.models.gplvm*), 308
GPMModel (*class in pyro.contrib.gp.models.model*), 298
GPRegression (*class in pyro.contrib.gp.models.gpr*), 301
Group (*class in pyro.contrib.easyguide.easyguide*), 256
group() (*EasyGuide method*), 256
Guide (*class in pyro.contrib.cevae*), 250
guide (*Group property*), 257
guide() (*EasyGuide method*), 255
guide() (*GPLVM method*), 309
guide() (*GPMModel method*), 300
guide() (*GPRegression method*), 302
guide() (*SparseGPRegression method*), 304
guide() (*VariationalGP method*), 306
guide() (*VariationalSparseGP method*), 307
GuideMessenger (*class in pyro.poutine.guide*), 209
Gumbel (*class in pyro.distributions*), 69
GumbelSoftmaxReparam (*class in pyro.infer.reparam.softmax*), 58

H

haar_transform() (*in module pyro.ops.tensor_utils*), 218
HaarReparam (*class in pyro.infer.reparam.haar*), 59
HaarTransform (*class in pyro.distributions.transforms*), 119
HalfCauchy (*class in pyro.distributions*), 69
HalfNormal (*class in pyro.distributions*), 69
has_enumerate_support (*BetaBinomial attribute*), 80
has_enumerate_support (*Distribution attribute*), 72
has_enumerate_support (*Empirical attribute*), 85
has_enumerate_support (*MaskedDistribution property*), 97
has_enumerate_support (*OneOneMatching attribute*), 101
has_enumerate_support (*OneTwoMatching attribute*), 102
has_enumerate_support (*SpanningTree attribute*), 112
has_rsample (*AsymmetricLaplace attribute*), 79
has_rsample (*Delta attribute*), 83
has_rsample (*Distribution attribute*), 72
has_rsample (*GaussianHMM attribute*), 90
has_rsample (*GaussianScaleMixture attribute*), 92
has_rsample (*IndependentHMM property*), 94
has_rsample (*InverseGamma attribute*), 94
has_rsample (*LinearHMM attribute*), 95
has_rsample (*Logistic attribute*), 97
has_rsample (*MaskedDistribution property*), 97
has_rsample (*MaskedMixture property*), 98
has_rsample (*MixtureOfDiagNormals attribute*), 99
has_rsample (*MixtureOfDiagNormalsSharedCovariance attribute*), 99
has_rsample (*MultivariateStudentT attribute*), 100
has_rsample (*ProjectedNormal attribute*), 104
has_rsample (*Rejector attribute*), 105
has_rsample (*SkewLogistic attribute*), 109
has_rsample (*SoftAsymmetricLaplace attribute*), 110
has_rsample (*SoftLaplace attribute*), 111
has_rsample (*Stable attribute*), 113
has_rsample (*TruncatedPolyaGamma attribute*), 114
has_rsample_() (*Distribution method*), 74
HeterogeneousRegionalSIRModel (*class in pyro.contrib.epidemiology.models*), 270
HeterogeneousSIRModel (*class in pyro.contrib.epidemiology.models*), 268
heuristic() (*CompartmentalModel method*), 264
HiddenLayer (*class in pyro.contrib.bnn.hidden_layer*), 245

high (*AffineBeta* property), 78
 HMC (*class in pyro.infer.mcmc*), 31
HMCForecaster (*class in pyro.contrib.forecast.forecaster*), 280
 HorovodOptimizer (*class in pyro.optim.horovod*), 181
 Householder (*class in pyro.distributions.transforms*), 140
householder() (*in module pyro.distributions.transforms*), 156
hpdi() (*in module pyro.ops.stats*), 227

|

icdf() (*Logistic method*), 97
icdf() (*SkewLogistic method*), 109
icdf() (*SoftLaplace method*), 111
idct() (*in module pyro.ops.tensor_utils*), 218
identify_dense_edges() (*in module pyro.poutine.trace_messenger*), 209
Importance (*class in pyro.infer.importance*), 17
ImproperUniform (*class in pyro.distributions.improper_uniform*), 93
IMQSteinKernel (*class in pyro.infer.svgd*), 21
imresize() (*in module pyro.contrib.examples.multi_mnist*), 275
Independent (*class in pyro.distributions*), 69
independent() (*TorchDistributionMixin method*), 76
IndependentHMM (*class in pyro.distributions*), 93
IndependentMaternGP (*class in pyro.contrib.timeseries.gp*), 344
IndepMessenger (*class in pyro.poutine.indep_messenger*), 203
Index (*class in pyro.ops.indexing*), 219
index() (*in module pyro.ops.indexing*), 219
indices (*IndepMessenger property*), 203
infection_dist() (*in module pyro.contrib.epidemiology.distributions*), 272
infer_config() (*in module pyro.poutine.handlers*), 189
infer_discrete() (*in module pyro.infer.discrete*), 24
infer_shapes() (*AffineBeta static method*), 78
infer_shapes() (*DirichletMultinomial static method*), 83
infer_shapes() (*MultivariateStudentT static method*), 100
infer_shapes() (*ProjectedNormal static method*), 104
infer_shapes() (*SineBivariateVonMises class method*), 107
infer_shapes() (*TorchDistributionMixin class method*), 75
InferConfigMessenger (*class in pyro.poutine.infer_config_messenger*), 203
information_criterion() (*TracePosterior method*), 27
init() (*EasyGuide method*), 255
init() (*SMCFilter method*), 20
init_to_feasible() (*in module pyro.infer.autoguide.initialization*), 54
init_to_generated() (*in module pyro.infer.autoguide.initialization*), 54
init_to_mean() (*in module pyro.infer.autoguide.initialization*), 54
init_to_median() (*in module pyro.infer.autoguide.initialization*), 54
init_to_sample() (*in module pyro.infer.autoguide.initialization*), 54
init_to_uniform() (*in module pyro.infer.autoguide.initialization*), 54
init_to_value() (*in module pyro.infer.autoguide.initialization*), 54
initial_params (*HMC property*), 32
initial_params (*MCMCKernel property*), 30
initialize() (*CompartmentalModel method*), 261
initialize_model() (*in module pyro.infer.mcmc.util*), 35
InitMessenger (*class in pyro.infer.autoguide.initialization*), 54
innovation() (*EKFState method*), 359
inv_permutation() (*Permute method*), 121
inverse_haar_transform() (*in module pyro.ops.tensor_utils*), 218
inverse_mass_matrix (*BlockMassMatrix property*), 35
inverse_mass_matrix (*HMC property*), 32
inverse_shape() (*DiscreteCosineTransform method*), 118
inverse_shape() (*HaarTransform method*), 119
inverse_shape() (*PositivePowerTransform method*), 122
InverseGamma (*class in pyro.distributions*), 94
is_scheduler() (*in module pyro.optim.optim*), 179
is_validation_enabled() (*in module pyro.infer.util*), 64
is_validation_enabled() (*in module pyro.poutine.util*), 197
Isotropy (*class in pyro.contrib.gp.kernels*), 312
ite() (*CEVAE method*), 249
items() (*ParamStoreDict method*), 165
iter_sample() (*GPRegression method*), 302
iter_stochastic_nodes() (*Trace method*), 195
iterated() (*in module pyro.distributions.transforms*), 150

J

jacobian() (*DifferentiableDynamicModel method*), 355
jacobian() (*DifferentiableMeasurement method*), 362
jacobian() (*Ncp method*), 356
jacobian() (*Ncv method*), 357
jacobian() (*PositionMeasurement method*), 362
Jit_ELBO (*class in pyro.contrib.functor.infer.elbo*), 294

JitTrace_ELBO	(class <code>pyro.contrib.funsor.infer.trace_elbo</code>), 294	in	LinearlyCoupledMaternGP	(class <code>pyro.contrib.timeseries.gp</code>), 344	in
JitTrace_ELBO	(class in <code>pyro.contrib.minipyro</code>), 323		List	(class in <code>pyro.contrib.autoname.named</code>), 241	
JitTrace_ELBO	(class in <code>pyro.infer.trace_elbo</code>), 11		LKJ	(class in <code>pyro.distributions</code>), 96	
JitTraceEnum_ELBO	(class <code>pyro.contrib.funsor.infer.traceenum_elbo</code>), 294	in	LKJCholesky	(class in <code>pyro.distributions</code>), 69	
JitTraceEnum_ELBO	(class <code>pyro.infer.traceenum_elbo</code>), 13		LKJCorrCholesky	(class in <code>pyro.distributions</code>), 96	
JitTraceGraph_ELBO	(class <code>pyro.infer.tracegraph_elbo</code>), 12	in	load()	(in module <code>pyro.contrib.examples.multi_mnist</code>), 275	
JitTraceMarkovEnum_ELBO	(class <code>pyro.contrib.funsor.infer.traceenum_elbo</code>), 295		load()	(<i>ParamStoreDict</i> method), 167	
JitTraceMeanField_ELBO	(class <code>pyro.infer.trace_mean_field_elbo</code>), 14	in	load()	(<i>PyroOptim</i> method), 180	
JitTraceTMC_ELBO	(class <code>pyro.contrib.funsor.infer.tracetmc_elbo</code>), 295	in	load_bart_od()	(in module <code>pyro.contrib.examples.bart</code>), 275	
K			load_fake_od()	(in module <code>pyro.contrib.examples.bart</code>), 275	
Kernel	(class in <code>pyro.contrib.gp.kernels</code>), 309		load_mnist()	(in module <code>pyro.contrib.examples.multi_mnist</code>), 275	
keys()	(<i>ParamStoreDict</i> method), 165		load_nextstrain_counts()	(in module <code>pyro.contrib.examples.nextstrain</code>), 276	
kinetic_grad()	(<i>BlockMassMatrix</i> method), 35		loc	(<i>AffineBeta</i> property), 78	
Kumaraswamy	(class in <code>pyro.distributions</code>), 69		LOCAL	(<i>DimType</i> attribute), 293	
L			local_frame	(<i>DimStack</i> property), 293	
LambdaLR()	(in module <code>pyro.optim.pytorch_optimizers</code>), 182		LocScaleReparam	(class in <code>pyro.infer.reparam.loc_scale</code>), 57	
Laplace	(class in <code>pyro.distributions</code>), 69		log_abs_det_jacobian()	(<i>AffineAutoregressive</i> method), 124	
laplace_approximation()	(<i>AutoLaplaceApproximation</i> method), 46		log_abs_det_jacobian()	(<i>AffineCoupling</i> method), 125	
laplace_eig()	(in module <code>pyro.contrib.oed.eig</code>), 334		log_abs_det_jacobian()	(<i>BatchNorm</i> method), 126	
LaplaceNet	(class in <code>pyro.contrib.cevae</code>), 251		log_abs_det_jacobian()	(<i>BlockAutoregressive</i> method), 127	
LatentStableReparam	(class <code>pyro.infer.reparam.stable</code>), 60	in	log_abs_det_jacobian()	(<i>CholeskyTransform</i> method), 117	
leaky_relu()	(in module <code>pyro.distributions.transforms</code>), 157	module	log_abs_det_jacobian()	(<i>CorrLCholeskyTransform</i> method), 117	
LeakyReLUTransform	(class <code>pyro.distributions.transforms</code>), 119	in	log_abs_det_jacobian()	(<i>CorrMatrixCholeskyTransform</i> method), 118	
left_condition()	(<i>AffineNormal</i> method), 224		log_abs_det_jacobian()	(<i>DiscreteCosineTransform</i> method), 118	
left_condition()	(<i>Gaussian</i> method), 224		log_abs_det_jacobian()	(<i>ELUTransform</i> method), 118	
left_scale()	(<i>AsymmetricLaplace</i> method), 79		log_abs_det_jacobian()	(<i>HaarTransform</i> method), 119	
left_scale()	(<i>SoftAsymmetricLaplace</i> method), 110		log_abs_det_jacobian()	(<i>LeakyReLUTransform</i> method), 119	
lfire_eig()	(in module <code>pyro.contrib.oed.eig</code>), 338		log_abs_det_jacobian()	(<i>LowerCholeskyAffine</i> method), 120	
lift()	(in module <code>pyro.poutine.handlers</code>), 189		log_abs_det_jacobian()	(<i>NeuralAutoregressive</i> method), 143	
LiftMessenger	(class in <code>pyro.poutine.lift_messenger</code>), 204		log_abs_det_jacobian()	(<i>OrderedTransform</i> method), 121	
Likelihood	(class in <code>pyro.contrib.gp.likelihoods</code>), 317		log_abs_det_jacobian()	(<i>Permute</i> method), 121	
Linear	(class in <code>pyro.contrib.gp.kernels</code>), 312		log_abs_det_jacobian()	(<i>Polynomial</i> method), 145	
LinearHMM	(class in <code>pyro.distributions</code>), 94		log_abs_det_jacobian()	(<i>PositivePowerTransform</i> method), 122	
LinearHMMReparam	(class in <code>pyro.infer.reparam.hmm</code>), 61				

log_abs_det_jacobian()	(<i>SoftplusTransform method</i>), 122	log_prob() (<i>MixtureOfDiagNormals method</i>), 99
log_abs_det_jacobian()	(<i>SplineAutoregressive method</i>), 148	log_prob() (<i>MixtureOfDiagNormalsSharedCovariance method</i>), 99
log_abs_det_jacobian()	(<i>SplineCoupling method</i>), 149	log_prob() (<i>MultivariateStudentT method</i>), 100
log_abs_det_jacobian()	(<i>Sylvester method</i>), 150	log_prob() (<i>OneOneMatching method</i>), 101
log_beta()	(in module <code>pyro.ops.special</code>), 215	log_prob() (<i>OneTwoMatching method</i>), 102
log_binomial()	(in module <code>pyro.ops.special</code>), 215	log_prob() (<i>ProjectedNormal method</i>), 104
log_density()	(<i>Gaussian method</i>), 223	log_prob() (<i>Rejector method</i>), 105
log_I1()	(in module <code>pyro.ops.special</code>), 215	log_prob() (<i>RelaxedBernoulliStraightThrough method</i>), 104
log_kernel_and_grad()	(<i>IMQSteinKernel method</i>), 21	log_prob() (<i>RelaxedOneHotCategoricalStraightThrough method</i>), 105
log_kernel_and_grad()	(<i>RBFSteinKernel method</i>), 21	log_prob() (<i>SineBivariateVonMises method</i>), 107
log_kernel_and_grad()	(<i>SteinKernel method</i>), 22	log_prob() (<i>SineSkewed method</i>), 108
log_likelihood_of_update()	(<i>EKFState method</i>), 359	log_prob() (<i>SkewLogistic method</i>), 109
log_partition_function()	(<i>OneOneMatching method</i>), 101	log_prob() (<i>SoftAsymmetricLaplace method</i>), 110
log_partition_function()	(<i>OneTwoMatching method</i>), 102	log_prob() (<i>SoftLaplace method</i>), 111
log_partition_function()	(<i>SpanningTree method</i>), 112	log_prob() (<i>SpanningTree method</i>), 112
log_prob()	(<i>AsymmetricLaplace method</i>), 79	log_prob() (<i>Stable method</i>), 113
log_prob()	(<i>BetaBinomial method</i>), 80	log_prob() (<i>TimeSeriesModel method</i>), 343
log_prob()	(<i>CoalescentTimes method</i>), 81	log_prob() (<i>TruncatedPolyaGamma method</i>), 114
log_prob()	(<i>CoalescentTimesWithRate method</i>), 82	log_prob() (<i>Unit method</i>), 114
log_prob()	(<i>Delta method</i>), 83	log_prob() (<i>VonMises3D method</i>), 115
log_prob()	(<i>DependentMaternGP method</i>), 346	log_prob() (<i>ZeroInflatedDistribution method</i>), 115
log_prob()	(<i>DirichletMultinomial method</i>), 83	log_prob_sum() (<i>Trace method</i>), 195
log_prob()	(<i>DiscreteHMM method</i>), 85	log_weights (<i>Empirical property</i>), 86
log_prob()	(<i>Distribution method</i>), 73	logging() (<i>HMC method</i>), 32
log_prob()	(<i>EKFDistribution method</i>), 354	logging() (<i>MCMCKernel method</i>), 30
log_prob()	(<i>Empirical method</i>), 86	Logistic (class in <code>pyro.distributions</code>), 96
log_prob()	(<i>ExtendedBetaBinomial method</i>), 86	LogisticNormal (class in <code>pyro.distributions</code>), 70
log_prob()	(<i>ExtendedBinomial method</i>), 86	logits (<i>ZeroInflatedNegativeBinomial property</i>), 116
log_prob()	(<i>FoldedDistribution method</i>), 87	LogNormal (class in <code>pyro.distributions</code>), 70
log_prob()	(<i>GammaGaussianHMM method</i>), 88	loss() (<i>ELBO method</i>), 294
log_prob()	(<i>GammaPoisson method</i>), 89	loss() (<i>EnergyDistance method</i>), 24
log_prob()	(<i>GaussianHMM method</i>), 90	loss() (<i>RenyiELBO method</i>), 16
log_prob()	(<i>GaussianMRF method</i>), 92	loss() (<i>ReweightedWakeSleep method</i>), 19
log_prob()	(<i>GaussianScaleMixture method</i>), 92	loss() (<i>Trace_ELBO method</i>), 11
log_prob()	(<i>GenericLGSSM method</i>), 347	loss() (<i>TraceCausalEffect_ELBO method</i>), 250
log_prob()	(<i>GenericLGSSMWithGPNoiseModel method</i>), 348	loss() (<i>TraceEnum_ELBO method</i>), 13
log_prob()	(<i>ImproperUniform method</i>), 93	loss() (<i>TraceGraph_ELBO method</i>), 12
log_prob()	(<i>IndependentHMM method</i>), 94	loss() (<i>TraceMeanField_ELBO method</i>), 14
log_prob()	(<i>IndependentMaternGP method</i>), 344	loss() (<i>TraceTailAdaptive_ELBO method</i>), 15
log_prob()	(<i>LinearHMM method</i>), 95	loss() (<i>TraceTMC_ELBO method</i>), 17
log_prob()	(<i>LinearlyCoupledMaternGP method</i>), 345	loss_and_grads() (<i>ELBO method</i>), 294
log_prob()	(<i>Logistic method</i>), 97	loss_and_grads() (<i>JitTrace_ELBO method</i>), 11
log_prob()	(<i>MaskedDistribution method</i>), 97	loss_and_grads() (<i>JitTraceEnum_ELBO method</i>), 14
log_prob()	(<i>MaskedMixture method</i>), 98	loss_and_grads() (<i>JitTraceGraph_ELBO method</i>), 12
log_prob()	(<i>MissingDataDiscreteHMM method</i>), 329	loss_and_grads() (<i>JitTraceMeanField_ELBO method</i>), 15
		loss_and_grads() (<i>RenyiELBO method</i>), 16
		loss_and_grads() (<i>ReweightedWakeSleep method</i>), 19
		loss_and_grads() (<i>Trace_ELBO method</i>), 11
		loss_and_grads() (<i>TraceEnum_ELBO method</i>), 13
		loss_and_grads() (<i>TraceGraph_ELBO method</i>), 12

<code>loss_and_grads()</code> (<i>TraceTMC_ELBO</i> method), 17		<code>matrix_and_mvns_to_gaussian()</code> (in module <i>pyro.ops.gaussian</i>), 225
<code>loss_and_surrogate_loss()</code> (<i>JitTrace_ELBO</i> method), 11		<code>matrix_exponential()</code> (in module <i>pyro.distributions.transforms</i>), 157
<code>low</code> (<i>AffineBeta</i> property), 78		<code>MatrixExponential</code> (class in <i>pyro.distributions.transforms</i>), 141
<code>LowerCholeskyAffine</code> (class in <i>pyro.distributions.transforms</i>), 120	in	<code>matvecmul()</code> (in module <i>pyro.ops.tensor_utils</i>), 218
<code>LowRankMultivariateNormal</code> (class in <i>pyro.distributions</i>), 70	in	<code>MAX_DIM</code> (<i>DimStack</i> attribute), 293
<code>LSH</code> (class in <i>pyro.contrib.tracking.hashing</i>), 360		<code>max_sample_iter</code> (<i>SineBivariateVonMises</i> attribute), 107
M		
<code>make_dist()</code> (<i>BernoulliNet</i> static method), 251		<code>mc_extend()</code> (in module <i>pyro.poutine.util</i>), 198
<code>make_dist()</code> (<i>ExponentialNet</i> static method), 251		<code>MCMC</code> (class in <i>pyro.infer.mcmc.api</i>), 28
<code>make_dist()</code> (<i>LaplaceNet</i> static method), 252		<code>MCMCKernel</code> (class in <i>pyro.infer.mcmc.mcmc_kernel</i>), 30
<code>make_dist()</code> (<i>NormalNet</i> static method), 252		<code>mean</code> (<i>AffineBeta</i> property), 78
<code>make_dist()</code> (<i>StudentTNet</i> static method), 252		<code>mean</code> (<i>AsymmetricLaplace</i> property), 79
<code>map_estimate()</code> (<i>EasyGuide</i> method), 256		<code>mean</code> (<i>BetaBinomial</i> property), 80
<code>map_estimate()</code> (<i>Group</i> method), 257		<code>mean</code> (<i>Delta</i> property), 83
<code>map_states()</code> (<i>MissingDataDiscreteHMM</i> method), 330		<code>mean</code> (<i>DirichletMultinomial</i> property), 84
<code>marginal()</code> (<i>TracePosterior</i> method), 27		<code>mean</code> (<i>EKFState</i> property), 359
<code>marginal()</code> (<i>TracePredictive</i> method), 28		<code>mean</code> (<i>Empirical</i> property), 86
<code>marginal_eig()</code> (in module <i>pyro.contrib.oed.eig</i>), 338		<code>mean</code> (<i>GammaPoisson</i> property), 89
<code>MarginalAssignment</code> (class in <i>pyro.contrib.tracking.assignment</i>), 351	in	<code>mean</code> (<i>LKJ</i> property), 96
<code>MarginalAssignmentPersistent</code> (class in <i>pyro.contrib.tracking.assignment</i>), 352	in	<code>mean</code> (<i>Logistic</i> property), 97
<code>MarginalAssignmentSparse</code> (class in <i>pyro.contrib.tracking.assignment</i>), 351	in	<code>mean</code> (<i>MaskedDistribution</i> property), 97
<code>marginalize()</code> (<i>AffineNormal</i> method), 225		<code>mean</code> (<i>Measurement</i> property), 361
<code>marginalize()</code> (<i>Gaussian</i> method), 224		<code>mean</code> (<i>MultivariateStudentT</i> property), 100
<code>Marginals</code> (class in <i>pyro.infer.abstract_infer</i>), 26		<code>mean</code> (<i>ProjectedNormal</i> property), 104
<code>markov()</code> (in module <i>pyro.contrib.functor</i>), 285		<code>mean</code> (<i>SineBivariateVonMises</i> property), 107
<code>markov()</code> (in module <i>pyro.contrib.functor.handlers</i>), 289		<code>mean</code> (<i>SoftAsymmetricLaplace</i> property), 110
<code>markov()</code> (in module <i>pyro.poutine.handlers</i>), 189		<code>mean</code> (<i>SoftLaplace</i> property), 111
<code>MarkovMessenger</code> (class in <i>pyro.contrib.functor.handlers.named_messenger</i>), 292	in	<code>mean</code> (<i>Stable</i> property), 113
<code>MarkovMessenger</code> (class in <i>pyro.poutine.markov_messenger</i>), 204	in	<code>mean()</code> (<i>MaskedMixture</i> method), 98
<code>mask()</code> (in module <i>pyro.poutine.handlers</i>), 190		<code>mean()</code> (<i>ZeroInflatedDistribution</i> method), 115
<code>mask()</code> (<i>TorchDistributionMixin</i> method), 76		<code>mean2pv()</code> (<i>DynamicModel</i> method), 354
<code>MaskedDistribution</code> (class in <i>pyro.distributions</i>), 97		<code>mean2pv()</code> (<i>Ncp</i> method), 355
<code>MaskedMixture</code> (class in <i>pyro.distributions</i>), 98		<code>mean2pv()</code> (<i>Ncv</i> method), 356
<code>MaskMessenger</code> (class in <i>pyro.poutine.mask_messenger</i>), 205	in	<code>mean_pv()</code> (<i>EKFState</i> method), 359
<code>mass_matrix_adapter</code> (<i>HMC</i> property), 32		<code>Measurement</code> (class in <i>pyro.contrib.tracking.measurements</i>), 361
<code>mass_matrix_size</code> (<i>BlockMassMatrix</i> property), 35		<code>median()</code> (<i>AutoContinuous</i> method), 42
<code>match()</code> (<i>ParamStoreDict</i> method), 166		<code>median()</code> (<i>AutoDelta</i> method), 41
<code>Matern32</code> (class in <i>pyro.contrib.gp.kernels</i>), 313		<code>median()</code> (<i>AutoGaussian</i> method), 49
<code>Matern52</code> (class in <i>pyro.contrib.gp.kernels</i>), 313		<code>median()</code> (<i>AutoGuide</i> method), 37
<code>MaternKernel</code> (class in <i>pyro.ops.ssm_gp</i>), 231		<code>median()</code> (<i>AutoGuideList</i> method), 38
<code>matmul()</code> (in module <i>pyro.ops.tensor_utils</i>), 218		<code>median()</code> (<i>AutoHierarchicalNormalMessenger</i> method), 52
		<code>median()</code> (<i>AutoNormal</i> method), 40
		<code>median()</code> (<i>AutoNormalMessenger</i> method), 51
		<code>median()</code> (<i>AutoStructured</i> method), 48
		<code>merge()</code> (<i>CountMeanStats</i> method), 230
		<code>merge()</code> (<i>CountMeanVarianceStats</i> method), 230
		<code>merge()</code> (<i>CountStats</i> method), 230
		<code>merge()</code> (<i>StackStats</i> method), 229
		<code>merge()</code> (<i>StatsOfDict</i> method), 229

merge() (*StreamingStats method*), 228
merge_points() (in module `pyro.contrib.tracking.hashing`), 361
Messenger (class in `pyro.contrib.minipyro`), 323
Messenger (class in `pyro.poutine.messenger`), 198
mg2k() (in module `pyro.contrib.mue.statearrangers`), 328
MinimalReparam (class in `pyro.infer.reparam.strategies`), 56
mirrors (*MNIST attribute*), 276
MissingDataDiscreteHMM (class in `pyro.contrib.mue.missingdatahmm`), 329
MixedMultiOptimizer (class in `pyro.optim.multi`), 184
MixtureOfDiagNormals (class in `pyro.distributions`), 98
MixtureOfDiagNormalsSharedCovariance (class in `pyro.distributions`), 99
MixtureSameFamily (class in `pyro.distributions`), 70
mk_dataset() (in module `pyro.contrib.examples.multi_mnist`), 275
MNIST (class in `pyro.contrib.examples.util`), 276
mode (*Parameterized property*), 298, 321
mode (*ProjectedNormal property*), 104
mode (*SpanningTree property*), 112
mode() (*OneOneMatching method*), 101
mode() (*OneTwoMatching method*), 102
model (*AutoGuide property*), 37
Model (class in `pyro.contrib.cevae`), 249
model (*EasyGuide property*), 255
model (*GuideMessenger property*), 209
model() (*ForecastingModel method*), 277
model() (*GPLVM method*), 309
model() (*GPMModel method*), 299
model() (*GPRegression method*), 302
model() (*SparseGPRegression method*), 304
model() (*VariationalGP method*), 306
model() (*VariationalSparseGP method*), 307
module
 pyro.contrib.autoname, 237
 pyro.contrib.autoname.named, 240
 pyro.contrib.autoname.scoping, 242
 pyro.contrib.bnn, 245
 pyro.contrib.bnn.hidden_layer, 245
 pyro.contrib.cevae, 247
 pyro.contrib.easyguide, 255
 pyro.contrib.epidemiology, 259
 pyro.contrib.epidemiology.compartmental, 259
 pyro.contrib.epidemiology.distributions, 271
 pyro.contrib.epidemiology.models, 264
 pyro.contrib.examples.bart, 275
 pyro.contrib.examples.multi_mnist, 275
 pyro.contrib.examples.nextstrain, 276
 pyro.contrib.examples.util, 276
pyro.contrib.forecast, 277
pyro.contrib.forecast.evaluate, 281
pyro.contrib.forecast.forecaster, 277
pyro.contrib.functor, 283
pyro.contrib.functor.handlers, 289
pyro.contrib.functor.handlers.named_messenger, 292
pyro.contrib.functor.handlers.primitives, 292
pyro.contrib.functor.handlers.runtime, 293
pyro.contrib.functor.infer.elbo, 294
pyro.contrib.functor.infer.trace_elbo, 294
pyro.contrib.functor.infer.traceenum_elbo, 294
pyro.contrib.functor.infer.tracetmc_elbo, 295
pyro.contrib.gp, 297
pyro.contrib.gp.kernels, 309
pyro.contrib.gp.likelihoods, 317
pyro.contrib.gp.models.gplvm, 308
pyro.contrib.gp.models.gpr, 301
pyro.contrib.gp.models.model, 298
pyro.contrib.gp.models.sgpr, 303
pyro.contrib.gp.models.vgp, 305
pyro.contrib.gp.models.vsgp, 306
pyro.contrib.gp.parameterized, 320
pyro.contrib.gp.util, 321
pyro.contrib.minipyro, 323
pyro.contrib.mue, 325
pyro.contrib.mue.dataloaders, 330
pyro.contrib.mue.missingdatahmm, 329
pyro.contrib.mue.models, 325
pyro.contrib.mue.statearrangers, 328
pyro.contrib.oed, 333
pyro.contrib.oed.eig, 334
pyro.contrib.oed.glm, 340
pyro.contrib.randomvariable, 341
pyro.contrib.timeseries, 343
pyro.contrib.timeseries.base, 343
pyro.contrib.timeseries.gp, 344
pyro.contrib.timeseries.lgssm, 347
pyro.contrib.timeseries.lgssm_gp, 347
pyro.contrib.tracking, 351
pyro.contrib.tracking.assignment, 351
pyro.contrib.tracking.distributions, 353
pyro.contrib.tracking.dynamic_models, 354
pyro.contrib.tracking.extended_kalman_filter, 358
pyro.contrib.tracking.hashing, 360
pyro.contrib.tracking.measurements, 361
pyro.distributions.constraints, 159
pyro.distributions.testing.gof, 233
pyro.distributions.torch, 67
pyro.infer.abstract_infer, 26

pyro.infer.autoguide, 37
pyro.infer.autoguide.initialization, 54
pyro.infer.discrete, 24
pyro.infer.elbo, 10
pyro.infer.energy_distance, 23
pyro.infer.importance, 17
pyro.infer.inspect, 64
pyro.infer.predictive, 25
pyro.infer.renyi_elbo, 15
pyro.infer.reparam, 55
pyro.infer.reparam.conjugate, 57
pyro.infer.reparam.discrete_cosine, 58
pyro.infer.reparam.haar, 59
pyro.infer.reparam.hmm, 61
pyro.infer.reparam.loc_scale, 57
pyro.infer.reparam.neutra, 62
pyro.infer.reparam.projected_normal, 61
pyro.infer.reparam.reparam, 55
pyro.infer.reparam.softmax, 58
pyro.infer.reparam.split, 62
pyro.infer.reparam.stable, 60
pyro.infer.reparam.strategies, 55
pyro.infer.reparam.structured, 63
pyro.infer.reparam.studentt, 60
pyro.infer.reparam.transform, 58
pyro.infer.reparam.unit_jacobian, 59
pyro.infer.rws, 18
pyro.infer.smcfilter, 20
pyro.infer.svgd, 21
pyro.infer.svi, 9
pyro.infer.trace_elbo, 11
pyro.infer.trace_mean_field_elbo, 14
pyro.infer.trace_tail_adaptive_elbo, 15
pyro.infer.traceenum_elbo, 12
pyro.infer.tracegraph_elbo, 11
pyro.infer.tracetmc_elbo, 16
pyro.nn.module, 169
pyro.ops.dual_averaging, 211
pyro.ops.einsum, 221
pyro.ops.gaussian, 223
pyro.ops.indexing, 219
pyro.ops.integrator, 212
pyro.ops.newton, 213
pyro.ops.special, 215
pyro.ops.ssm_gp, 231
pyro.ops.stats, 226
pyro.ops.streaming, 228
pyro.ops.tensor_utils, 216
pyro.ops.welford, 212
pyro.optim.adagrad_rmsprop, 180
pyro.optim.clipped_adam, 181
pyro.optim.horovod, 181
pyro.optim.lr_scheduler, 180
pyro.optim.multi, 183
pyro.optim.optim, 179
pyro.optim.pytorch_optimizers, 182
pyro.params.param_store, 165
pyro.poutine.block_messenger, 199
pyro.poutine.broadcast_messenger, 200
pyro.poutine.collapse_messenger, 201
pyro.poutine.condition_messenger, 201
pyro.poutine.do_messenger, 202
pyro.poutine.enum_messenger, 202
pyro.poutine.escape_messenger, 203
pyro.poutine.guide, 209
pyro.poutine.handlers, 185
pyro.poutine.indep_messenger, 203
pyro.poutine.infer_config_messenger, 203
pyro.poutine.lift_messenger, 204
pyro.poutine.markov_messenger, 204
pyro.poutine.mask_messenger, 205
pyro.poutine.messenger, 198
pyro.poutine.plate_messenger, 205
pyro.poutine.reentrant_messenger, 206
pyro.poutine.reparam_messenger, 206
pyro.poutine.replay_messenger, 206
pyro.poutine.runtime, 196
pyro.poutine.scale_messenger, 207
pyro.poutine.seed_messenger, 207
pyro.poutine.subsample_messenger, 208
pyro.poutine.trace_messenger, 208
pyro.poutine.uncondition_messenger, 209
pyro.poutine.util, 197
pyro.primitives, 3
module() (in module pyro.contrib.functor), 285
module() (in module pyro.primitives), 7
module_from_param_with_module_name() (in module pyro.params.param_store), 167
MultiClass (class in pyro.contrib.gp.likelihoods), 318
Multinomial (class in pyro.distributions), 70
multinomial_goodness_of_fit() (in module pyro.distributions.testing.gof), 233
MultiOptimizer (class in pyro.optim.multi), 183
MultiplicativeLR() (in module pyro.optim.pytorch_optimizers), 182
MultiStepLR() (in module pyro.optim.pytorch_optimizers), 182
MultivariateNormal (class in pyro.distributions), 70
MultivariateStudentT (class in pyro.distributions), 100
mvn_to_gaussian() (in module pyro.ops.gaussian), 225

N

name_count() (in module pyro.contrib.autoname), 238
name_count() (in module pyro.contrib.autoname.scoping), 243
NameCountMessenger (class in pyro.contrib.autoname.scoping), 242

named() (in module `pyro.contrib.functor.handlers`), 290
 named_parameters() (`ParamStoreDict` method), 166
 named_pyro_params() (`PyroModule` method), 172
 NamedMessenger (class in `pyro.contrib.functor.handlers.named_messenger`), 292
 names_from_batch_shape() (`DimStack` method), 293
 Ncp (class in `pyro.contrib.tracking.dynamic_models`), 355
 NcpContinuous (class in `pyro.contrib.tracking.dynamic_models`), 357
 NcpDiscrete (class in `pyro.contrib.tracking.dynamic_models`), 357
 Ncv (class in `pyro.contrib.tracking.dynamic_models`), 356
 NcvContinuous (class in `pyro.contrib.tracking.dynamic_models`), 357
 NcvDiscrete (class in `pyro.contrib.tracking.dynamic_models`), 358
 nearby() (`LSH` method), 360
 NegativeBinomial (class in `pyro.distributions`), 70
 neural_autoregressive() (in module `pyro.distributions.transforms`), 157
 NeuralAutoregressive (class in `pyro.distributions.transforms`), 142
 NeuTraReparam (class in `pyro.infer.reparam.neutra`), 62
 Newton (class in `pyro.optim.multi`), 184
 newton_step() (in module `pyro.ops.newton`), 213
 newton_step_1d() (in module `pyro.ops.newton`), 213
 newton_step_2d() (in module `pyro.ops.newton`), 214
 newton_step_3d() (in module `pyro.ops.newton`), 214
 next_context() (`IndepMessenger` method), 203
 next_fast_len() (in module `pyro.ops.tensor_utils`), 217
 nmc_eig() (in module `pyro.contrib.oed.eig`), 335
 NonlocalExit, 196
 nonreparam_stochastic_nodes (Trace property), 195
 norm_const() (`SineBivariateVonMises` method), 107
 Normal (class in `pyro.distributions`), 71
 Normalize (class in `pyro.distributions.transforms`), 120
 normalize_param_name() (in module `pyro.params.param_store`), 167
 NormalNet (class in `pyro.contrib.cevae`), 252
 num_gamma_variates (`TruncatedPolyaGamma` attribute), 114
 num_log_prob_terms (`TruncatedPolyaGamma` attribute), 114
 num_process_noise_parameters (`DynamicModel` property), 354
 num_steps (`HMC` property), 32
 NUTS (class in `pyro.infer.mcmc`), 33

O

Object (class in `pyro.contrib.autoname.named`), 240
 observation_nodes (Trace property), 195

OMTMultivariateNormal (class in `pyro.distributions`), 100
 OneCycleLR() (in module `pyro.optim.pytorch_optimizers`), 183
 OneHotCategorical (class in `pyro.distributions`), 71
 OneHotCategoricalStraightThrough (class in `pyro.distributions`), 71
 OneOneMatching (class in `pyro.distributions`), 101
 OneTwoMatching (class in `pyro.distributions`), 102
 OrderedLogistic (class in `pyro.distributions`), 103
 OrderedTransform (class in `pyro.distributions.transforms`), 120
 OverdispersedSEIRModel (class in `pyro.contrib.epidemiology.models`), 266
 OverdispersedSIRModel (class in `pyro.contrib.epidemiology.models`), 265

P

pack_tensors() (Trace method), 195
 param() (in module `pyro.contrib.functor`), 285
 param() (in module `pyro.contrib.minipyro`), 323
 param() (in module `pyro.primitives`), 3
 param() (Object method), 241
 param_name() (`ParamStoreDict` method), 166
 param_nodes (Trace property), 195
 param_with_module_name() (in module `pyro.params.param_store`), 167
 Parameterized (class in `pyro.contrib.gp`), 297
 Parameterized (class in `pyro.contrib.gp.parameterized`), 320
 ParamStoreDict (class in `pyro.params.param_store`), 165
 Pareto (class in `pyro.distributions`), 71
 Periodic (class in `pyro.contrib.gp.kernels`), 313
 periodic_cumsum() (in module `pyro.ops.tensor_utils`), 216
 periodic_features() (in module `pyro.ops.tensor_utils`), 217
 periodic_repeat() (in module `pyro.ops.tensor_utils`), 216
 Permute (class in `pyro.distributions.transforms`), 121
 permute() (in module `pyro.distributions.transforms`), 157
 pi() (in module `pyro.ops.stats`), 227
 Planar (class in `pyro.distributions.transforms`), 143
 planar() (in module `pyro.distributions.transforms`), 158
 plate (class in `pyro.primitives`), 5
 plate() (`EasyGuide` method), 255
 plate() (in module `pyro.contrib.functor.handlers`), 290
 plate() (in module `pyro.contrib.minipyro`), 324
 plate_stack() (in module `pyro.primitives`), 7
 PlateMessenger (class in `pyro.contrib.minipyro`), 323
 PlateMessenger (class in `pyro.poutine.plate_messenger`), 205

Poisson (*class in pyro.contrib.gp.likelihoods*), 319
Poisson (*class in pyro.distributions*), 71
Polynomial (*class in pyro.contrib.gp.kernels*), 314
Polynomial (*class in pyro.distributions.transforms*), 144
polynomial() (in module *pyro.distributions.transforms*), 158
pop_global() (*DimStack method*), 293
pop_iter() (*DimStack method*), 293
pop_local() (*DimStack method*), 293
PositionMeasurement (class in *pyro.contrib.tracking.measurements*), 362
PositivePowerTransform (class in *pyro.distributions.transforms*), 122
posterior_eig() (*in module pyro.contrib.oed.eig*), 337
postprocess_message() (*Messenger method*), 323
postprocess_message() (*trace method*), 324
potential_grad() (*in module pyro.ops.integrator*), 212
precision_matrix() (*MultivariateStudentT method*), 100
precision_to_scale_tril() (in module *pyro.ops.tensor_utils*), 218
predecessors() (*Trace method*), 195
predict() (*CompartmentalModel method*), 263
predict() (*EKFState method*), 359
predict() (*ForecastingModel method*), 278
Predictive (*class in pyro.infer.predictive*), 25
prefix_condition() (*GaussianHMM method*), 90
print_and_log() (in module *pyro.contrib.examples.util*), 276
probs (*ZeroInflatedNegativeBinomial property*), 116
process_covariance() (*MaternKernel method*), 231
process_message() (*block method*), 323
process_message() (*Messenger method*), 323
process_message() (*PlateMessenger method*), 323
process_message() (*replay method*), 324
process_noise_cov() (*DynamicModel method*), 355
process_noise_cov() (*Ncp method*), 356
process_noise_cov() (*NcpContinuous method*), 357
process_noise_cov() (*NcpDiscrete method*), 358
process_noise_cov() (*Ncv method*), 357
process_noise_cov() (*NcvContinuous method*), 357
process_noise_cov() (*NcvDiscrete method*), 358
process_noise_dist() (*DynamicModel method*), 355
Product (*class in pyro.contrib.gp.kernels*), 314
Profile (*class in pyro.contrib.mue.statearrangers*), 328
ProfileHMM (*class in pyro.contrib.mue.models*), 325
ProjectedNormal (*class in pyro.distributions*), 103
ProjectedNormalReparam (class in *pyro.infer.reparam.projected_normal*), 61
prune_subsample_sites() (in module *pyro.poutine.util*), 198
psis_diagnostic() (*in module pyro.infer.importance*), 17
push_global() (*DimStack method*), 293
push_iter() (*DimStack method*), 293
push_local() (*DimStack method*), 293
pyro.contrib.autoname
 module, 237
pyro.contrib.autoname.named
 module, 240
pyro.contrib.autoname.scoping
 module, 242
pyro.contrib.bnn
 module, 245
pyro.contrib.bnn.hidden_layer
 module, 245
pyro.contrib.cevae
 module, 247
pyro.contrib.easyguide
 module, 255
pyro.contrib.epidemiology
 module, 259
pyro.contrib.epidemiology.compartmental
 module, 259
pyro.contrib.epidemiology.distributions
 module, 271
pyro.contrib.epidemiology.models
 module, 264
pyro.contrib.examples.bart
 module, 275
pyro.contrib.examples.multi_mmist
 module, 275
pyro.contrib.examples.nextstrain
 module, 276
pyro.contrib.examples.util
 module, 276
pyro.contrib.forecast
 module, 277
pyro.contrib.forecast.evaluate
 module, 281
pyro.contrib.forecast.forecaster
 module, 277
pyro.contrib.functor
 module, 283
pyro.contrib.functor.handlers
 module, 289
pyro.contrib.functor.handlers.named_messenger
 module, 292
pyro.contrib.functor.handlers.primitives
 module, 292
pyro.contrib.functor.handlers.runtime
 module, 293
pyro.contrib.functor.infer.elbo
 module, 294
pyro.contrib.functor.infer.trace_elbo
 module, 294
pyro.contrib.functor.infer.traceenum_elbo
 module, 294

pyro.contrib.funsor.infer.tracetmc_elbo
 module, 295
pyro.contrib.gp
 module, 297
pyro.contrib.gp.kernels
 module, 309
pyro.contrib.gp.likelihoods
 module, 317
pyro.contrib.gp.models.gplvm
 module, 308
pyro.contrib.gp.models.gpr
 module, 301
pyro.contrib.gp.models.model
 module, 298
pyro.contrib.gp.models.sgpr
 module, 303
pyro.contrib.gp.models.vgp
 module, 305
pyro.contrib.gp.models.vsgp
 module, 306
pyro.contrib.gp.parameterized
 module, 320
pyro.contrib.gp.util
 module, 321
pyro.contrib.minipyro
 module, 323
pyro.contrib.mue
 module, 325
pyro.contrib.mue.dataloaders
 module, 330
pyro.contrib.mue.missingdatahmm
 module, 329
pyro.contrib.mue.models
 module, 325
pyro.contrib.mue.statearrangers
 module, 328
pyro.contrib.oed
 module, 333
pyro.contrib.oed.eig
 module, 334
pyro.contrib.oed.glmm
 module, 340
pyro.contrib.randomvariable
 module, 341
pyro.contrib.timeseries
 module, 343
pyro.contrib.timeseries.base
 module, 343
pyro.contrib.timeseries.gp
 module, 344
pyro.contrib.timeseries.lgssm
 module, 347
pyro.contrib.timeseries.lgssmgp
 module, 347
pyro.contrib.tracking
 module, 351
pyro.contrib.tracking.assignment
 module, 351
pyro.contrib.tracking.distributions
 module, 353
pyro.contrib.tracking.dynamic_models
 module, 354
pyro.contrib.tracking.extended_kalman_filter
 module, 358
pyro.contrib.tracking.hashing
 module, 360
pyro.contrib.tracking.measurements
 module, 361
pyro.distributions.constraints
 module, 159
pyro.distributions.testing.gof
 module, 233
pyro.distributions.torch
 module, 67
pyro.infer.abstract_infer
 module, 26
pyro.infer.autoguide
 module, 37
pyro.infer.autoguide.initialization
 module, 54
pyro.infer.discrete
 module, 24
pyro.infer.elbo
 module, 10
pyro.infer.energy_distance
 module, 23
pyro.infer.importance
 module, 17
pyro.infer.inspect
 module, 64
pyro.infer.predictive
 module, 25
pyro.infer.renyi_elbo
 module, 15
pyro.infer.reparam
 module, 55
pyro.infer.reparam.conjugate
 module, 57
pyro.infer.reparam.discrete_cosine
 module, 58
pyro.infer.reparam.haar
 module, 59
pyro.infer.reparam.hmm
 module, 61
pyro.infer.reparam.loc_scale
 module, 57
pyro.infer.reparam.neutra
 module, 62

```
pyro.infer.reparam.projected_normal
    module, 61
pyro.infer.reparam.reparam
    module, 55
pyro.infer.reparam.softmax
    module, 58
pyro.infer.reparam.split
    module, 62
pyro.infer.reparam.stable
    module, 60
pyro.infer.reparam.strategies
    module, 55
pyro.infer.reparam.structured
    module, 63
pyro.infer.reparam.studentt
    module, 60
pyro.infer.reparam.transform
    module, 58
pyro.infer.reparam.unit_jacobian
    module, 59
pyro.infer.rws
    module, 18
pyro.infer.smcfilter
    module, 20
pyro.infer.svgd
    module, 21
pyro.infer.svi
    module, 9
pyro.infer.trace_elbo
    module, 11
pyro.infer.trace_mean_field_elbo
    module, 14
pyro.infer.trace_tail_adaptive_elbo
    module, 15
pyro.infer.traceenum_elbo
    module, 12
pyro.infer.tracegraph_elbo
    module, 11
pyro.infer.tracetmc_elbo
    module, 16
pyro.nn.module
    module, 169
pyro.ops.dual_averaging
    module, 211
pyro.ops.einsum
    module, 221
pyro.ops.gaussian
    module, 223
pyro.ops.indexing
    module, 219
pyro.ops.integrator
    module, 212
pyro.ops.newton
    module, 213
pyro.ops.special
    module, 215
pyro.ops.ssm_gp
    module, 231
pyro.ops.stats
    module, 226
pyro.ops.streaming
    module, 228
pyro.ops.tensor_utils
    module, 216
pyro.ops.welford
    module, 212
pyro.optim.adagrad_rmsprop
    module, 180
pyro.optim.clipped_adam
    module, 181
pyro.optim.horovod
    module, 181
pyro.optim.lr_scheduler
    module, 180
pyro.optim.multi
    module, 183
pyro.optim.optim
    module, 179
pyro.optim.pytorch_optimizers
    module, 182
pyro.params.param_store
    module, 165
pyro.poutine.block_messenger
    module, 199
pyro.poutine.broadcast_messenger
    module, 200
pyro.poutine.collapse_messenger
    module, 201
pyro.poutine.condition_messenger
    module, 201
pyro.poutine.do_messenger
    module, 202
pyro.poutine.enum_messenger
    module, 202
pyro.poutine.escape_messenger
    module, 203
pyro.poutine.guide
    module, 209
pyro.poutine.handlers
    module, 185
pyro.poutine.indep_messenger
    module, 203
pyro.poutine.infer_config_messenger
    module, 203
pyro.poutine.lift_messenger
    module, 204
pyro.poutine.markov_messenger
    module, 204
```

pyro.poutine.mask_messenger
 module, 205
pyro.poutine.messenger
 module, 198
pyro.poutine.plate_messenger
 module, 205
pyro.poutine.entrant_messenger
 module, 206
pyro.poutine.reparam_messenger
 module, 206
pyro.poutine.replay_messenger
 module, 206
pyro.poutine.runtime
 module, 196
pyro.poutine.scale_messenger
 module, 207
pyro.poutine.seed_messenger
 module, 207
pyro.poutine.subsample_messenger
 module, 208
pyro.poutine.trace_messenger
 module, 208
pyro.poutine.uncondition_messenger
 module, 209
pyro.poutine.util
 module, 197
pyro.primitives
 module, 3
pyro_method() (in module `pyro.nn.module`), 173
PyroLRScheduler (class in `pyro.optim.lr_scheduler`), 180
PyroModule (class in `pyro.nn.module`), 170
PyroMultiOptimizer (class in `pyro.optim.multi`), 184
PyroOptim (class in `pyro.optim.optim`), 179
PyroParam (class in `pyro.nn.module`), 169
PyroSample (class in `pyro.nn.module`), 170

Q

QC (*Sylvester method*), 149
quantile() (in module `pyro.ops.stats`), 227
quantiles() (*AutoContinuous method*), 42
quantiles() (*AutoGuideList method*), 38
quantiles() (*AutoNormal method*), 40
queue() (in module `pyro.poutine.handlers`), 190

R

RC (*Sylvester method*), 149
Radial (class in `pyro.distributions.transforms`), 145
radial() (in module `pyro.distributions.transforms`), 158
random_module() (in module `pyro.contrib.funsor`), 286
random_module() (in module `pyro.primitives`), 7
RandomVariable (class in `pyro.contrib.randomvariable.random_variable`), 341

rate (*GammaPoisson property*), 89
rate (*InverseGamma property*), 94
rate (*ZeroInflatedPoisson property*), 116
RationalQuadratic (class in `pyro.contrib.gp.kernels`), 315
RBF (class in `pyro.contrib.gp.kernels`), 314
RBFSteinKernel (class in `pyro.infer.svgd`), 21
ReduceLROnPlateau() (in module `pyro.optim.pytorch_optimizers`), 183
ReentrantMessenger (class in `pyro.poutine.entrant_messenger`), 206
region_plate (*CompartmentalModel property*), 260
RegionalSIRModel (class in `pyro.contrib.epidemiology.models`), 270
register() (*Messenger class method*), 198
Rejector (class in `pyro.distributions`), 105
RelaxedBernoulli (class in `pyro.distributions`), 71
RelaxedBernoulliStraightThrough (class in `pyro.distributions`), 104
RelaxedOneHotCategorical (class in `pyro.distributions`), 71
RelaxedOneHotCategoricalStraightThrough (class in `pyro.distributions`), 105
remove() (*LSH method*), 360
remove_node() (*Trace method*), 195
render_model() (in module `pyro.infer.inspect`), 66
RenyIELBO (class in `pyro.infer.renyi_elbo`), 15
Reparam (class in `pyro.infer.reparam.reparam`), 55
reparam() (in module `pyro.poutine.handlers`), 190
reparam() (*NeuTraReparam method*), 62
reparam() (*StructuredReparam method*), 63
reparameterized_nodes (*Trace property*), 195
ReparamHandler (class in `pyro.poutine.reparam_messenger`), 206
ReparamMessenger (class in `pyro.poutine.reparam_messenger`), 206
repeated_matmul() (in module `pyro.ops.tensor_utils`), 217
replace_param() (*ParamStoreDict method*), 166
replay (class in `pyro.contrib.minipyro`), 324
replay() (in module `pyro.contrib.funsor.handlers`), 290
replay() (in module `pyro.poutine.handlers`), 191
ReplayMessenger (class in `pyro.poutine.replay_messenger`), 206
resample() (in module `pyro.ops.stats`), 227
reset() (*DualAveraging method*), 211
reset() (*WelfordArrowheadCovariance method*), 212
reset() (*WelfordCovariance method*), 212
reset_parameters() (*Householder method*), 141
reset_parameters() (*MatrixExponential method*), 142
reset_parameters() (*Planar method*), 144
reset_parameters() (*Polynomial method*), 145
reset_parameters() (*Radial method*), 145
reset_parameters2() (*Sylvester method*), 150

`reset_stack()` (*NonlocalExit method*), 196
`reshape()` (*AffineNormal method*), 225
`reshape()` (*Gaussian method*), 223
`reshape()` (*TorchDistributionMixin method*), 76
`ReweightedWakeSleep` (*class in pyro.infer.rws*), 18
`right_scale()` (*AsymmetricLaplace method*), 79
`right_scale()` (*SoftAsymmetricLaplace method*), 110
`RMSprop()` (*in module pyro.optim.pytorch_optimizers*), 182
`Rprop()` (*in module pyro.optim.pytorch_optimizers*), 182
`rsample()` (*AffineBeta method*), 78
`rsample()` (*AffineNormal method*), 224
`rsample()` (*AsymmetricLaplace method*), 79
`rsample()` (*AVFMultivariateNormal method*), 80
`rsample()` (*Delta method*), 83
`rsample()` (*Gaussian method*), 223
`rsample()` (*GaussianHMM method*), 91
`rsample()` (*GaussianScaleMixture method*), 92
`rsample()` (*IndependentHMM method*), 94
`rsample()` (*LinearHMM method*), 95
`rsample()` (*Logistic method*), 97
`rsample()` (*MaskedDistribution method*), 97
`rsample()` (*MaskedMixture method*), 98
`rsample()` (*MixtureOfDiagNormals method*), 99
`rsample()` (*MixtureOfDiagNormalsSharedCovariance method*), 99
`rsample()` (*MultivariateStudentT method*), 100
`rsample()` (*OMTMultivariateNormal method*), 100
`rsample()` (*ProjectedNormal method*), 104
`rsample()` (*Rejector method*), 105
`rsample()` (*RelaxedBernoulliStraightThrough method*), 104
`rsample()` (*RelaxedOneHotCategoricalStraightThrough method*), 105
`rsample()` (*SkewLogistic method*), 109
`rsample()` (*SoftAsymmetricLaplace method*), 110
`rsample()` (*SoftLaplace method*), 111
`rsample()` (*Stable method*), 114
`rsample()` (*Unit method*), 114
`rsample_posterior()` (*GaussianHMM method*), 91
`run()` (*MCMC method*), 29
`run()` (*StreamingMCMC method*), 30
`run()` (*SVI method*), 9
`run()` (*TracePosterior method*), 27
`rv` (*Distribution property*), 74

S

`S()` (*Sylvester method*), 149
`safe_log()` (*in module pyro.ops.special*), 215
`safe_normalize()` (*in module pyro.ops.tensor_utils*), 218
`sample()` (*AffineBeta method*), 78
`sample()` (*BetaBinomial method*), 80
`sample()` (*CoalescentTimes method*), 81

`sample()` (*DirichletMultinomial method*), 84
`sample()` (*Distribution method*), 73
`sample()` (*Empirical method*), 86
`sample()` (*GammaPoisson method*), 89
`sample()` (*Group method*), 257
`sample()` (*HMC method*), 32
`sample()` (*ImproperUniform method*), 93
`sample()` (*in module pyro.contrib.autoname*), 239
`sample()` (*in module pyro.contrib.functor*), 286
`sample()` (*in module pyro.contrib.minipyro*), 324
`sample()` (*in module pyro.primitives*), 3
`sample()` (*MaskedDistribution method*), 97
`sample()` (*MaskedMixture method*), 98
`sample()` (*MCMCKernel method*), 30
`sample()` (*MissingDataDiscreteHMM method*), 329
`sample()` (*NUTS method*), 34
`sample()` (*OneOneMatching method*), 101
`sample()` (*OneTwoMatching method*), 102
`sample()` (*SineBivariateVonMises method*), 107
`sample()` (*SineSkewed method*), 108
`sample()` (*SpanningTree method*), 112
`sample()` (*TruncatedPolyaGamma method*), 114
`sample()` (*Unit method*), 114
`sample()` (*ZeroInflatedDistribution method*), 115
`sample_()` (*Object method*), 241
`sample_given_states()` (*MissingDataDiscreteHMM method*), 330
`sample_latent()` (*AutoContinuous method*), 42
`sample_latent()` (*AutoGuide method*), 37
`sample_multi()` (*in module pyro.contrib.examples.multi_mnist*), 275
`sample_one()` (*in module pyro.contrib.examples.multi_mnist*), 275
`sample_posterior()` (*TraceEnum_ELBO method*), 13
`sample_saved()` (*TraceEnumSample_ELBO method*), 25
`sample_size` (*AffineBeta property*), 78
`sample_size` (*Empirical property*), 86
`sample_states()` (*MissingDataDiscreteHMM method*), 329
`save()` (*ParamStoreDict method*), 167
`save()` (*PyroOptim method*), 179
`scale` (*AffineBeta property*), 78
`scale()` (*BlockMassMatrix method*), 35
`scale()` (*in module pyro.poutine.handlers*), 191
`scale_constraint` (*AutoDiagonalNormal attribute*), 44
`scale_constraint` (*AutoGaussian attribute*), 49
`scale_constraint` (*AutoLowRankMultivariateNormal attribute*), 45
`scale_constraint` (*AutoMultivariateNormal attribute*), 43
`scale_constraint` (*AutoNormal attribute*), 40
`scale_constraint` (*AutoStructured attribute*), 48
`scale_tril()` (*MultivariateStudentT method*), 100

`scale_tril_constraint` (*AutoMultivariateNormal attribute*), 43
`scale_tril_constraint` (*AutoStructured attribute*), 48
`ScaleMessenger` (*class in pyro.poutine.scale_messenger*), 207
`scope()` (*in module pyro.contrib.autoname*), 237
`scope()` (*in module pyro.contrib.autoname.scoping*), 242
`scope()` (*ParamStoreDict method*), 167
`ScopeMessenger` (*class in pyro.contrib.autoname.scoping*), 242
`score_parts()` (*Distribution method*), 73
`score_parts()` (*MaskedDistribution method*), 97
`score_parts()` (*Rejector method*), 105
`seed` (*class in pyro.contrib.minipyro*), 324
`seed()` (*in module pyro.poutine.handlers*), 192
`SeedMessenger` (*class in pyro.poutine.seed_messenger*), 207
`select_samples()` (*in module pyro.infer.mcmc.util*), 36
`series()` (*CompartmentalModel method*), 260
`set_approx_log_prob_tol()` (*in module pyro.contrib.epidemiology.distributions*), 271
`set_approx_sample_thresh()` (*in module pyro.contrib.epidemiology.distributions*), 271
`set_data()` (*GPMModel method*), 300
`set_first_available_dim()` (*DimStack method*), 293
`set_mode()` (*Parameterized method*), 298, 320
`set_prior()` (*Parameterized method*), 297, 320
`set_rng_seed()` (*in module pyro.contrib.funsor*), 287
`set_state()` (*ParamStoreDict method*), 167
`set_state()` (*PyroOptim method*), 179
`setdefault()` (*ParamStoreDict method*), 166
`setup()` (*HMC method*), 32
`setup()` (*MCMCKernel method*), 30
`SGD()` (*in module pyro.optim.pytorch_optimizers*), 182
`shape()` (*TorchDistributionMixin method*), 75
`share_memory()` (*AdagradRMSProp method*), 181
`sign` (*AffineAutoregressive attribute*), 124
`sign` (*ELUTransform attribute*), 118
`sign` (*LeakyReLUTransform attribute*), 119
`sign` (*PositivePowerTransform attribute*), 122
`sign` (*SoftplusTransform attribute*), 122
`SimpleSEIRDModel` (*class in pyro.contrib.epidemiology.models*), 265
`SimpleSEIRDModel` (*class in pyro.contrib.epidemiology.models*), 264
`SimpleSIRModel` (*class in pyro.contrib.epidemiology.models*), 264
`SineBivariateVonMises` (*class in pyro.distributions*), 106
`SineSkewed` (*class in pyro.distributions*), 107
`site_is_factor()` (*in module pyro.poutine.util*), 198
`site_is_subsample()` (*in module pyro.poutine.util*), 198
`SkewLogistic` (*class in pyro.distributions*), 109
`SMCFailed`, 20
`SMCFilter` (*class in pyro.infer.smcfilter*), 20
`SMCState` (*class in pyro.infer.smcfilter*), 20
`smooth()` (*MissingDataDiscreteHMM method*), 329
`soft_scale()` (*SoftAsymmetricLaplace method*), 110
`SoftAsymmetricLaplace` (*class in pyro.distributions*), 109
`SoftLaplace` (*class in pyro.distributions*), 110
`SoftplusLowerCholeskyTransform` (*class in pyro.distributions.transforms*), 122
`SoftplusTransform` (*class in pyro.distributions.transforms*), 122
`SpanningTree` (*class in pyro.distributions*), 111
`SparseAdam()` (*in module pyro.optim.pytorch_optimizers*), 182
`SparseGPRegression` (*class in pyro.contrib.gp.models.sgpr*), 303
`SparseSIRModel` (*class in pyro.contrib.epidemiology.models*), 269
`Spline` (*class in pyro.distributions.transforms*), 146
`spline()` (*in module pyro.distributions.transforms*), 158
`spline_autoregressive()` (*in module pyro.distributions.transforms*), 158
`spline_coupling()` (*in module pyro.distributions.transforms*), 159
`SplineAutoregressive` (*class in pyro.distributions.transforms*), 147
`SplineCoupling` (*class in pyro.distributions.transforms*), 148
`split_gelman_rubin()` (*in module pyro.ops.stats*), 226
`SplitReparam` (*class in pyro.infer.reparam.split*), 62
`Stable` (*class in pyro.distributions*), 113
`StableReparam` (*class in pyro.infer.reparam.stable*), 60
`StackFrame` (*class in pyro.contrib.funsor.handlers.runtime*), 293
`StackStats` (*class in pyro.ops.streaming*), 229
`stationary_covariance()` (*MaternKernel method*), 231
`StatsOfDict` (*class in pyro.ops.streaming*), 229
`SteinKernel` (*class in pyro.infer.svgd*), 22
`step()` (*AdagradRMSProp method*), 181
`step()` (*ClippedAdam method*), 181
`step()` (*DualAveraging method*), 211
`step()` (*MixedMultiOptimizer method*), 184
`step()` (*MultiOptimizer method*), 183
`step()` (*PyroLRScheduler method*), 180
`step()` (*PyroMultiOptimizer method*), 184
`step()` (*SMCFilter method*), 20
`step()` (*SVGD method*), 22
`step()` (*SVI method*), 10, 323
`step_size` (*HMC property*), 32

StepLR() (in module `pyro.optim.pytorch_optimizers`), 182
stochastic_nodes (*Trace* property), 195
Strategy (class in `pyro.infer.reparam.strategies`), 55
StreamingMCMC (class in `pyro.infer.mcmc.api`), 29
StreamingStats (class in `pyro.ops.streaming`), 228
StructuredReparam (class in `pyro.infer.reparam.structured`), 63
StudentT (class in `pyro.distributions`), 72
StudentTNet (class in `pyro.contrib.cevae`), 252
StudentTReparam (class in `pyro.infer.reparam.studentt`), 60
subsample() (in module `pyro.contrib.funsor`), 287
subsample() (in module `pyro.primitives`), 4
SubsampleMessenger (class in `pyro.poutine.subsample_messenger`), 208
successors() (*Trace* method), 195
Sum (class in `pyro.contrib.gp.kernels`), 315
summary() (MCMC method), 29
SuperspreadningSEIRModel (class in `pyro.contrib.epidemiology.models`), 267
SuperspreadningSIRModel (class in `pyro.contrib.epidemiology.models`), 267
support (AffineBeta property), 78
support (AsymmetricLaplace attribute), 79
support (BetaBinomial property), 80
support (CoalescentTimes property), 81
support (CoalescentTimesWithRate property), 82
support (Delta property), 83
support (DirichletMultinomial property), 84
support (DiscreteHMM property), 85
support (Empirical attribute), 86
support (ExtendedBetaBinomial attribute), 86
support (ExtendedBinomial attribute), 86
support (FoldedDistribution attribute), 87
support (GammaGaussianHMM attribute), 88
support (GammaPoisson attribute), 89
support (GaussianHMM attribute), 91
support (GaussianMRF property), 92
support (ImproperUniform property), 93
support (IndependentHMM property), 94
support (InverseGamma attribute), 94
support (LinearHMM property), 95
support (LKJ attribute), 96
support (Logistic attribute), 97
support (MaskedDistribution property), 97
support (MaskedMixture property), 98
support (MultivariateStudentT attribute), 100
support (OneOneMatching property), 101
support (OneTwoMatching property), 102
support (ProjectedNormal attribute), 104
support (SineBivariateVonMises attribute), 107
support (SineSkewed attribute), 108
support (SkewLogistic attribute), 109
support (SoftAsymmetricLaplace attribute), 110
support (SoftLaplace attribute), 111
support (SpanningTree attribute), 112
support (Stable attribute), 114
support (TruncatedPolyaGamma attribute), 114
support (Unit attribute), 115
support (VonMises3D attribute), 115
support (ZeroInflatedDistribution property), 115
support (ZeroInflatedNegativeBinomial attribute), 116
support (ZeroInflatedPoisson attribute), 116
in support() (*Marginals* method), 27
SVGD (class in `pyro.infer.svsgd`), 22
SVI (class in `pyro.contrib.minipyro`), 323
SVI (class in `pyro.infer.svi`), 9
in Sylvester (class in `pyro.distributions.transforms`), 149
sylvester() (in module `pyro.distributions.transforms`), 159
symbolize_dims() (*Trace* method), 195
SymmetricStableReparam (class in `pyro.infer.reparam.stable`), 60
in T
t_dist() (*Guide* method), 250
t_dist() (*Model* method), 250
terms_from_trace() (in module `pyro.contrib.funsor.infer.traceenum_elbo`), 294
time (EKFState property), 359
time (Measurement property), 361
time_plate (CompartmentalModel property), 260
time_plate (ForecastingModel property), 278
TimeSeriesModel (class in `pyro.contrib.timeseries.base`), 343
to_data() (in module `pyro.contrib.funsor`), 287
to_data() (in module `pyro.contrib.funsor.handlers.primitives`), 292
to_event() (TorchDistributionMixin method), 76
to_funsor() (in module `pyro.contrib.funsor`), 287
to_funsor() (in module `pyro.contrib.funsor.handlers.primitives`), 292
to_gaussian() (AffineNormal method), 225
to_pyro_module_() (in module `pyro.nn.module`), 173
to_script_module() (CEVAE method), 249
topological_sort() (*Trace* method), 195
TorchDistribution (class in `pyro.distributions`), 77
TorchDistributionMixin (class in `pyro.distributions.torch_distribution`), 75
TorchMultiOptimizer (class in `pyro.optim.multi`), 184
total_count (ZeroInflatedNegativeBinomial property), 116
trace (class in `pyro.contrib.minipyro`), 324
Trace (class in `pyro.poutine`), 193

trace (*TraceHandler* property), 208
trace() (*in module pyro.contrib.funsor.handlers*), 290
trace() (*in module pyro.ops.jit*), 8
trace() (*in module pyro.poutine.handlers*), 192
Trace_ELBO (*class in pyro.contrib.funsor.infer.trace_elbo*),
 294
Trace_ELBO (*class in pyro.infer.trace_elbo*), 11
Trace_ELBO() (*in module pyro.contrib.minipyro*), 323
TraceCausalEffect_ELBO (*class* *in*
 pyro.contrib.cevae), 250
TraceEnum_ELBO (*class* *in*
 pyro.contrib.funsor.infer.traceenum_elbo),
 294
TraceEnum_ELBO (*class in pyro.infer.traceenum_elbo*),
 13
TraceEnumSample_ELBO (*class in pyro.infer.discrete*),
 24
TraceGraph_ELBO (*class in pyro.infer.tracegraph_elbo*),
 11
TraceHandler (*class in pyro.poutine.trace_messenger*),
 208
TraceMarkovEnum_ELBO (*class* *in*
 pyro.contrib.funsor.infer.traceenum_elbo),
 294
TraceMeanField_ELBO (*class* *in*
 pyro.infer.trace_mean_field_elbo), 14
TraceMessenger (*class* *in*
 pyro.poutine.trace_messenger), 208
TracePosterior (*class in pyro.infer.abstract_infer*), 27
TracePredictive (*class in pyro.infer.abstract_infer*),
 27
TraceTailAdaptive_ELBO (*class* *in*
 pyro.infer.trace_tail_adaptive_elbo), 15
TraceTMC_ELBO (*class* *in*
 pyro.contrib.funsor.infer.tracetmc_elbo),
 295
TraceTMC_ELBO (*class in pyro.infer.tracetmc_elbo*), 16
train() (*in module pyro.contrib.gp.util*), 322
training (*AutoCallable* attribute), 39
training (*AutoContinuous* attribute), 43
training (*AutoDelta* attribute), 41
training (*AutoDiagonalNormal* attribute), 44
training (*AutoDiscreteParallel* attribute), 47
training (*AutoGaussian* attribute), 50
training (*AutoGuide* attribute), 37
training (*AutoGuideList* attribute), 38
training (*AutoHierarchicalNormalMessenger* attribute), 52
training (*AutoIAFNormal* attribute), 46
training (*AutoLaplaceApproximation* attribute), 46
training (*AutoLowRankMultivariateNormal* attribute),
 45
training (*AutoMessenger* attribute), 50
training (*AutoMultivariateNormal* attribute), 43
training (*AutoNormal* attribute), 40
training (*AutoNormalizingFlow* attribute), 45
training (*AutoNormalMessenger* attribute), 51
training (*AutoRegressiveMessenger* attribute), 53
training (*AutoRegressiveNN* attribute), 174
training (*AutoStructured* attribute), 48
training (*BernoulliNet* attribute), 251
training (*Binary* attribute), 318
training (*Brownian* attribute), 310
training (*CEVAE* attribute), 249
training (*Combination* attribute), 310
training (*ConditionalAffineAutoregressive* attribute),
 129
training (*ConditionalAffineCoupling* attribute), 130
training (*ConditionalAutoRegressiveNN* attribute), 176
training (*ConditionalDenseNN* attribute), 177
training (*ConditionalGeneralizedChannelPermute* attribute), 131
training (*ConditionalHouseholder* attribute), 132
training (*ConditionalMatrixExponential* attribute), 134
training (*ConditionalNeuralAutoregressive* attribute),
 135
training (*ConditionalPlanar* attribute), 136
training (*ConditionalRadial* attribute), 136
training (*ConditionalSpline* attribute), 138
training (*ConditionalSplineAutoregressive* attribute),
 139
training (*ConditionalTransformModule* attribute), 139
training (*Constant* attribute), 310
training (*Coregionalize* attribute), 311
training (*Cosine* attribute), 311
training (*DenseNN* attribute), 175
training (*DependentMaternGP* attribute), 346
training (*DiagNormalNet* attribute), 253
training (*DistributionNet* attribute), 251
training (*DotProduct* attribute), 311
training (*EasyGuide* attribute), 256
training (*Exponent* attribute), 312
training (*Exponential* attribute), 312
training (*ExponentialNet* attribute), 251
training (*FullyConnected* attribute), 251
training (*Gaussian* attribute), 318
training (*GenericLGSSM* attribute), 347
training (*GenericLGSSMWithGPNoiseModel* attribute), 348
training (*GPLVM* attribute), 309
training (*GPMModel* attribute), 301
training (*GPRegression* attribute), 303
training (*Guide* attribute), 250
training (*IndependentMaternGP* attribute), 344
training (*Isotropy* attribute), 312
training (*Kernel* attribute), 309
training (*LaplaceNet* attribute), 252
training (*Likelihood* attribute), 317

training (*Linear attribute*), 312
training (*LinearlyCoupledMaternGP attribute*), 345
training (*Matern32 attribute*), 313
training (*Matern52 attribute*), 313
training (*MaternKernel attribute*), 231
training (*Model attribute*), 250
training (*MultiClass attribute*), 319
training (*NormalNet attribute*), 252
training (*Parameterized attribute*), 298, 321
training (*Periodic attribute*), 313
training (*Poisson attribute*), 319
training (*Polynomial attribute*), 314
training (*Predictive attribute*), 26
training (*Product attribute*), 314
training (*PyroModule attribute*), 173
training (*RationalQuadratic attribute*), 315
training (*RBF attribute*), 314
training (*SparseGPRegression attribute*), 305
training (*StudentTNet attribute*), 252
training (*Sum attribute*), 315
training (*Sylvester attribute*), 150
training (*TimeSeriesModel attribute*), 343
training (*Transforming attribute*), 315
training (*VariationalGP attribute*), 306
training (*VariationalSparseGP attribute*), 308
training (*VerticalScaling attribute*), 315
training (*Warping attribute*), 316
training (*WhiteNoise attribute*), 316
transform() (*RandomVariable method*), 341
transform_sample() (*NeuTraReparam method*), 62
transform_samples() (*StructuredReparam method*), 63
TransformedDistribution (class in *pyro.distributions*), 72
Transforming (class in *pyro.contrib.gp.kernels*), 315
TransformModule (class in *pyro.distributions*), 150
TransformReparam (class in *pyro.infer.reparam.transform*), 58
transition() (*CompartmentalModel method*), 261
transition_matrix() (*MaternKernel method*), 231
transition_matrix_and_covariance() (*MaternKernel method*), 231
triangular_solve() (in module *pyro.ops.tensor_utils*), 218
TruncatedPolyaGamma (class in *pyro.distributions*), 114
truncation_point (*TruncatedPolyaGamma attribute*), 114
try_add() (*ApproxSet method*), 361
TypedDict() (in module *pyro.infer.reparam.reparam*), 55

U

ubersum() (in module *pyro.ops.contract*), 222
uncondition() (in module *pyro.poutine.handlers*), 192

UnconditionMessenger (class in *pyro.poutine.uncondition_messenger*), 209
unif01_goodness_of_fit() (in module *pyro.distributions.testing.gof*), 233
Uniform (class in *pyro.distributions*), 72
Unit (class in *pyro.distributions*), 114
UnitJacobianReparam (class in *pyro.infer.reparam.unit_jacobian*), 59
UnitLowerCholeskyTransform (class in *pyro.distributions.transforms*), 123
UnknownStartSIRModel (class in *pyro.contrib.epidemiology.models*), 269
unregister() (Messenger class method), 199
unscale() (*BlockMassMatrix method*), 35
unwrap() (in module *pyro.poutine.messenger*), 199
update() (*BlockMassMatrix method*), 35
update() (*CountMeanStats method*), 230
update() (*CountMeanVarianceStats method*), 230
update() (*CountStats method*), 230
update() (*EKFState method*), 359
update() (*StackStats method*), 229
update() (*StatsOfDict method*), 229
update() (*StreamingStats method*), 228
update() (*WelfordArrowheadCovariance method*), 212
update() (*WelfordCovariance method*), 212
upstream_value() (*GuideMessenger method*), 210
user_param_name() (in module *pyro.params.param_store*), 167

V

validate_edges() (*SpanningTree method*), 112
validation_enabled() (in module *pyro.infer.util*), 64
validation_enabled() (in module *pyro.primitives*), 8
value (*DimRequest property*), 293
values() (*ParamStoreDict method*), 165
variance (*AffineBeta property*), 79
variance (*AsymmetricLaplace property*), 79
variance (*BetaBinomial property*), 80
variance (*Delta property*), 83
variance (*DirichletMultinomial property*), 84
variance (*Empirical property*), 86
variance (*GammaPoisson property*), 89
variance (*Logistic property*), 97
variance (*MaskedDistribution property*), 97
variance (*MultivariateStudentT property*), 100
variance (*SoftAsymmetricLaplace property*), 110
variance (*SoftLaplace property*), 111
variance (*Stable property*), 114
variance() (*MaskedMixture method*), 98
variance() (*ZeroInflatedDistribution method*), 116
VariationalGP (class in *pyro.contrib.gp.models.vgp*), 305
VariationalSparseGP (class in *pyro.contrib.gp.models.vsgp*), 306

`vector_density_goodness_of_fit()` (in module `pyro.distributions.testing.gof`), 234
`vectorize()` (in module `pyro.infer.svgd`), 23
`vectorized` (`CondIndepStackFrame` property), 203
`vectorized_importance_weights()` (in module `pyro.infer.importance`), 18
`vectorized_markov()` (in module `pyro.contrib.funsor`), 287
`vectorized_markov()` (in module `pyro.contrib.funsor.handlers`), 290
`velocity_verlet()` (in module `pyro.ops.integrator`), 212
`VerticalScaling` (class in `pyro.contrib.gp.kernels`), 315
`vi_eig()` (in module `pyro.contrib.oed.eig`), 334
`Vindex` (class in `pyro.ops.indexing`), 220
`vindex()` (in module `pyro.ops.indexing`), 219
`VISIBLE` (`DimType` attribute), 293
`vmmc_eig()` (in module `pyro.contrib.oed.eig`), 339
`volume_preserving` (`Householder` attribute), 141
`volume_preserving` (`LowerCholeskyAffine` attribute), 120
`volume_preserving` (`Permute` attribute), 121
`VonMises` (class in `pyro.distributions`), 72
`VonMises3D` (class in `pyro.distributions`), 115

W

`waic()` (in module `pyro.ops.stats`), 227
`Warping` (class in `pyro.contrib.gp.kernels`), 316
`Weibull` (class in `pyro.distributions`), 72
`weight_type` (`AutoHierarchicalNormalMessenger` attribute), 52
`WelfordArrowheadCovariance` (class in `pyro.ops.welford`), 212
`WelfordCovariance` (class in `pyro.ops.welford`), 212
`WhiteNoise` (class in `pyro.contrib.gp.kernels`), 316
`with_cache()` (`DiscreteCosineTransform` method), 118
`with_cache()` (`HaarTransform` method), 119
`with_cache()` (`LowerCholeskyAffine` method), 120
`with_cache()` (`Normalize` method), 120
`with_cache()` (`Permute` method), 121
`with_cache()` (`PositivePowerTransform` method), 122
`write()` (in module `pyro.contrib.mue.dataloaders`), 330

X

`x_dist()` (`Model` method), 250

Y

`y_dist()` (`Guide` method), 250
`y_dist()` (`Model` method), 250
`y_mean()` (`Model` method), 250

Z

`z_dist()` (`Guide` method), 250